Rhode Island High School Survey

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|------------------|------------------|------------|----------------------------|-------------------------|------------------------|--|
| 17-17 | Q1 | How old a | re you? | | | |
| | | 1 | 12 years old or younger | 17 | 0.5 | |
| | | 2 | 13 years old | 4 | 0.1 | |
| | | 3 | 14 years old | 234 | 9.8 | |
| | | 4 | 15 years old | 596 | 25.5 | |
| | | 5 | 16 years old | 555 | 24.2 | |
| | | 6 | 17 years old | 552 | 26.0 | |
| | | 7 | 18 years old or older | 257 | 13.9 | |
| | | | Missing | 6 | | |
| 18-18 | Q2 | What is yo | our sex? | | | |
| | | 1 | Female | 1,121 | 48.5 | |
| | | 2 | Male | 1,070 | 51.5 | |
| | | | Missing | 30 | | |
| 19-19 | Q3 | In what gr | In what grade are you? | | | |
| | | 1 | 9th grade | 632 | 27.3 | |
| | | 2 | 10th grade | 581 | 25.9 | |
| | | 3 | 11th grade | 555 | 23.6 | |
| | | 4 | 12th grade | 425 | 22.8 | |
| | | 5 | Ungraded or other grade | 9 | 0.4 | |
| | | | Missing | 19 | | |
| 20-20 | Q4 | Are you H | ispanic or Latino? | | | |
| | - | 1 | Yes | 498 | 23.2 | |
| | | 2 | No | 1,678 | 76.8 | |
| | | | Missing | 45 | | |

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|----------------------------|-------------------------|------------------------|
| 21-28 | Q5 | What is your race? | | |
| | | Н | 4 | 0.1 |
| | | Е | 1,351 | 72.4 |
| | | D | 63 | 3.1 |
| | | DE | 6 | 0.2 |
| | | С | 292 | 12.0 |
| | | CE | 44 | 1.4 |
| | | CD | 10 | 0.6 |
| | | CDE | 2 | 0.0 |
| | | В | 106 | 3.6 |
| | | ΒE | 23 | 0.7 |
| | | B D | 1 | 0.0 |
| | | B DE | 1 | 0.0 |
| | | BC | 3 | 0.1 |
| | | BC E | 1 | 0.0 |
| | | А | 54 | 2.2 |
| | | A H | 1 | 0.0 |
| | | A E | 25 | 1.0 |
| | | A D | 3 | 0.1 |
| | | A DE | 3 | 0.3 |
| | | A C | 17 | 0.8 |
| | | ACE | 20 | 0.5 |
| | | A CD | 3 | 0.1 |
| | | A CDE | 1 | 0.1 |
| | | AB | 3 | 0.1 |
| | | AB E | 1 | 0.0 |
| | | ABC E | 4 | 0.3 |
| | | ABCDE | 6 | 0.2 |
| | | | 173 | |

29-32

Q6

How tall are you without your shoes on? (Note: Data are in meters.)

Rhode Island High School Survey

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--------------------------------|---|-------------------------|------------------------|
| 33-38 | Q7 | How much d kilograms.) | o you weigh without your shoes on? (Note: Data are in | | |
| 39-39 | Q8 | How often do someone else | o you wear a seat belt when riding in a car driven by ?? | | |
| | | 1 | Never | 71 | 3.9 |
| | | 2 | Rarely | 65 | 2.8 |
| | | 3 | Sometimes | 143 | 7.1 |
| | | 4 | Most of the time | 468 | 22.0 |
| | | 5 | Always | 1,447 | 64.2 |
| | | | Missing | 27 | |
| 40-40 | Q9 | | ast 30 days, how many times did you ride in a car or driven by someone who had been drinking alcohol? | | |
| | | 1 | 0 times | 1,892 | 86.1 |
| | | 2 | 1 time | 134 | 6.1 |
| | | 3 | 2 or 3 times | 98 | 4.0 |
| | | 4 | 4 or 5 times | 22 | 1.0 |
| | | 5 | 6 or more times | 62 | 2.7 |
| | | | Missing | 13 | |
| 42-42 | Q11 | During the pa while driving | ast 30 days, on how many days did you text or e-mail g a car or other vehicle? | | |
| | | 1 | I did not drive a car or other vehicle during the past 30 days | 1,306 | 55.5 |
| | | 2 | 0 days | 580 | 27.9 |
| | | 3 | 1 or 2 days | 140 | 6.0 |
| | | 4 | 3 to 5 days | 50 | 3.1 |
| | | 5 | 6 to 9 days | 28 | 1.2 |
| | | 6 | 10 to 19 days | 38 | 2.1 |
| | | 7 | 20 to 29 days | 22 | 1.2 |
| | | 8 | All 30 days | 55 | 3.1 |
| | | | Missing | 2 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentag |
|------------------|------------------|---|-------------------------|-----------------------|
| 44-44 | Q13 | During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property? | | |
| | | 1 0 days | 2,071 | 94.9 |
| | | 2 1 day | 39 | 1.8 |
| | | 3 2 or 3 days | 20 | 0.9 |
| | | 4 4 or 5 days | 17 | 0.8 |
| | | 5 6 or more days | 36 | 1.7 |
| | | Missing | 38 | |
| 46-46 | Q15 | During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school? | | |
| | | 1 0 days | 2,068 | 93.1 |
| | | 2 1 day | 70 | 3.2 |
| | | 3 2 or 3 days | 43 | 2.3 |
| | | 4 4 or 5 days | 12 | 0.6 |
| | | 5 6 or more days | 21 | 0.9 |
| | | Missing | 7 | |
| 49-49 | Q18 | During the past 12 months, how many times were you in a physical fight on school property? | | |
| | | 1 0 times | 1,994 | 89.5 |
| | | 2 1 time | 128 | 6.3 |
| | | 3 2 or 3 times | 44 | 1.9 |
| | | 4 4 or 5 times | 19 | 0.9 |
| | | 5 6 or 7 times | 9 | 0.5 |
| | | 6 8 or 9 times | 4 | 0.2 |
| | | 7 10 or 11 times | 3 | 0.2 |
| | | 8 12 or more times | 16 | 0.6 |
| | | Missing | 4 | |
| 50-50 | Q19 | Have you ever been physically forced to have sexual intercourse when you did not want to? | | |
| | | 1 Yes | 188 | 8.8 |
| | | 2 No | 1,975 | 91.2 |
| | | Missing | 58 | |

Rhode Island High School Survey

| DataVariableLocationName | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|--------------------------|-----|---|-------------------------|------------------------|
| 52-52 | Q21 | During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? | | |
| | | 1 I did not date or go out with anyone during the past 12 months | 849 | 39.6 |
| | | 2 0 times | 1,113 | 53.2 |
| | | 3 1 time | 64 | 3.0 |
| | | 4 2 or 3 times | 48 | 2.4 |
| | | 5 4 or 5 times | 17 | 0.7 |
| | | 6 6 or more times | 23 | 1.1 |
| | | Missing | 107 | |
| 53-53 | Q22 | During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? | | |
| | | 1 I did not date or go out with anyone during the past 12 months | 852 | 39.7 |
| | | 2 0 times | 1,137 | 54.9 |
| | | 3 1 time | 46 | 1.9 |
| | | 4 2 or 3 times | 50 | 1.8 |
| | | 5 4 or 5 times | 8 | 0.4 |
| | | 6 6 or more times | 22 | 1.3 |
| | | Missing | 106 | |
| 54-54 | Q23 | During the past 12 months, have you ever been bullied on school property? | | |
| | | 1 Yes | 359 | 17.3 |
| | | 2 No | 1,802 | 82.7 |
| | _ | Missing | 60 | |
| 55-55 | Q24 | During the past 12 months, have you ever been electronically bullied? | | |
| | | 1 Yes | 306 | 14.2 |
| | | 2 No | 1,880 | 85.8 |
| | | Missing | 35 | |
| 56-56 | Q25 | During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? | | |
| | | 1 Yes | 630 | 29.4 |
| | | 2 No | 1,555 | 70.6 |
| | | Missing | 36 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentag |
|------------------|------------------|--|-------------------------|-----------------------|
| 57-57 | Q26 | During the past 12 months, did you ever seriously consider attempting suicide? | | |
| | | 1 Yes | 346 | 15.9 |
| | | 2 No | 1,827 | 84.1 |
| | | Missing | 48 | |
| 58-58 | Q27 | During the past 12 months, did you make a plan about how you would attempt suicide? | | |
| | | 1 Yes | 293 | 13.6 |
| | | 2 No | 1,888 | 86.4 |
| | | Missing | 40 | |
| 59-59 | Q28 | During the past 12 months, how many times did you actually attempt suicide? | | |
| | | 1 0 times | 1,728 | 89.5 |
| | | 2 1 time | 116 | 5.7 |
| | | 3 2 or 3 times | 48 | 2.5 |
| | | 4 4 or 5 times | 14 | 0.7 |
| | | 5 6 or more times | 21 | 1.6 |
| | | Missing | 294 | |
| 60-60 | Q29 | If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse? | | |
| | | 1 I did not attempt suicide during the past 12 months | 1,711 | 89.8 |
| | | 2 Yes | 70 | 3.8 |
| | | 3 No | 116 | 6.4 |
| | | Missing | 324 | |
| 61-61 | Q30 | Have you ever tried cigarette smoking, even one or two puffs? | | |
| | | 1 Yes | 359 | 19.5 |
| | | 2 No | 1,722 | 80.5 |
| | | Missing | 140 | |

Rhode Island High School Survey

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentag |
|------------------|------------------|--------------------------------------|---|-------------------------|-----------------------|
| 62-62 | Q31 | How old were yo or two puffs? | u when you first tried cigarette smoking, even one | | |
| | | 1 | I have never tried cigarette smoking, not even one or two puffs | 1,724 | 79.7 |
| | | 2 | 8 years old or younger | 55 | 2.2 |
| | | 3 | 9 or 10 years old | 39 | 2.1 |
| | | 4 | 11 or 12 years old | 53 | 3.0 |
| | | 5 | 13 or 14 years old | 103 | 5.6 |
| | | 6 | 15 or 16 years old | 92 | 5.1 |
| | | 7 | 17 years old or older | 39 | 2.2 |
| | | | Missing | 116 | |
| 63-63 | Q32 | During the past 3 cigarettes? | 0 days, on how many days did you smoke | | |
| | | 1 | 0 days | 2,011 | 93.9 |
| | | 2 | 1 or 2 days | 34 | 1.8 |
| | | 3 | 3 to 5 days | 19 | 1.1 |
| | | 4 | 6 to 9 days | 12 | 0.7 |
| | | 5 | 10 to 19 days | 15 | 0.9 |
| | | 6 | 20 to 29 days | 8 | 0.5 |
| | | 7 | All 30 days | 21 | 1.2 |
| | | | Missing | 101 | |
| 64-64 | Q33 | During the past 3 cigarettes did you | 0 days, on the days you smoked, how many a smoke per day? | | |
| | | 1 | I did not smoke cigarettes during the past 30 days | 2,040 | 93.9 |
| | | 2 | Less than 1 cigarette per day | 41 | 2.3 |
| | | 3 | 1 cigarette per day | 22 | 1.2 |
| | | 4 | 2 to 5 cigarettes per day | 20 | 1.2 |
| | | 5 | 6 to 10 cigarettes per day | 8 | 0.3 |
| | | 6 | 11 to 20 cigarettes per day | 6 | 0.4 |
| | | 7 | More than 20 cigarettes per day | 12 | 0.6 |
| | | | Missing | 72 | |
| 65-65 | Q34 | Have you ever us | ed an electronic vapor product? | | |
| | | 1 | Yes | 822 | 40.3 |
| | | 2 | No | 1,315 | 59.7 |
| | | | Missing | 84 | |

Rhode Island High School Survey

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentag |
|------------------|------------------|--|---|-------------------------|-----------------------|
| 66-66 | Q35 | During the past 30 vapor product? | 0 days, on how many days did you use an electronic | | |
| | | 1 | 0 days | 1,669 | 79.9 |
| | | 2 | 1 or 2 days | 173 | 8.9 |
| | | 3 | 3 to 5 days | 59 | 2.5 |
| | | 4 | 6 to 9 days | 41 | 2.1 |
| | | 5 | 10 to 19 days | 38 | 2.8 |
| | | 6 | 20 to 29 days | 23 | 1.0 |
| | | 7 | All 30 days | 55 | 2.7 |
| | | | Missing | 163 | |
| 67-67 | Q36 | | Missing During the past 30 days, how did you usually get your own electronic vapor products? | | |
| | | 1 | I did not use any electronic vapor products during the past 30 days | 1,658 | 79.9 |
| | | 2 | I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store | 83 | 4.5 |
| | | 3 | I got them on the Internet | 22 | 1.0 |
| | | 4 | I gave someone else money to buy them for me | 32 | 1.6 |
| | | 5 | I borrowed them from someone else | 170 | 8.8 |
| | | 6 | A person 18 years old or older gave them to me | 25 | 0.9 |
| | | 7 | I took them from a store or another person | 8 | 0.5 |
| | | 8 | I got them some other way | 50 | 2.8 |
| | | | Missing | 173 | |
| 68-68 | Q37 | tobacco, snuff, dij Redman, Levi Ga | 0 days, on how many days did you use chewing p, snus, or dissolvable tobacco products, such as rrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Iboro Snus, General Snus, Ariva, Stonewall, or | | |
| | | 1 | 0 days | 2,089 | 95.0 |
| | | 2 | 1 or 2 days | 38 | 2.2 |
| | | 3 | 3 to 5 days | 13 | 0.5 |
| | | 4 | 6 to 9 days | 15 | 0.7 |
| | | 5 | 10 to 19 days | 3 | 0.1 |
| | | 6 | 20 to 29 days | 7 | 0.4 |
| | | 7 | All 30 days | 16 | 1.0 |
| | | | Missing | 40 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | | Unweighted Frequency | Weighted Percentag |
|------------------|------------------|--|---|-------------------------|-----------------------|
| 69-69 | Q38 | During the past 3 cigarillos, or little | 0 days, on how many days did you smoke cigars, cigars? | | |
| | | 1 | 0 days | 2,068 | 93.2 |
| | | 2 | 1 or 2 days | 50 | 2.5 |
| | | 3 | 3 to 5 days | 33 | 1.8 |
| | | 4 | 6 to 9 days | 18 | 0.9 |
| | | 5 | 10 to 19 days | 12 | 0.4 |
| | | 6 | 20 to 29 days | 3 | 0.2 |
| | | 7 | All 30 days | 16 | 1.1 |
| | | | Missing | 21 | |
| 71-71 | Q40 | During your life, of alcohol? | on how many days have you had at least one drink | | |
| | | 1 | 0 days | 1,040 | 49.6 |
| | | 2 | 1 or 2 days | 342 | 14.8 |
| | | 3 | 3 to 9 days | 311 | 14.1 |
| | | 4 | 10 to 19 days | 158 | 8.0 |
| | | 5 | 20 to 39 days | 109 | 5.7 |
| | | 6 | 40 to 99 days | 77 | 3.8 |
| | | 7 | 100 or more days | 63 | 4.2 |
| | | | Missing | 121 | |
| 72-72 | Q41 | How old were you than a few sips? | How old were you when you had your first drink of alcohol other | | |
| | | 1 | I have never had a drink of alcohol other than a few sips | 1,087 | 51.8 |
| | | 2 | 8 years old or younger | 69 | 4.3 |
| | | 3 | 9 or 10 years old | 64 | 2.9 |
| | | 4 | 11 or 12 years old | 96 | 4.8 |
| | | 5 | 13 or 14 years old | 321 | 15.7 |
| | | 6 | 15 or 16 years old | 361 | 16.4 |
| | | 7 | 17 years old or older | 78 | 4.1 |
| | | | Missing | 145 | |

Rhode Island High School Survey

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentag |
|------------------|------------------|---|--|-------------------------|-----------------------|
| 73-73 | Q42 | During the past 30 days, on how many days did you have at least one drink of alcohol? | | | |
| | | 1 | 0 days | 1,537 | 76.8 |
| | | 2 | 1 or 2 days | 278 | 14.2 |
| | | 3 | 3 to 5 days | 98 | 5.0 |
| | | 4 | 6 to 9 days | 40 | 2.2 |
| | | 5 | 10 to 19 days | 15 | 1.0 |
| | | 6 | 20 to 29 days | 3 | 0.1 |
| | | 7 | All 30 days | 11 | 0.7 |
| | | | Missing | 239 | |
| 74-74 | Q43 | During the drank? | During the past 30 days, how did you usually get the alcohol you | | |
| | | 1 | I did not drink alcohol during the past 30 days | 1,531 | 75.8 |
| | | 2 | I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station | 24 | 1.2 |
| | | 3 | I bought it at a restaurant, bar, or club | 13 | 0.7 |
| | | 4 | I bought it at a public event such as a concert or sporting event | 5 | 0.3 |
| | | 5 | I gave someone else money to buy it for me | 76 | 4.6 |
| | | 6 | Someone gave it to me | 182 | 8.8 |
| | | 7 | I took it from a store or family member | 66 | 3.3 |
| | | 8 | I got it some other way | 99 | 5.4 |
| | | | Missing | 225 | |
| 75-75 | Q44 | drinks of al | past 30 days, on how many days did you have 4 or more cohol in a row (if you are female) or 5 or more drinks of a row (if you are male)? | | |
| | | 1 | 0 days | 1,879 | 88.8 |
| | | 2 | 1 day | 113 | 5.4 |
| | | 3 | 2 days | 54 | 2.9 |
| | | 4 | 3 to 5 days | 20 | 1.1 |
| | | 5 | 6 to 9 days | 14 | 0.8 |
| | | 6 | 10 to 19 days | 4 | 0.4 |
| | | 7 | 20 or more days | 11 | 0.6 |
| | | | Missing | 126 | |

Rhode Island High School Survey

| Data Location | Variable Name | Questi Code and | | Unweighted Frequency | Weighted Percentag |
|------------------|------------------|---|------------------------------------|-------------------------|-----------------------|
| 77-77 | Q46 | During your life, how many times ha | ave you used marijuana? | | |
| | | 1 0 times | | 1,353 | 63.1 |
| | | 2 1 or 2 times | | 167 | 6.7 |
| | | 3 3 to 9 times | | 145 | 6.8 |
| | | 4 10 to 19 times | | 85 | 3.5 |
| | | 5 20 to 39 times | | 88 | 4.7 |
| | | 6 40 to 99 times | | 76 | 3.9 |
| | | 7 100 or more time | S | 205 | 11.3 |
| | | Missing | | 102 | |
| 78-78 | Q47 | How old were you when you tried m | arijuana for the first time? | | |
| | | 1 I have never tried | | 1,350 | 63.0 |
| | | 2 8 years old or you | inger | 31 | 1.4 |
| | | 3 9 or 10 years old | 0 | 25 | 1.4 |
| | | 4 11 or 12 years old | 1 | 86 | 4.3 |
| | | 5 13 or 14 years old | | 274 | 12.7 |
| | | 6 15 or 16 years old | | 299 | 13.8 |
| | | 7 17 years old or ol | | 55 | 3.4 |
| | | Missing | | 101 | |
| 79-79 | Q48 | During the past 30 days, how many times did you use marijuana? | | | |
| | - | 1 0 times | | 1,664 | 76.7 |
| | | 2 1 or 2 times | | 167 | 8.2 |
| | | 3 3 to 9 times | | 99 | 4.9 |
| | | 4 10 to 19 times | | 66 | 3.2 |
| | | 5 20 to 39 times | | 43 | 2.4 |
| | | 6 40 or more times | | 83 | 4.6 |
| | | Missing | | 99 | |
| 80-80 | Q49 | During your life, how many times ha cocaine, including powder, crack, or | ave you used any form of freebase? | | |
| | | 1 0 times | | 2,092 | 95.6 |
| | | 2 1 or 2 times | | 48 | 2.4 |
| | | 3 3 to 9 times | | 14 | 0.5 |
| | | 4 10 to 19 times | | 9 | 0.4 |
| | | 5 20 to 39 times | | 4 | 0.2 |
| | | 6 40 or more times | | 18 | 0.9 |
| | | Missing | | 36 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentag |
|------------------|------------------|---|---|-----------------------|
| 82-82 | Q51 | During your life, how many times have you use smack, junk, or China White)? | d heroin (also called | |
| | | 1 0 times | 2,103 | 96.2 |
| | | 2 1 or 2 times | 29 | 1.2 |
| | | 3 3 to 9 times | 21 | 1.0 |
| | | 4 10 to 19 times | 11 | 0.6 |
| | | 5 20 to 39 times | 5 | 0.3 |
| | | 6 40 or more times | 15 | 0.8 |
| | | Missing | 37 | |
| 84-84 | Q53 | During your life, how many times have you use MDMA)? | d ecstasy (also called | |
| | | 1 0 times | 2,085 | 96.1 |
| | | 2 1 or 2 times | 27 | 1.2 |
| | | 3 3 to 9 times | 18 | 1.1 |
| | | 4 10 to 19 times | 14 | 0.5 |
| | | 5 20 to 39 times | 7 | 0.3 |
| | | 6 40 or more times | 15 | 0.8 |
| | | Missing | 55 | |
| 85-85 | Q54 | During your life, how many times have you use (also called K2, Spice, fake weed, King Kong, or Moon Rocks)? | d synthetic marijuana Yucatan Fire, Skunk, | |
| | | 1 0 times | 2,066 | 94.0 |
| | | 2 1 or 2 times | 63 | 2.6 |
| | | 3 3 to 9 times | 19 | 0.9 |
| | | 4 10 to 19 times | 17 | 1.0 |
| | | 5 20 to 39 times | 8 | 0.5 |
| | | 6 40 or more times | 16 | 1.0 |
| | | Missing | 32 | |
| 86-86 | Q55 | During your life, how many times have you tak shots without a doctor's prescription? | en steroid pills or | |
| | | 1 0 times | 2,100 | 95.4 |
| | | 2 1 or 2 times | 40 | 2.0 |
| | | 3 3 to 9 times | 21 | 1.1 |
| | | 4 10 to 19 times | 6 | 0.2 |
| | | 5 20 to 39 times | 9 | 0.5 |
| | | 6 40 or more times | 12 | 0.8 |
| | | Missing | 33 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentag |
|------------------|---|--|-------------------------|-----------------------|
| 87-87 | Q56 During your life, how many times have you taken prescription pain doctor told you to use it? | en prescription pain erently than how a | | |
| | | 1 0 times | 1,986 | 90.2 |
| | | 2 1 or 2 times | 90 | 4.7 |
| | | 3 3 to 9 times | 41 | 2.0 |
| | | 4 10 to 19 times | 26 | 1.2 |
| | | 5 20 to 39 times | 16 | 0.9 |
| | | 6 40 or more times | 19 | 1.1 |
| | | Missing | 43 | |
| 90-90 | Q59 | Have you ever had sexual intercourse? | | |
| | | 1 Yes | 645 | 35.7 |
| | | 2 No | 1,249 | 64.3 |
| | | Missing | 327 | |
| 91-91 | Q60 | How old were you when you had sexual interco time? | urse for the first | |
| | | 1 I have never had sexual inter | course 1,248 | 64.1 |
| | | 2 11 years old or younger | 28 | 1.8 |
| | | 3 12 years old | 27 | 2.3 |
| | | 4 13 years old | 51 | 2.8 |
| | | 5 14 years old | 108 | 6.2 |
| | | 6 15 years old | 163 | 8.5 |
| | | 7 16 years old | 181 | 9.8 |
| | | 8 17 years old or older | 81 | 4.4 |
| | | Missing | 334 | |
| 92-92 | Q61 | During your life, with how many people have y intercourse? | ou had sexual | |
| | | 1 I have never had sexual inter | course 1,249 | 64.2 |
| | | 2 1 person | 316 | 15.7 |
| | | 3 2 people | 146 | 8.9 |
| | | 4 3 people | 58 | 3.1 |
| | | 5 4 people | 42 | 2.8 |
| | | 6 5 people | 26 | 1.7 |
| | | 7 6 or more people | 52 | 3.6 |
| | | Missing | 332 | |

Rhode Island High School Survey

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentag |
|------------------|------------------|---|---|-------------------------|-----------------------|
| 93-93 | Q62 | During the past 3 months, with how many people did you have sexual intercourse? | | | |
| | | 1 | I have never had sexual intercourse | 1,248 | 64.1 |
| | | 2 | I have had sexual intercourse, but not during the past 3 months | 184 | 10.3 |
| | | 3 | 1 person | 379 | 20.9 |
| | | 4 | 2 people | 43 | 2.3 |
| | | 5 | 3 people | 14 | 0.9 |
| | | 6 | 4 people | 5 | 0.2 |
| | | 7 | 5 people | 7 | 0.4 |
| | | 8 | 6 or more people | 9 | 0.8 |
| | | | Missing | 332 | |
| 94-94 | Q63 | Did you dri the last time | nk alcohol or use drugs before you had sexual intercourse e? | | |
| | | 1 | I have never had sexual intercourse | 1,245 | 64.1 |
| | | 2 | Yes | 115 | 6.4 |
| | | 3 | No | 527 | 29.6 |
| | | | Missing | 334 | |
| 95-95 | Q64 | The last tim a condom? | | | |
| | | 1 | I have never had sexual intercourse | 1,247 | 64.4 |
| | | 2 | Yes | 380 | 21.8 |
| | | 3 | No | 249 | 13.8 |
| | | | Missing | 345 | |
| 96-96 | Q65 | The last tim or your par | he you had sexual intercourse, what one method did you there use to prevent pregnancy? | | |
| | | 1 | I have never had sexual intercourse | 1,246 | 64.7 |
| | | 2 | No method was used to prevent pregnancy | 104 | 5.5 |
| | | 3 | Birth control pills | 149 | 8.8 |
| | | 4 | Condoms | 270 | 15.3 |
| | | 5 | An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) | 21 | 1.0 |
| | | 6 | A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing) | 30 | 1.4 |
| | | 7 | Withdrawal or some other method | 38 | 2.1 |
| | | 8 | Not sure | 15 | 1.1 |
| | | | Missing | 348 | |

Rhode Island High School Survey

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---|---|-------------------------|------------------------|
| 97-97 | Q66 | During yo | our life, with whom have you had sexual contact? | | |
| | | 1 | I have never had sexual contact | 1,003 | 47.9 |
| | | 2 | Females | 500 | 27.0 |
| | | 3 | Males | 423 | 20.1 |
| | | 4 | Females and males | 101 | 5.1 |
| | | | Missing | 194 | |
| 98-98 | Q67 | Which of | the following best describes you? | | |
| | | 1 | Heterosexual (straight) | 1,828 | 83.9 |
| | | 2 | Gay or lesbian | 62 | 2.5 |
| | | 3 | Bisexual | 194 | 8.6 |
| | | 4 | Not sure | 105 | 5.0 |
| | | | Missing | 32 | |
| 100-100 | Q69 | Which of | the following are you trying to do about your weight? | | |
| | | 1 | Lose weight | 1,038 | 49.0 |
| | | 2 | Gain weight | 363 | 16.8 |
| | | 3 | Stay the same weight | 321 | 15.2 |
| | | 4 | I am not trying to do anything about my weight | 435 | 19.0 |
| | | | Missing | 64 | |
| 101-101 | Q70 | During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? | | | |
| | | 1 | I did not drink 100% fruit juice during the past 7 days | 628 | 27.5 |
| | | 2 | 1 to 3 times during the past 7 days | 828 | 38.5 |
| | | 3 | 4 to 6 times during the past 7 days | 331 | 15.5 |
| | | 4 | 1 time per day | 127 | 6.5 |
| | | 5 | 2 times per day | 120 | 5.3 |
| | | 6 | 3 times per day | 49 | 2.9 |
| | | 7 | 4 or more times per day | 86 | 3.8 |
| | | | Missing | 52 | |
| 102-102 | Q71 | During th | e past 7 days, how many times did you eat fruit? | | |
| | | 1 | I did not eat fruit during the past 7 days | 315 | 15.2 |
| | | 2 | 1 to 3 times during the past 7 days | 675 | 33.0 |
| | | 3 | 4 to 6 times during the past 7 days | 448 | 20.8 |
| | | 4 | 1 time per day | 254 | 11.1 |
| | | 5 | 2 times per day | 236 | 10.0 |
| | | 6 | 3 times per day | 104 | 4.6 |
| | | 7 | 4 or more times per day | 117 | 5.3 |
| | | | Missing | 72 | |

Rhode Island High School Survey

| Codebook |
|----------|
|----------|

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|------------------------|---|-------------------------|------------------------|
| 103-103 | Q72 | During the | past 7 days, how many times did you eat green salad? | | |
| | | 1 | I did not eat green salad during the past 7 days | 895 | 40.5 |
| | | 2 | 1 to 3 times during the past 7 days | 843 | 39.1 |
| | | 3 | 4 to 6 times during the past 7 days | 209 | 10.4 |
| | | 4 | 1 time per day | 127 | 6.2 |
| | | 5 | 2 times per day | 31 | 1.7 |
| | | 6 | 3 times per day | 15 | 0.7 |
| | | 7 | 4 or more times per day | 37 | 1.5 |
| | | | Missing | 64 | |
| 104-104 | Q73 | During the | past 7 days, how many times did you eat potatoes? | | |
| | | 1 | I did not eat potatoes during the past 7 days | 836 | 38.1 |
| | | 2 | 1 to 3 times during the past 7 days | 1,013 | 47.3 |
| | | 3 | 4 to 6 times during the past 7 days | 179 | 8.1 |
| | | 4 | 1 time per day | 56 | 2.8 |
| | | 5 | 2 times per day | 26 | 1.3 |
| | | 6 | 3 times per day | 20 | 1.1 |
| | | 7 | 4 or more times per day | 27 | 1.4 |
| | | | Missing | 64 | |
| 105-105 | Q74 | During the | past 7 days, how many times did you eat carrots? | | |
| | | 1 | I did not eat carrots during the past 7 days | 1,083 | 51.6 |
| | | 2 | 1 to 3 times during the past 7 days | 759 | 35.0 |
| | | 3 | 4 to 6 times during the past 7 days | 164 | 7.5 |
| | | 4 | 1 time per day | 62 | 2.3 |
| | | 5 | 2 times per day | 38 | 1.9 |
| | | 6 | 3 times per day | 11 | 0.5 |
| | | 7 | 4 or more times per day | 27 | 1.3 |
| | | | Missing | 77 | |
| 106-106 | Q75 | During the vegetables? | past 7 days, how many times did you eat other | | |
| | | 1 | I did not eat other vegetables during the past 7 days | 450 | 21.4 |
| | | 2 | 1 to 3 times during the past 7 days | 768 | 36.7 |
| | | 3 | 4 to 6 times during the past 7 days | 474 | 21.8 |
| | | 4 | 1 time per day | 248 | 10.9 |
| | | 5 | 2 times per day | 120 | 4.5 |
| | | 6 | 3 times per day | 45 | 2.1 |
| | | 7 | 4 or more times per day | 54 | 2.7 |
| | | | Missing | 62 | |

Rhode Island High School Survey

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|----------------------------------|--|-------------------------|------------------------|
| 107-107 | Q76 | During the pa or glass of so | ast 7 days, how many times did you drink a can, bottle, da or pop, such as Coke, Pepsi, or Sprite? | | |
| | | 1 | I did not drink soda or pop during the past 7 days | 808 | 34.9 |
| | | 2 | 1 to 3 times during the past 7 days | 845 | 39.3 |
| | | 3 | 4 to 6 times during the past 7 days | 264 | 14.4 |
| | | 4 | 1 time per day | 74 | 3.4 |
| | | 5 | 2 times per day | 65 | 3.0 |
| | | 6 | 3 times per day | 32 | 1.5 |
| | | 7 | 4 or more times per day | 64 | 3.5 |
| | | | Missing | 69 | |
| 110-110 | Q79 | During the pa active for a to | During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? | | |
| | | 1 | 0 days | 372 | 16.5 |
| | | 2 | 1 day | 212 | 10.0 |
| | | 3 | 2 days | 227 | 10.5 |
| | | 4 | 3 days | 273 | 12.0 |
| | | 5 | 4 days | 210 | 9.7 |
| | | 6 | 5 days | 261 | 11.8 |
| | | 7 | 6 days | 145 | 6.3 |
| | | 8 | 7 days | 446 | 23.2 |
| | | | Missing | 75 | |
| 111-111 | Q80 | On an averag | e school day, how many hours do you watch TV? | | |
| | | 1 | I do not watch TV on an average school day | 634 | 28.8 |
| | | 2 | Less than 1 hour per day | 429 | 19.5 |
| | | 3 | 1 hour per day | 306 | 14.1 |
| | | 4 | 2 hours per day | 337 | 16.2 |
| | | 5 | 3 hours per day | 221 | 10.7 |
| | | 6 | 4 hours per day | 94 | 4.8 |
| | | 7 | 5 or more hours per day | 124 | 5.9 |
| | | | Missing | 76 | |

Rhode Island High School Survey

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentag |
|------------------|------------------|------------------------------|--|-------------------------|-----------------------|
| 112-112 | Q81 | | age school day, how many hours do you play video or ames or use a computer for something that is not school | | |
| | | 1 | I do not play video or computer games or use a computer for something that is not school work | 416 | 19.5 |
| | | 2 | Less than 1 hour per day | 246 | 12.4 |
| | | 3 | 1 hour per day | 239 | 10.4 |
| | | 4 | 2 hours per day | 292 | 14.2 |
| | | 5 | 3 hours per day | 267 | 13.5 |
| | | 6 | 4 hours per day | 212 | 8.8 |
| | | 7 | 5 or more hours per day | 440 | 21.1 |
| | | | Missing | 109 | |
| 113-113 | Q82 | In an averag you go to pl | In an average week when you are in school, on how many days do you go to physical education (PE) classes? | | |
| | | 1 | 0 days | 666 | 29.7 |
| | | 2 | 1 day | 69 | 3.4 |
| | | 3 | 2 days | 188 | 9.1 |
| | | 4 | 3 days | 544 | 26.0 |
| | | 5 | 4 days | 357 | 15.1 |
| | | 6 | 5 days | 295 | 16.6 |
| | | | Missing | 102 | |
| 115-115 | Q84 | | past 12 months, how many times did you have a from playing a sport or being physically active? | | |
| | | 1 | 0 times | 1,765 | 82.4 |
| | | 2 | 1 time | 206 | 9.7 |
| | | 3 | 2 times | 69 | 3.7 |
| | | 4 | 3 times | 32 | 1.5 |
| | | 5 | 4 or more times | 53 | 2.7 |
| | | | Missing | 96 | |
| 116-116 | Q85 | Have you e | ver been tested for HIV, the virus that causes AIDS? | | |
| | | 1 | Yes | 286 | 13.5 |
| | | 2 | No | 1,474 | 70.7 |
| | | 3 | Not sure | 324 | 15.8 |
| | | | Missing | 137 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---|-------------------------|------------------------|
| 117-117 | Q86 | When was the last time you saw a dentist for a check-up, exam, teet cleaning, or other dental work? | h | |
| | | 1 During the past 12 months | 1,680 | 79.4 |
| | | 2 Between 12 and 24 months ago | 159 | 6.9 |
| | | 3 More than 24 months ago | 79 | 4.0 |
| | | 4 Never | 40 | 2.0 |
| | | 5 Not sure | 156 | 7.7 |
| | | Missing | 107 | |
| 120-120 | Q89 | During the past 12 months, how would you describe your grades in school? | | |
| | | 1 Mostly A's | 730 | 32.2 |
| | | 2 Mostly B's | 871 | 43.3 |
| | | 3 Mostly C's | 300 | 14.9 |
| | | 4 Mostly D's | 69 | 3.3 |
| | | 5 Mostly F's | 35 | 1.7 |
| | | 6 None of these grades | 14 | 0.8 |
| | | 7 Not sure | 69 | 3.9 |
| | | Missing | 133 | |
| 121-121 | Q90 | Do you have any physical disabilities or long-term health problems? | , | |
| | | 1 Yes | 174 | 8.6 |
| | | 2 No | 1,805 | 81.1 |
| | | 3 Not sure | 226 | 10.4 |
| | | Missing | 16 | |
| 122-122 | Q91 | Do you have any long-term emotional problems or learning disabilities? | | |
| | | 1 Yes | 321 | 15.2 |
| | | 2 No | 1,646 | 74.8 |
| | | 3 Not sure | 232 | 9.9 |
| | | Missing | 22 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--|-------------------------|------------------------|
| 123-123 | Q92 | Some people describe themselves as transgender when their sex at birth does not match the way they think or feel about their gender. Are you transgender? | | |
| | | 1 No, I am not transgender | 2,063 | 93.5 |
| | | 2 Yes, I am transgender | 45 | 2.3 |
| | | 3 I am not sure if I am transgender | 41 | 1.8 |
| | | 4 I do not know what this question is asking | 55 | 2.4 |
| | | Missing | 17 | |
| 124-124 | Q93 | A person's appearance, style, dress, or the way they walk or talk may affect how people describe them. How do you think other people at school would describe you? | | |
| | | 1 Very feminine | 324 | 14.1 |
| | | 2 Mostly feminine | 452 | 19.3 |
| | | 3 Somewhat feminine | 197 | 9.1 |
| | | 4 Equally feminine and masculine | 253 | 12.2 |
| | | 5 Somewhat masculine | 149 | 7.6 |
| | | 6 Mostly masculine | 384 | 18.8 |
| | | 7 Very masculine | 394 | 18.8 |
| | | Missing | 68 | |
| 125-125 | Q94 | During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been using marijuana (also called grass, pot, or weed)? | | |
| | | 1 0 times | 1,680 | 75.1 |
| | | 2 1 time | 152 | 6.8 |
| | | 3 2 or 3 times | 135 | 6.0 |
| | | 4 4 or 5 times | 57 | 2.8 |
| | | 5 6 or more times | 182 | 9.4 |
| | | Missing | 15 | |
| 126-126 | Q95 | During the past 30 days, on how many days did you talk on a cell phone while driving a car or other vehicle? | | |
| | | 1 I did not drive a car or other vehicle during the past 30 days | 1,185 | 54.8 |
| | | 2 0 days | 407 | 22.0 |
| | | 3 1 or 2 days | 196 | 10.1 |
| | | 4 3 to 5 days | 87 | 4.2 |
| | | 5 6 to 9 days | 56 | 3.5 |
| | | 6 10 to 19 days | 30 | 1.6 |
| | | 7 20 to 29 days | 19 | 1.1 |
| | | 8 All 30 days | 47 | 2.7 |
| | | Missing | 194 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---|-------------------------|------------------------|
| 127-127 | Q96 | During the past 30 days, on how many days did you use the Inte or apps on your cell phone (such as YouTube, Instagram, or Facebook) while driving a car or other vehicle? | rnet | |
| | | 1 I did not drive a car or other vehicle during th past 30 days | ne 1,195 | 55.0 |
| | | 2 0 days | 553 | 29.4 |
| | | 3 1 or 2 days | 99 | 5.4 |
| | | 4 3 to 5 days | 48 | 2.1 |
| | | 5 6 to 9 days | 29 | 1.7 |
| | | 6 10 to 19 days | 30 | 1.7 |
| | | 7 20 to 29 days | 18 | 1.1 |
| | | 8 All 30 days | 68 | 3.6 |
| | | Missing | 181 | |
| 128-128 | Q97 | Does anyone who lives with you smoke cigarettes? | | |
| | | 1 Yes | 664 | 32.9 |
| | | 2 No | 1,516 | 67.1 |
| | | Missing | 41 | |
| 129-129 | Q98 | During the past 12 months, did you ever try to quit smoking cigarettes? | | |
| | | 1 I did not smoke during the past 12 months | 1,953 | 88.1 |
| | | 2 Yes | 133 | 7.1 |
| | | 3 No | 93 | 4.8 |
| | | Missing | 42 | |
| 130-130 | Q99 | What is the main reason you have used electronic vapor product | s? | |
| | | 1 I have never tried an electronic vapor product | t 1,433 | 63.1 |
| | | 2 Friend or family member used them | 307 | 14.5 |
| | | 3 To try to quit using other tobacco products | 24 | 1.4 |
| | | 4 They cost less than other tobacco products | 6 | 0.3 |
| | | 5 They are easier to get than other tobacco proc | ducts 8 | 0.5 |
| | | 6 They are less harmful than other forms of tob | pacco 82 | 4.6 |
| | | 7 They are available in flavors, such as mint, ca fruit, or chocolate | andy, 145 | 7.2 |
| | | 8 I used them for some other reason | 190 | 8.4 |
| | | Missing | 26 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---|-------------------------|------------------------|
| 131-131 | Q100 | During the past 30 days, on how many days did you in a hookah, narghile, or other type of waterpipe? | smoke tobacco | |
| | | 1 0 days | 2,035 | 95.3 |
| | | 2 1 or 2 days | 48 | 2.2 |
| | | 3 3 to 5 days | 13 | 0.6 |
| | | 4 6 to 9 days | 9 | 0.4 |
| | | 5 10 to 19 days | 6 | 0.4 |
| | | 6 20 to 29 days | 4 | 0.3 |
| | | 7 All 30 days | 15 | 0.8 |
| | | Missing | 91 | |
| 132-132 | Q101 | How old were you when you first smoked a cigar, ci cigar or used a hookah or an electronic vapor produc for one or two puffs? | | |
| | | 1 I have never smoked a cigar, ciga cigar or used a hookah or an elect product | | 74.4 |
| | | 2 8 years old or younger | 41 | 1.8 |
| | | 3 9 or 10 years old | 16 | 1.1 |
| | | 4 11 or 12 years old | 44 | 2.5 |
| | | 5 13 or 14 years old | 168 | 7.9 |
| | | 6 15 or 16 years old | 186 | 9.5 |
| | | 7 17 years old or older | 49 | 2.7 |
| | | Missing | 80 | |
| 133-133 | Q102 | During the past 30 days, how did you usually get yo cigarettes, cigars, smokeless tobacco, and shisha or l | | |
| | | 1 I did not smoke cigarettes or ciga smokeless tobacco or shisha or ho during the past 30 days | | 86.6 |
| | | 2 I bought them in a store such as a store, supermarket, discount store | | 4.4 |
| | | 3 I got them on the Internet | 19 | 0.8 |
| | | 4 I gave someone else money to bu | y them for me 34 | 1.9 |
| | | 5 I borrowed (or bummed) them fro | om someone else 46 | 2.1 |
| | | 6 A person 18 years old or older ga | we them to me 28 | 1.5 |
| | | 7 I took them from a store or family | v member 12 | 0.8 |
| | | 8 I got them some other way | 33 | 1.8 |
| | | Missing | 91 | 1.0 |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentag |
|------------------|------------------|---|-------------------------|-----------------------|
| 134-134 | Q103 | During the past 30 days, on how many days did you use a tobacco product that was flavored to taste like menthol (mint), alcohol (wi cognac), candy, fruit, chocolate or other sweets? | | |
| | | 1 0 days | 2,012 | 91.1 |
| | | 2 1 or 2 days | 70 | 2.5 |
| | | 3 3 to 5 days | 29 | 1.5 |
| | | 4 6 to 9 days | 24 | 1.6 |
| | | 5 10 to 19 days | 22 | 1.5 |
| | | 6 20 to 29 days | 12 | 0.3 |
| | | 7 All 30 days | 26 | 1.4 |
| | | Missing | 26 | |
| 135-135 | Q104 | During your life, how many times have you taken a prescription d (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin Xanax) without a doctor's prescription? | rug I, or | |
| | | 1 0 times | 1,947 | 92.8 |
| | | 2 1 or 2 times | 60 | 3.3 |
| | | 3 3 to 9 times | 32 | 2.0 |
| | | 4 10 to 19 times | 15 | 0.6 |
| | | 5 20 to 39 times | 9 | 0.4 |
| | | 6 40 or more times | 20 | 1.0 |
| | | Missing | 138 | |
| 136-136 | Q105 | During the past 30 days, how many times did you take a prescript drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription? | ion | |
| | | 1 0 times | 2,039 | 96.4 |
| | | 2 1 or 2 times | 35 | 1.9 |
| | | 3 3 to 9 times | 10 | 0.5 |
| | | 4 10 to 19 times | 12 | 0.6 |
| | | 5 20 to 39 times | 4 | 0.1 |
| | | 6 40 or more times | 9 | 0.5 |
| | | Missing | 112 | |
| 137-137 | Q106 | During the past 30 days, how many times did you take an over-the-counter drug to get high? | | |
| | | 1 0 times | 2,074 | 95.4 |
| | | 2 1 or 2 times | 34 | 1.4 |
| | | 3 3 to 9 times | 26 | 1.1 |
| | | 4 10 to 19 times | 13 | 0.6 |
| | | 5 20 to 39 times | 6 | 0.6 |
| | | 6 40 or more times | 14 | 0.8 |
| | | Missing | 54 | |

Rhode Island High School Survey

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentag |
|------------------|------------------|------------------------------------|---|-------------------------|-----------------------|
| 138-138 | Q107 | | you took a prescription drug without a doctor's how did you get it? | | |
| | | 1 | I have never taken a prescription drug without a doctor's prescription | 1,895 | 88.7 |
| | | 2 | A friend or relative gave it to me for free | 102 | 5.0 |
| | | 3 | I took it from a friend or relative without asking | 36 | 1.6 |
| | | 4 | I bought it at school from a friend, relative, or dealer | 17 | 1.2 |
| | | 5 | I bought it outside of school from a friend, relative, or dealer | 25 | 1.3 |
| | | 6 | I got it from the internet or online | 4 | 0.3 |
| | | 7 | I got it from another source | 34 | 1.9 |
| | | | Missing | 108 | |
| 139-139 | Q108 | | ast 30 days, how often did you go hungry because there gh food in your home? | | |
| | | 1 | Never | 1,389 | 64.9 |
| | | 2 | Rarely | 423 | 19.3 |
| | | 3 | Sometimes | 238 | 11.1 |
| | | 4 | Most of the time | 55 | 3.0 |
| | | 5 | Always | 30 | 1.7 |
| | | | Missing | 86 | |
| 140-140 | Q109 | | ast 12 months, how many times have your teeth or painful or sore? | | |
| | | 1 | 0 times | 1,171 | 55.5 |
| | | 2 | 1 time | 455 | 19.8 |
| | | 3 | 2 or 3 times | 337 | 16.2 |
| | | 4 | 4 or 5 times | 67 | 3.3 |
| | | 5 | 6 or more times | 99 | 5.2 |
| | | | Missing | 92 | |
| 141-141 | Q110 | During the particular dembarrassed | ast 12 months, how often were you self-conscious or because of your teeth or mouth? | | |
| | | 1 | Never | 1,224 | 57.1 |
| | | 2 | Rarely | 461 | 21.8 |
| | | 3 | Sometimes | 303 | 14.3 |
| | | 4 | Most of the time | 73 | 3.7 |
| | | 5 | Always | 65 | 3.1 |
| | | | Missing | 95 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentag |
|------------------|--|--|-------------------------|-----------------------|
| 142-142 | Q111 Have you ever had the HPV vaccine, a vaccine to prevent human papillomavirus or HPV infection (also called the cervical cancer vaccine, HPV shot, or GARDASIL)? | | | |
| | | 1 Yes | 1,043 | 48.0 |
| | | 2 No | 462 | 22.5 |
| | | 3 Not sure | 611 | 29.5 |
| | | Missing | 105 | |
| 143-143 | Q112 | Have you ever been taught in school about the benefits of not having sexual intercourse to prevent pregnancy and sexually transmitted diseases (STDs)? | | |
| | | 1 Yes | 1,654 | 76.6 |
| | | 2 No | 318 | 16.7 |
| | | 3 Not sure | 134 | 6.7 |
| | | Missing | 115 | |
| 144-144 | Q113 | Have you ever been taught about AIDS or HIV infection in school? | | |
| | | 1 Yes | 1,716 | 81.3 |
| | | 2 No | 268 | 13.7 |
| | | 3 Not sure | 111 | 5.0 |
| | | Missing | 126 | |
| 145-145 | Q114 | Have you ever been taught in school about how to use birth control methods or where to get birth control? | | |
| | | 1 Yes | 1,153 | 51.1 |
| | | 2 No | 789 | 40.8 |
| | | 3 Not sure | 166 | 8.1 |
| | 1 | Missing | 113 | |
| 146-146 | Q115 | Is there at least one teacher or other adult in your school that you can talk to if you have a problem? | | |
| | | 1 Yes | 1,478 | 70.8 |
| | | 2 No | 403 | 19.3 |
| | | 3 Not sure | 223 | 9.9 |
| | 1 | Missing | 117 | |
| 147-147 | Q116 | During the past 30 days, on how many days was your mental health not good? | | |
| | | 1 0 days | 808 | 37.9 |
| | | 2 1 or 2 days | 428 | 20.7 |
| | | 3 3 to 6 days | 280 | 12.7 |
| | | 4 7 to 13 days | 215 | 10.1 |
| | | 5 14 to 29 days | 217 | 10.6 |
| | | 6 All 30 days | 159 | 7.9 |
| | | Missing | 114 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---|-------------------------|------------------------|
| 185-185 | QN8 | Percentage of students who rarely or never wore a seat belt (when riding in a car driven by someone else) | | |
| | | 1 Yes | 136 | 6.7 |
| | | 2 No | 2,058 | 93.3 |
| | | Missing | 27 | |
| 186-186 | QN9 | Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey) | | |
| | | 1 Yes | 316 | 13.9 |
| | | 2 No | 1,892 | 86.1 |
| | | Missing | 13 | |
| 188-188 | QN11 | Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey) | | |
| | | 1 Yes | 333 | 37.3 |
| | | 2 No | 580 | 62.7 |
| | | Missing | 1,308 | |
| 190-190 | QN13 | Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 112 | 5.1 |
| | | 2 No | 2,071 | 94.9 |
| | | Missing | 38 | |
| 192-192 | QN15 | Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 146 | 6.9 |
| | | 2 No | 2,068 | 93.1 |
| | | Missing | 7 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentag |
|------------------|--|---|-------------------------|-----------------------|
| 195-195 | QN18 Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey) | | | |
| | | 1 Yes | 223 | 10.5 |
| | | 2 No | 1,994 | 89.5 |
| | | Missing | 4 | |
| 196-196 | QN19 | Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to) | | |
| | | 1 Yes | 188 | 8.8 |
| | | 2 No | 1,975 | 91.2 |
| | | Missing | 58 | |
| 198-198 | QN21 | Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey) | | |
| | | 1 Yes | 152 | 12.0 |
| | | 2 No | 1,113 | 88.0 |
| | | Missing | 956 | |
| 199-199 | QN22 | Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey) | | |
| | | 1 Yes | 126 | 9.0 |
| | | 2 No | 1,137 | 91.0 |
| | | Missing | 958 | |
| 200-200 | QN23 | Percentage of students who were bullied on school property (ever during the 12 months before the survey) | | |
| | | 1 Yes | 359 | 17.3 |
| | | 2 No | 1,802 | 82.7 |
| | | Missing | 60 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--|-------------------------|------------------------|
| 201-201 | QN24 | Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey) | | |
| | | 1 Yes | 306 | 14.2 |
| | | 2 No | 1,880 | 85.8 |
| | | Missing | 35 | |
| 202-202 | QN25 | Percentage of students who felt sad or hopeless (almost every day for $>=2$ weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey) | | |
| | | 1 Yes | 630 | 29.4 |
| | | 2 No | 1,555 | 70.6 |
| | | Missing | 36 | |
| 203-203 | QN26 | Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey) | | |
| | | 1 Yes | 346 | 15.9 |
| | | 2 No | 1,827 | 84.1 |
| | | Missing | 48 | |
| 204-204 | QN27 | Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey) | | |
| | | 1 Yes | 293 | 13.6 |
| | | 2 No | 1,888 | 86.4 |
| | | Missing | 40 | |
| 205-205 | QN28 | Percentage of students who attempted suicide (one or more times during the 12 months before the survey) | | |
| | | 1 Yes | 199 | 10.5 |
| | | 2 No | 1,728 | 89.5 |
| | | Missing | 294 | |
| 206-206 | QN29 | Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey) | | |
| | | 1 Yes | 70 | 3.8 |
| | | 2 No | 1,827 | 96.2 |
| | | Missing | 324 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---|-------------------------|------------------------|
| 207-207 | QN30 | Percentage of students who ever tried cigarette smoking (even one or two puffs) | | |
| | | 1 Yes | 359 | 19.5 |
| | | 2 No | 1,722 | 80.5 |
| | | Missing | 140 | |
| 208-208 | QN31 | Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs) | | |
| | | 1 Yes | 147 | 7.3 |
| | | 2 No | 1,958 | 92.7 |
| | | Missing | 116 | |
| 209-209 | QN32 | Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 109 | 6.1 |
| | | 2 No | 2,011 | 93.9 |
| | | Missing | 101 | |
| 210-210 | QN33 | Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes) | | |
| | | 1 Yes | 18 | 18.1 |
| | | 2 No | 89 | 81.9 |
| | | Missing | 2,114 | |
| 211-211 | QN34 | Percentage of students who ever used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo]) | | |
| | | 1 Yes | 822 | 40.3 |
| | | 2 No | 1,315 | 59.7 |
| | | Missing | 84 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--|-------------------------|------------------------|
| 212-212 | QN35 | Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 389 | 20.1 |
| | | 2 No | 1,669 | 79.9 |
| | | Missing | 163 | |
| 213-213 | QN36 | Percentage of students who usually got their own electronic vapor products by buying them in a store (such as a convenience store, supermarket, discount store, gas station, or vape store, during the 30 days before the survey, among students who currently used electronic vapor products and who were aged <18 years) | | |
| | | 1 Yes | 56 | 17.2 |
| | | 2 No | 280 | 82.8 |
| | | Missing | 1,885 | |
| 214-214 | QN37 | Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 92 | 5.0 |
| | | 2 No | 2,089 | 95.0 |
| | | Missing | 40 | |
| 215-215 | QN38 | Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 132 | 6.8 |
| | | 2 No | 2,068 | 93.2 |
| | | Missing | 21 | |
| 217-217 | QN40 | Percentage of students who ever drank alcohol (at least one drink of alcohol, on at least 1 day during their life) | | |
| | | 1 Yes | 1,060 | 50.4 |
| | | 2 No | 1,040 | 49.6 |
| | | Missing | 121 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentag |
|------------------|------------------|--|-------------------------|-----------------------|
| 218-218 | QN41 | Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips) | | |
| | | 1 Yes | 229 | 12.1 |
| | | 2 No | 1,847 | 87.9 |
| | | Missing | 145 | |
| 219-219 | QN42 | Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 445 | 23.2 |
| | | 2 No | 1,537 | 76.8 |
| | | Missing | 239 | |
| 220-220 | QN43 | Percentage of students who usually got the alcohol they drank by someone giving it to them (during the 30 days before the survey, among students who currently drank alcohol) | | |
| | | 1 Yes | 178 | 38.2 |
| | | 2 No | 262 | 61.8 |
| | | Missing | 1,781 | |
| 221-221 | QN44 | Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 216 | 11.2 |
| | | 2 No | 1,879 | 88.8 |
| | | Missing | 126 | |
| 223-223 | QN46 | Percentage of students who ever used marijuana (one or more times during their life) | | |
| | | 1 Yes | 766 | 36.9 |
| | | 2 No | 1,353 | 63.1 |
| | | Missing | 102 | |
| 224-224 | QN47 | Percentage of students who tried marijuana for the first time before age 13 years | | |
| | | 1 Yes | 142 | 7.1 |
| | | 2 No | 1,978 | 92.9 |
| | | Missing | 101 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---|-------------------------|------------------------|
| 225-225 | QN48 | Percentage of students who currently used marijuana (one or more times during the 30 days before the survey) | | |
| | | 1 Yes | 458 | 23.3 |
| | | 2 No | 1,664 | 76.7 |
| | | Missing | 99 | |
| 226-226 | QN49 | Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life) | | |
| | | 1 Yes | 93 | 4.4 |
| | | 2 No | 2,092 | 95.6 |
| | | Missing | 36 | |
| 228-228 | QN51 | Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life) | | |
| | | 1 Yes | 81 | 3.8 |
| | | 2 No | 2,103 | 96.2 |
| | | Missing | 37 | |
| 230-230 | QN53 | Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life) | | |
| | | 1 Yes | 81 | 3.9 |
| | | 2 No | 2,085 | 96.1 |
| | | Missing | 55 | |
| 231-231 | QN54 | Percentage of students who ever used synthetic marijuana (also called "K2," "Spice," "fake weed," "King Kong," "Yucatan Fire," "Skunk," or "Moon Rocks," one or more times during their life) | | |
| | | 1 Yes | 123 | 6.0 |
| | | 2 No | 2,066 | 94.0 |
| | | Missing | 32 | |
| 232-232 | QN55 | Percentage of students who ever took steroids without a doctor's prescription (pills or shots, one or more times during their life) | | |
| | | 1 Yes | 88 | 4.6 |
| | | 2 No | 2,100 | 95.4 |
| | | Missing | 33 | |

Rhode Island High School Survey

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentag |
|------------------|------------------|--|--|-------------------------|-----------------------|
| 233-233 | QN56 | Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life) | | | |
| | | 1 | Yes | 192 | 9.8 |
| | | 2 | No | 1,986 | 90.2 |
| | | - | Missing | 43 | |
| 236-236 | QN59 | Percentage | of students who ever had sexual intercourse | · · · · · · | |
| | - | 1 | Yes | 645 | 35.7 |
| | | 2 | No | 1,249 | 64.3 |
| | | | Missing | 327 | |
| 237-237 | QN60 | Percentage before age | of students who had sexual intercourse for the first time 13 years | | |
| | | 1 | Yes | 55 | 4.1 |
| | | 2 | No | 1,832 | 95.9 |
| | | | Missing | 334 | |
| 238-238 | QN61 | | Percentage of students who had sexual intercourse with four or more persons during their life | | |
| | | 1 | Yes | 120 | 8.1 |
| | | 2 | No | 1,769 | 91.9 |
| | | | Missing | 332 | |
| 239-239 | QN62 | | of students who were currently sexually active (had recourse with at least one person, during the 3 months survey) | | |
| | | 1 | Yes | 457 | 25.5 |
| | | 2 | No | 1,432 | 74.5 |
| | | | Missing | 332 | |
| 240-240 | QN63 | | of students who drank alcohol or used drugs before last rcourse (among students who were currently sexually | | |
| | | 1 | Yes | 84 | 17.3 |
| | | 2 | No | 369 | 82.7 |
| | | | Missing | 1,768 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentag |
|------------------|------------------|--|-------------------------|-----------------------|
| 241-241 | QN64 | Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active) | | |
| | | 1 Yes | 251 | 57.8 |
| | | 2 No | 196 | 42.2 |
| | | Missing | 1,774 | |
| 242-242 | QN65 | Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active) | | |
| | | 1 Yes | 121 | 29.4 |
| | | 2 No | 324 | 70.6 |
| | | Missing | 1,776 | |
| 246-246 | QN69 | Percentage of students who were trying to lose weight | | |
| | | 1 Yes | 1,038 | 49.0 |
| | | 2 No | 1,119 | 51.0 |
| | | Missing | 64 | |
| 247-247 | QN70 | Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey) | | |
| | | 1 Yes | 628 | 27.5 |
| | | 2 No | 1,541 | 72.5 |
| | | Missing | 52 | |
| 248-248 | QN71 | Percentage of students who did not eat fruit (one or more times during the 7 days before the survey) | | |
| | | 1 Yes | 315 | 15.2 |
| | | 2 No | 1,834 | 84.8 |
| | | Missing | 72 | |
| 249-249 | QN72 | Percentage of students who did not eat green salad (one or more times during the 7 days before the survey) | | |
| | | 1 Yes | 895 | 40.5 |
| | | 2 No | 1,262 | 59.5 |
| | | Missing | 64 | |
| 250-250 | QN73 | Percentage of students who did not eat potatoes (one or more times during the 7 days before the survey) | | |
| | | 1 Yes | 836 | 38.1 |
| | | 2 No | 1,321 | 61.9 |
| | | Missing | 64 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--|-------------------------|------------------------|
| 251-251 | QN74 | Percentage of students who did not eat carrots (one or more times during the 7 days before the survey) | | |
| | | 1 Yes | 1,083 | 51.6 |
| | | 2 No | 1,061 | 48.4 |
| | | Missing | 77 | |
| 252-252 | QN75 | Percentage of students who did not eat other vegetables (one or more times during the 7 days before the survey) | | |
| | | 1 Yes | 450 | 21.4 |
| | | 2 No | 1,709 | 78.6 |
| | | Missing | 62 | |
| 253-253 | QN76 | Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey) | | |
| | | 1 Yes | 808 | 34.9 |
| | | 2 No | 1,344 | 65.1 |
| | | Missing | 69 | |
| 256-256 | QN79 | Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey) | | |
| | | 1 Yes | 852 | 41.3 |
| | | 2 No | 1,294 | 58.7 |
| | | Missing | 75 | |
| 257-257 | QN80 | Percentage of students who watched television 3 or more hours per day (on an average school day) | | |
| | | 1 Yes | 439 | 21.4 |
| | | 2 No | 1,706 | 78.6 |
| | | Missing | 76 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|---|--|-------------------------|------------------------|
| 258-258 | Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day) | | | |
| | | 1 Yes | 919 | 43.4 |
| | | 2 No | 1,193 | 56.6 |
| | | Missing | 109 | 2010 |
| 259-259 | QN82 | Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school) | | |
| | | 1 Yes | 1,453 | 70.3 |
| | | 2 No | 666 | 29.7 |
| | | Missing | 102 | |
| 261-261 | QN84 | Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey) | | |
| | | 1 Yes | 360 | 17.6 |
| | | 2 No | 1,765 | 82.4 |
| | | Missing | 96 | |
| 262-262 | QN85 | Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood) | | |
| | | 1 Yes | 286 | 13.5 |
| | | 2 No | 1,798 | 86.5 |
| | | Missing | 137 | |
| 263-263 | QN86 | Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey) | | |
| | | 1 Yes | 1,680 | 79.4 |
| | | 2 No | 434 | 20.6 |
| | | Missing | 107 | |
| 266-266 | QN89 | Percentage of students who described their grades in school as mostly A's or B's (during the 12 months before the survey) | | |
| | | 1 Yes | 1,601 | 75.5 |
| | | 2 No | 487 | 24.5 |
| | | Missing | 133 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentag |
|------------------|------------------|--|-------------------------|-----------------------|
| 267-267 | QN90 | Percentage of students who have physical disabilities or long-term health problems (meaning 6 months or more) | | |
| | | 1 Yes | 174 | 8.6 |
| | | 2 No | 2,031 | 91.4 |
| | | Missing | 16 | |
| 268-268 | QN91 | Percentage of students who have long-term emotional problems or learning disabilities (meaning 6 months or more) | | |
| | | 1 Yes | 321 | 15.2 |
| | | 2 No | 1,878 | 84.8 |
| | | Missing | 22 | |
| 269-269 | QN92 | Percentage of students who are transgender | | |
| | | 1 Yes | 45 | 2.3 |
| | | 2 No | 2,159 | 97.7 |
| | | Missing | 17 | |
| 270-270 | QN93 | Percentage of students who think other people at school would describe them as equally feminine and masculine | | |
| | | 1 Yes | 253 | 12.2 |
| | | 2 No | 1,900 | 87.8 |
| | | Missing | 68 | |
| 271-271 | QN94 | Percentage of students who rode in a car or other vehicle driven by someone who had been using marijuana (also called grass, pot, or weed, at least 1 time during the 30 days before the survey) | | |
| | | 1 Yes | 526 | 24.9 |
| | | 2 No | 1,680 | 75.1 |
| | | Missing | 15 | |
| 272-272 | QN95 | Percentage of students who talked on a cell phone while driving (on at least 1 day during the 30 days before the survey, among students who drove a car or other vehicle) | | |
| | | 1 Yes | 435 | 51.4 |
| | | 2 No | 407 | 48.6 |
| | | Missing | 1,379 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentag |
|------------------|---|--|-------------------------|-----------------------|
| 273-273 | 273 QN96 Percentage of students who used the Internet or apps on their cell driving (not counting using their cell phone to get driving instructions or to determine their location, on at least 1 day during the 30 days before the survey, among students who drove a car or other vehicle) | | | |
| | | 1 Yes | 292 | 34.7 |
| | | 2 No | 553 | 65.3 |
| | | Missing | 1,376 | |
| 274-274 | QN97 | Percentage of students who live with someone who smokes cigarettes | | |
| | | 1 Yes | 664 | 32.9 |
| | | 2 No | 1,516 | 67.1 |
| | | Missing | 41 | |
| 275-275 | QN98 | Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey) | 2 | |
| | | 1 Yes | 133 | 59.4 |
| | | 2 No | 93 | 40.6 |
| | | Missing | 1,995 | |
| 276-276 | QN99 | Percentage of students who used electronic vapor products mainly because a friend or family member used them | | |
| | | 1 Yes | 307 | 14.5 |
| | | 2 No | 1,888 | 85.5 |
| | | Missing | 26 | |
| 277-277 | QN100 | Percentage of students who smoked tobacco in a hookah, narghile, other type of waterpipe (on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 95 | 4.7 |
| | | 2 No | 2,035 | 95.3 |
| | | Missing | 91 | |
| 278-278 | QN101 | Percentage of students who first smoked a cigar, cigarillo, or little cigar or used a hookah or an electronic vapor product before age 1 years (even if only for one or two puffs) | 3 | |
| | | 1 Yes | 101 | 5.5 |
| | | 2 No | 2,040 | 94.5 |
| | | Missing | 80 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentag |
|------------------|--|--|-------------------------|-----------------------|
| 279-279 | Percentage of students who usually obtained their own cigarettes, cigars, smokeless tobacco, and shisha or hookah tobacco by buying them in a store or gas station (not counting any electronic vapor products, during the 30 days before the survey, among students who currently smoked cigarettes or cigars or used smokeless tobacco or shisha or hookah tobacco and who were aged <18) | cigars, smokeless tobacco, and shisha or hookah tobacco by buying them in a store or gas station (not counting any electronic vapor products, during the 30 days before the survey, among students who currently smoked cigarettes or cigars or used smokeless tobacco or | | |
| | | 1 Yes | 49 | 25.8 |
| | | 2 No | 151 | 74.2 |
| | | Missing | 2,021 | |
| 280-280 | QN103 | Percentage of students who currently used a tobacco product that was flavored to taste like menthol (mint), alcohol (wine, cognac), candy, fruit, chocolate or other sweets (on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 183 | 8.9 |
| | | 2 No | 2,012 | 91.1 |
| | | Missing | 26 | |
| 281-281 | QN104 | Percentage of students who ever took prescription drugs without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during their life) | | |
| | | 1 Yes | 136 | 7.2 |
| | | 2 No | 1,947 | 92.8 |
| | | Missing | 138 | |
| 282-282 | QN105 | Percentage of students who currently took a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during the 30 days before the survey) | | |
| | | 1 Yes | 70 | 3.6 |
| | | 2 No | 2,039 | 96.4 |
| | | Missing | 112 | |
| 283-283 | QN106 | Percentage of students who currently took over-the-counter drugs to get high (one or more times during the 30 days before the survey) | | |
| | | 1 Yes | 93 | 4.6 |
| | | 2 No | 2,074 | 95.4 |
| | | Missing | 54 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentag | |
|------------------|------------------|---|--|-----------------------|--|
| 284-284 | 284-284 | QN107 | Percentage of students who last got their prescription drug without a doctor's prescription by taking it from a friend or relative without asking (among students who have ever taken a prescription drug without a doctor's prescription) | | |
| | | 1 Yes | 36 | 14.3 | |
| | | 2 No | 182 | 85.7 | |
| | | Missing | 2,003 | | |
| 285-285 | QN108 | Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey) | | | |
| | | 1 Yes | 85 | 4.7 | |
| | | 2 No | 2,050 | 95.3 | |
| | | Missing | 86 | | |
| 286-286 | QN109 | Percentage of students who reported their teeth or mouth have been painful or sore (one or more times during the 12 months before the survey) | | | |
| | | 1 Yes | 958 | 44.5 | |
| | | 2 No | 1,171 | 55.5 | |
| | | Missing | 92 | | |
| 287-287 | QN110 | Percentage of students who sometimes, most of the time, or always were self-conscious or embarrassed because of their teeth or mouth (during the 12 months before the survey) | | | |
| | | 1 Yes | 441 | 21.1 | |
| | | 2 No | 1,685 | 78.9 | |
| | | Missing | 95 | | |
| 288-288 | QN111 | Percentage of students who have had the HPV vaccine, a vaccine to prevent human papillomavirus or HPV infection (also called the cervical cancer vaccine, HPV shot, or GARDASIL) | | | |
| | | 1 Yes | 1,043 | 48.0 | |
| | | 2 No | 1,073 | 52.0 | |
| | | Missing | 105 | | |
| 289-289 | QN112 | Percentage of students who have been taught in school about the benefits of not having sexual intercourse to prevent pregnancy and sexually transmitted diseases (STDs) | | | |
| | | 1 Yes | 1,654 | 76.6 | |
| | | 2 No | 452 | 23.4 | |
| | | Missing | 115 | | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|---|---|-------------------------|------------------------|
| 290-290 | QN113 Percentage of students who have been taught about AIDS or HIV infection in school | | | |
| | | 1 Yes | 1,716 | 81.3 |
| | | 2 No | 379 | 18.7 |
| | | Missing | 126 | |
| 291-291 | QN114 | Percentage of students who have ever been taught in school about how to use birth control methods or where to get birth control | | |
| | | 1 Yes | 1,153 | 51.1 |
| | | 2 No | 955 | 48.9 |
| | | Missing | 113 | |
| 292-292 | QN115 | Percentage of students who reported there is at least one teacher or other adult in their school that they can talk to if they have a problem | | |
| | | 1 Yes | 1,478 | 70.8 |
| | | 2 No | 626 | 29.2 |
| | | Missing | 117 | |
| 293-293 | QN116 | Percentage of students who reported their mental health was not good (including stress, depression, and problems with emotions, on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 1,299 | 62.1 |
| | | 2 No | 808 | 37.9 |
| | | Missing | 114 | |
| 350-350 | QNFRCIG | Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey) | | |
| | | 1 Yes | 29 | 1.7 |
| | | 2 No | 2,091 | 98.3 |
| | | Missing | 101 | |
| 351-351 | QNDAYCIG | Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey) | | |
| | | 1 Yes | 21 | 1.2 |
| | | 2 No | 2,099 | 98.8 |
| | | Missing | 101 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---|-------------------------|------------------------|
| 352-352 | QNTB2 | Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 192 | 10.6 |
| | | 2 No | 1,944 | 89.4 |
| | | Missing | 85 | |
| 353-353 | QNTB3 | Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 213 | 11.9 |
| | | 2 No | 1,911 | 88.1 |
| | | Missing | 97 | |
| 354-354 | QNTB4 | Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 486 | 25.9 |
| | | 2 No | 1,561 | 74.1 |
| | | Missing | 174 | |
| 355-355 | QNIUDIMP | Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active) | | |
| | | 1 Yes | 19 | 3.8 |
| | | 2 No | 426 | 96.2 |
| | | Missing | 1,776 | |
| 356-356 | QNSHPARG | Percentage of students who used a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)) | | |
| | | 1 Yes | 23 | 3.7 |
| | | 2 No | 422 | 96.3 |
| | | Missing | 1,776 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|--|---|-------------------------|------------------------|
| 357-357 | a shot (such as Deno Provera) patch (such as OrthoEvra) or hirth | Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually | | |
| | | 1 Yes | 163 | 36.9 |
| | | 2 No | 282 | 63.1 |
| | | Missing | 1,776 | |
| 358-358 | QNDUALBC | Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active) | | |
| | | 1 Yes | 48 | 11.2 |
| | | 2 No | 393 | 88.8 |
| | | Missing | 1,780 | |
| 359-359 | QNBCNONE | Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active) | | |
| | | 1 Yes | 62 | 11.6 |
| | | 2 No | 383 | 88.4 |
| 1 | | Missing | 1,776 | |
| 360-360 | QNFR0 | Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey) | | |
| | | 1 Yes | 168 | 7.8 |
| | | 2 No | 1,977 | 92.2 |
| | | Missing | 76 | |
| 361-361 | QNFR1 | Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey) | | |
| | | 1 Yes | 1,265 | 57.9 |
| | | 2 No | 880 | 42.1 |
| | | Missing | 76 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---|-------------------------|------------------------|
| 362-362 | QNFR2 | Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey) | | |
| | | 1 Yes | 617 | 27.6 |
| | | 2 No | 1,528 | 72.4 |
| | | Missing | 76 | |
| 363-363 | QNFR3 | Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey) | | |
| | | 1 Yes | 356 | 16.7 |
| | | 2 No | 1,789 | 83.3 |
| | | Missing | 76 | |
| 364-364 | QNVEG0 | Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey) | | |
| | | 1 Yes | 181 | 8.5 |
| | | 2 No | 1,944 | 91.5 |
| | | Missing | 96 | |
| 365-365 | QNVEG1 | Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey) | | |
| | | 1 Yes | 1,233 | 57.6 |
| | | 2 No | 892 | 42.4 |
| | | Missing | 96 | |
| 366-366 | QNVEG2 | Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey) | | |
| | | 1 Yes | 539 | 24.8 |
| | | 2 No | 1,586 | 75.2 |
| | | Missing | 96 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--|-------------------------|------------------------|
| 367-367 | QNVEG3 | Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey) | | |
| | | 1 Yes | 263 | 12.3 |
| | | 2 No | 1,862 | 87.7 |
| | | Missing | 96 | |
| 368-368 | QNSODA1 | Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey) | | |
| | | 1 Yes | 235 | 11.4 |
| | | 2 No | 1,917 | 88.6 |
| | | Missing | 69 | |
| 369-369 | QNSODA2 | Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey) | | |
| | | 1 Yes | 161 | 8.0 |
| | | 2 No | 1,991 | 92.0 |
| | | Missing | 69 | |
| 370-370 | QNSODA3 | Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey) | | |
| | | 1 Yes | 96 | 5.0 |
| | | 2 No | 2,056 | 95.0 |
| | | Missing | 69 | |
| 375-375 | QNPA0DAY | Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey) | | |
| | | 1 Yes | 372 | 16.5 |
| | | 2 No | 1,774 | 83.5 |
| | | Missing | 75 | |

Rhode Island High School Survey

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--|-------------------------|------------------------|
| 376-376 | QNPA7DAY | Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey) | | |
| | | 1 Yes | 446 | 23.2 |
| | | 2 No | 1,700 | 76.8 |
| | | Missing | 75 | |
| 377-377 | QNDLYPE | Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school) | | |
| | | 1 Yes | 295 | 16.6 |
| | | 2 No | 1,824 | 83.4 |
| | | Missing | 102 | |
| 378-378 | QNNODNT | Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work) | | |
| | | 1 Yes | 40 | 2.0 |
| | | 2 No | 2,074 | 98.0 |
| | | Missing | 107 | |
| 385-385 | QNOBESE | Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)** | | |
| | | 1 Yes | 290 | 15.2 |
| | | 2 No | 1,769 | 84.8 |
| | | Missing | 162 | |
| 386-386 | QNOWT | Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)** | | |
| | | 1 Yes | 348 | 15.9 |
| | | 2 No | 1,711 | 84.1 |
| | | Missing | 162 | |
| 387-396 | WEIGHT | | | |
| 397-399 | STRATUM | | | |
| 400-405 | PSU | | | |

Rhode Island High School Survey

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---|----------------------------|-------------------------|------------------------|
| 409-413 | BMIPCT | | | | |
| 414-415 | RACEETH | | | | |
| | | 1 | Am Indian/Alaska Native | 21 | 0.7 |
| | | 2 | Asian | 81 | 2.2 |
| | | 3 | Black or African American | 223 | 8.4 |
| | | 4 | Native Hawaiian/Other PI | 10 | 0.4 |
| | | 5 | White | 1,198 | 61.5 |
| | | 6 | Hispanic/Latino | 145 | 6.5 |
| | | 7 | Multiple - Hispanic | 351 | 16.7 |
| | | 8 | Multiple - Non-Hispanic | 131 | 3.6 |
| | | | Missing | 61 | |
| 416-418 | Q6ORIG | | | | |
| 419-421 | Q7ORIG | | | | |