Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	How old a	re you?		
		1	12 years old or younger	8	0.5
		2	13 years old	1	0.0
		3	14 years old	204	9.5
		4	15 years old	481	24.3
		5	16 years old	395	24.7
		6	17 years old	315	23.6
		7	18 years old or older	207	17.3
			Missing	2	
18-18	Q2	What is yo	our sex?		
		1	Female	791	49.0
		2	Male	807	51.0
			Missing	15	
19-19	Q3	In what gr	rade are you?		
		1	9th grade	563	26.5
		2	10th grade	409	25.3
		3	11th grade	349	24.1
		4	12th grade	266	23.8
		5	Ungraded or other grade	6	0.4
			Missing	20	
20-20	Q4	Are you H	lispanic or Latino?		
	-	1	Yes	524	25.5
		2	No	1,056	74.5
			Missing	33	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		G	1	0.1
		F	3	0.2
		E	923	71.0
		D	55	2.8
		DE	6	0.4
		С	203	14.3
		CE	31	1.7
		CD	7	0.4
		В	69	3.3
		В Н	1	0.0
		ВЕ	14	0.8
		B D	1	0.0
		B DE	2	0.1
		ВС	2	0.1
		A	35	2.0
		A E	14	0.9
		A DE	1	0.1
		A C	17	0.8
		ACE	7	0.4
		A CDE	1	0.1
		AB	2	0.1
		AB E	3	0.3
		AB DE	1	0.1
		AD DE	214	0.1
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)	_	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
39-39	Q8	How often do yo someone else?	ou wear a seat belt when riding in a car driven by		
		1	Never	44	2.5
		2	Rarely	62	3.6
		3	Sometimes	109	6.2
		4	Most of the time	365	22.0
		5	Always	1,020	65.7
			Missing	13	
40-40	Q9		30 days, how many times did you ride in a car or other y someone who had been drinking alcohol?		
		1	0 times	1,362	86.0
		2	1 time	110	6.
		3	2 or 3 times	73	4.0
		4	4 or 5 times	15	1.0
		5	6 or more times	48	2.3
			Missing	5	
42-42	Q11		30 days, on how many days did you text or e-mail car or other vehicle?		
		1	I did not drive a car or other vehicle during the past 30 days	938	53.4
		2	0 days	488	31.6
		3	1 or 2 days	73	5.
		4	3 to 5 days	28	2.3
		5	6 to 9 days	17	1.3
		6	10 to 19 days	19	1.3
		7	20 to 29 days	12	1.0
		8	All 30 days	35	3.0
			Missing	3	
14-44	Q13	During the past such as a gun, k	30 days, on how many days did you carry a weapon nife, or club on school property?		
		1	0 days	1,522	96.3
		2	1 day	21	1.3
		3	2 or 3 days	19	1.3
		4	4 or 5 days	2	0.1
		5	6 or more days	21	1.3
			Missing	28	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q14	During the past 12 months, on how many days did you carry a gun?		
		1 0 days	1,561	96.9
		2 1 day	18	1.2
		3 2 or 3 days	12	0.8
		4 4 or 5 days	5	0.4
		5 6 or more days	13	0.0
		Missing	4	
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	1,442	91.6
		2 1 day	87	4.3
		3 2 or 3 days	43	2.2
		4 4 or 5 days	17	0.9
		5 6 or more days	19	1.0
		Missing	5	
49-49	Q18	During the past 12 months, how many times were you in a physical fight on school property?		
		1 0 times	1,429	90.4
		2 1 time	107	5.7
		3 2 or 3 times	38	2.1
		4 4 or 5 times	12	0.8
		5 6 or 7 times	6	0.4
		6 8 or 9 times	3	0.1
		7 10 or 11 times	2	0.2
		8 12 or more times	6	0.4
		Missing	10	
50-50	Q19	Have you ever been physically forced to have sexual intercourse when you did not want to?		
		1 Yes	133	7.8
		2 No	1,459	92.2
		Missing	21	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
52-52	Q21		past 12 months, how many times did someone you were ing out with force you to do sexual things that you did not		
		1	I did not date or go out with anyone during the past 12 months	550	34.4
		2	0 times	872	58.5
		3	1 time	51	3.3
		4	2 or 3 times	32	2.2
		5	4 or 5 times	9	0.0
		6	6 or more times	12	0.9
			Missing	87	
53-53	Q22		past 12 months, how many times did someone you were ing out with physically hurt you on purpose?		
		1	I did not date or go out with anyone during the past 12 months	546	34.5
		2	0 times	900	61.2
		3	1 time	31	2.
		4	2 or 3 times	23	1.3
		5	4 or 5 times	4	0.2
		6	6 or more times	10	0.7
			Missing	99	
54-54	Q23	During the property?	past 12 months, have you ever been bullied on school		
		1	Yes	265	16.4
		2	No	1,334	83.6
			Missing	14	
55-55	Q24	During the p	past 12 months, have you ever been electronically bullied?		
		1	Yes	209	13.0
		2	No	1,389	87.0
			Missing	15	
56-56	Q25		past 12 months, did you ever feel so sad or hopeless almost or two weeks or more in a row that you stopped doing some ies?		
		1	Yes	530	32.3
		2	No	1,066	67.7
			Missing	17	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q26	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	208	13.3
		2 No	1,374	86.7
		Missing	31	
58-58	Q27	During the past 12 months, did you make a plan about how you would attempt suicide?		
		1 Yes	193	12.1
		2 No	1,388	87.9
		Missing	32	
59-59	Q28	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	1,356	85.3
		2 1 time	200	12.0
		3 2 or 3 times	31	1.8
		4 4 or 5 times	9	0.4
		5 6 or more times	8	0.4
		Missing	9	
61-61	Q30	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	237	17.5
		2 No	1,303	82.5
		Missing	73	
63-63	Q32	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	1,476	95.8
		2 1 or 2 days	25	1.8
		3 3 to 5 days	6	0.5
		4 6 to 9 days	3	0.2
		5 10 to 19 days	2	0.1
		6 20 to 29 days	0	0.0
		7 All 30 days	20	1.0
		Missing	81	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
64-64	Q33		past 30 days, on the days you smoked, how many cigarettes noke per day?		
		1	I did not smoke cigarettes during the past 30 days	1,478	95.9
		2	Less than 1 cigarette per day	19	1.4
		3	1 cigarette per day	11	0.3
		4	2 to 5 cigarettes per day	7	0.5
		5	6 to 10 cigarettes per day	5	0.3
		6	11 to 20 cigarettes per day	3	0.3
		7	More than 20 cigarettes per day	11	0.9
			Missing	79	
65-65	Q34	Have you	ever used an electronic vapor product?		
		1	Yes	706	48.9
		2	No	849	51.
			Missing	58	
66-66	Q35	During the	past 30 days, on how many days did you use an electronic luct?		
		1	0 days	1,109	69.9
		2	1 or 2 days	127	8.
		3	3 to 5 days	60	4.4
		4	6 to 9 days	42	3.4
		5	10 to 19 days	47	3.4
		6	20 to 29 days	35	2.9
		7	All 30 days	85	7.3
			Missing	108	
67-67	Q36	During the	past 30 days, how did you usually get your own electronic lucts?		
		1	I did not use any electronic vapor products during the past 30 days	1,100	69.9
		2	I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store	76	7.
		3	I got them on the Internet	14	0.9
		4	I gave someone else money to buy them for me	49	3.
		5	I borrowed them from someone else	171	12.3
		6	A person who can legally buy these products gave them to me	29	2.0
		7	I took them from a store or another person	7	0.3
		8	I got them some other way	44	3.2
			Missing	123	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1 0 days	1,528	94.9
		2 1 or 2 days	43	2.8
		3 3 to 5 days	10	0.7
		4 6 to 9 days	6	0.4
		5 10 to 19 days	6	0.4
		6 20 to 29 days	2	0.1
		7 All 30 days	9	0.7
		Missing	9	
71-71	Q40	How old were you when you had your first drink of alcohol other than a few sips?		
		I have never had a drink of alcohol other than a few sips	848	51.5
		2 8 years old or younger	68	3.8
		3 9 or 10 years old	44	2.0
		4 11 or 12 years old	64	3.8
		5 13 or 14 years old	214	13.8
		6 15 or 16 years old	266	20.
		7 17 years old or older	56	4.4
		Missing	53	
72-72	Q41	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	1,201	78.5
		2 1 or 2 days	163	11.
		3 3 to 5 days	65	5.4
		4 6 to 9 days	30	2.
		5 10 to 19 days	15	1.
		6 20 to 29 days	8	0.4
		7 All 30 days	7	0.7
		Missing	124	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
73-73	Q42	During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)?			
		1	0 days	1,426	89.3
		2	1 day	73	5.4
		3	2 days	35	2.4
		4	3 to 5 days	23	1.7
		5	6 to 9 days	7	0.5
		6	10 to 19 days	4	0.2
		7	20 or more days	5	0.4
			Missing	40	
75-75	Q44	During the drank?	During the past 30 days, how did you usually get the alcohol you drank?		
		1	I did not drink alcohol during the past 30 days	1,203	78.3
		2	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	28	1.9
		3	I bought it at a restaurant, bar, or club	8	0.0
		4	I bought it at a public event such as a concert or sporting event	4	0.2
		5	I gave someone else money to buy it for me	35	3.
		6	Someone gave it to me	99	7.
		7	I took it from a store or family member	51	4.2
		8	I got it some other way	63	4.0
			Missing	122	
76-76	Q45	During yo	ur life, how many times have you used marijuana?		
		1	0 times	1,013	62.3
		2	1 or 2 times	130	8.2
		3	3 to 9 times	109	7.4
		4	10 to 19 times	52	4.0
		5	20 to 39 times	53	3.0
		6	40 to 99 times	48	4.0
		7	100 or more times	130	10.5
			Missing	78	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
77-77	Q46	How old w	vere you when you tried marijuana for the first time?		_
		1	I have never tried marijuana	1,022	62.0
		2	8 years old or younger	19	1.3
		3	9 or 10 years old	10	0.5
		4	11 or 12 years old	42	2.7
		5	13 or 14 years old	204	13.1
		6	15 or 16 years old	209	16.1
		7	17 years old or older	46	4.3
			Missing	61	,
78-78	Q47	During the	past 30 days, how many times did you use marijuana?		
		1	0 times	1,242	77.0
		2	1 or 2 times	105	7.1
		3	3 to 9 times	83	6.4
		4	10 to 19 times	30	2.4
		5	20 to 39 times	38	2.8
		6	40 or more times	52	4.2
			Missing	63	,
79-79	Q48	During you	ur life, how many times have you used synthetic marijuana?		
		1	0 times	1,471	92.3
		2	1 or 2 times	46	3.5
		3	3 to 9 times	26	1.6
		4	10 to 19 times	14	0.9
		5	20 to 39 times	6	0.4
		6	40 or more times	18	1.4
		_	Missing	32	
80-80	Q49	medicine v	ur life, how many times have you taken prescription pain without a doctor's prescription or differently than how a l you to use it?		
		1	0 times	1,431	90.0
		2	1 or 2 times	70	4.3
		3	3 to 9 times	40	2.2
		4	10 to 19 times	22	1.3
		5	20 to 39 times	7	0.6
		6	40 or more times	24	1.5
			Missing	19	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	1,539	96.6
		2 1 or 2 times	19	1.4
		3 3 to 9 times	11	0.6
		4 10 to 19 times	5	0.4
		5 20 to 39 times	4	0.3
		6 40 or more times	11	0.7
		Missing	24	
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	1,540	97.0
		2 1 or 2 times	16	0.9
		3 3 to 9 times	9	0.3
		4 10 to 19 times	3	0.
		5 20 to 39 times	3	0.
		6 40 or more times	12	0.3
		Missing	30	
35-85	Q54	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	1,537	96.′
		2 1 or 2 times	23	1.4
		3 3 to 9 times	11	0.
		4 10 to 19 times	7	0.3
		5 20 to 39 times	3	0.3
		6 40 or more times	10	0.9
		Missing	22	
39-89	Q58	Have you ever had sexual intercourse?		
		1 Yes	503	41.1
		2 No	851	58.9
		Missing	259	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
92-92	Q61	During the intercourse	past 3 months, with how many people did you have sexual		
		1	I have never had sexual intercourse	853	58.5
		2	I have had sexual intercourse, but not during the past 3 months	121	9.4
		3	1 person	321	26.1
		4	2 people	34	3.2
		5	3 people	14	1.0
		6	4 people	9	0.6
		7	5 people	0	0.0
		8	6 or more people	14	1.3
			Missing	247	
93-93	Q62	Did you dri the last time	nk alcohol or use drugs before you had sexual intercourse		
		1	I have never had sexual intercourse	852	58.7
		2	Yes	74	6.4
		3	No	434	34.9
			Missing	253	
94-94	Q63	The last time	ne you had sexual intercourse, did you or your partner use a		
		1	I have never had sexual intercourse	849	59.4
		2	Yes	295	24.2
		3	No	198	16.4
			Missing	271	
95-95	Q64		ne you had sexual intercourse, what one method did you or r use to prevent pregnancy?		
		1	I have never had sexual intercourse	850	59.4
		2	No method was used to prevent pregnancy	75	5.8
		3	Birth control pills	87	8.3
		4	Condoms	218	17.4
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	36	3.0
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	23	1.0
		7	Withdrawal or some other method	43	3.4
		8	Not sure	13	1.0
			Missing	268	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
96-96	Q65	During your life, with whom have you had sexual contact?			
		1	I have never had sexual contact	705	44.5
		2	Females	393	28.7
		3	Males	298	22.1
		4	Females and males	68	4.7
		_	Missing	149	
97-97	Q66	Which of t	he following best describes you?		
		1	Heterosexual (straight)	1,316	84.2
		2	Gay or lesbian	42	2.7
		3	Bisexual	134	8.6
		4	Not sure	76	4.5
			Missing	45	
99-99	Q68	Which of t	he following are you trying to do about your weight?		
		1	Lose weight	728	46.
		2	Gain weight	302	20.4
		3	Stay the same weight	234	14.4
		4	I am not trying to do anything about my weight	298	19.1
			Missing	51	
00-100	Q69		past 7 days, how many times did you drink 100% fruit as orange juice, apple juice, or grape juice?		
		1	I did not drink 100% fruit juice during the past 7 days	511	32.8
		2	1 to 3 times during the past 7 days	612	38.5
		3	4 to 6 times during the past 7 days	199	12.6
		4	1 time per day	78	5.1
		5	2 times per day	82	5.5
		6	3 times per day	39	2.3
		7	4 or more times per day	58	3.4
		_	Missing	34	
01-101	Q70	During the	past 7 days, how many times did you eat fruit?		
		1	I did not eat fruit during the past 7 days	191	10.6
		2	1 to 3 times during the past 7 days	575	36.2
		3	4 to 6 times during the past 7 days	319	20.9
		4	1 time per day	171	11.5
		5	2 times per day	159	10.7
		6	3 times per day	68	4.0
		7	4 or more times per day	96	6.2
			Missing	34	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
102-102	Q71	During th	e past 7 days, how many times did you eat green salad?		
		1	I did not eat green salad during the past 7 days	650	40.4
		2	1 to 3 times during the past 7 days	583	38.2
		3	4 to 6 times during the past 7 days	183	11.9
		4	1 time per day	88	5.5
		5	2 times per day	30	2.0
		6	3 times per day	10	0.6
		7	4 or more times per day	24	1.5
			Missing	45	
103-103	Q72	During th	e past 7 days, how many times did you eat potatoes?		
		1	I did not eat potatoes during the past 7 days	650	39.2
		2	1 to 3 times during the past 7 days	715	46.5
		3	4 to 6 times during the past 7 days	121	8.5
		4	1 time per day	44	2.7
		5	2 times per day	14	1.0
		6	3 times per day	10	0.4
		7	4 or more times per day	27	1.7
			Missing	32	
104-104	Q73	During th	e past 7 days, how many times did you eat carrots?		
		1	I did not eat carrots during the past 7 days	836	51.9
		2	1 to 3 times during the past 7 days	527	34.8
		3	4 to 6 times during the past 7 days	111	7.0
		4	1 time per day	42	2.7
		5	2 times per day	26	1.5
		6	3 times per day	11	0.7
		7	4 or more times per day	22	1.5
			Missing	38	
105-105	Q74	During th	e past 7 days, how many times did you eat other vegetables?		
		1	I did not eat other vegetables during the past 7 days	317	18.2
		2	1 to 3 times during the past 7 days	548	34.7
		3	4 to 6 times during the past 7 days	346	23.0
		4	1 time per day	172	11.8
		5	2 times per day	95	6.1
		6	3 times per day	43	2.7
		7	4 or more times per day	49	3.6
			Missing	43	

Data Location	Variable Name		stion nd Label	Unweighted Frequency	Weighted Percentage
109-109	Q78	During the past 7 days, on how may for a total of at least 60 minutes per			_
		1 0 days		271	15.4
		2 1 day		133	7.6
		3 2 days		190	12.7
		4 3 days		215	14.0
		5 4 days		143	8.8
		6 5 days		194	12.4
		7 6 days		117	7.9
		8 7 days		312	21.1
		Missing		38	
			leo or computer games or use a mething that is not school work	266	16.0
		2 Less than 1 hour	-	164	11.0
		3 1 hour per day	per day	135	8.0
		4 2 hours per day		264	17.4
		5 3 hours per day		258	17.
		6 4 hours per day		177	11.0
		7 5 or more hours	per day	298	18.3
		Missing	por any	51	10
112-112	Q81	In an average week when you are in go to physical education (PE) class	n school, on how many days do you es?		
		1 0 days		455	29.2
		2 1 day		51	3.
		3 2 days		231	16.3
		4 3 days		445	31.
		5 4 days		123	8.0
		6 5 days		237	12.3
		Missing		71	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
114-114	Q83	During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?		
		1 0 times	1,304	83.7
		2 1 time	141	9.2
		3 2 times	59	3.3
		4 3 times	31	1.7
		5 4 or more times	34	2.0
		Missing	44	
116-116	Q85	During the past 12 months, have you been tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea?		
		1 Yes	213	14.6
		2 No	1,190	76.8
		3 Not sure	148	8.0
		Missing	62	
117-117	Q86	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?		
		1 During the past 12 months	1,183	77.3
		2 Between 12 and 24 months ago	153	9.2
		3 More than 24 months ago	60	3.
		4 Never	44	2.3
		5 Not sure	120	7.
		Missing	53	
19-119	Q88	On an average school night, how many hours of sleep do you get?		
		1 4 or less hours	186	12.
		2 5 hours	208	13.
		3 6 hours	380	25.5
		4 7 hours	443	28.9
		5 8 hours	251	14.9
		6 9 hours	65	3.0
		7 10 or more hours	22	1.2
		Missing	58	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
120-120	Q89	During the past 12 months, how would you describe your grades in school?		
		1 Mostly A's	541	36.0
		2 Mostly B's	586	38.8
		3 Mostly C's	265	16.5
		4 Mostly D's	55	2.9
		5 Mostly F's	26	1.4
		6 None of these grades	9	0.7
		7 Not sure	67	3.7
		Missing	64	
121-121	Q90	Do you have any physical disabilities or long-term health problems?		
		1 Yes	127	8.0
		2 No	1,291	81.8
		3 Not sure	177	10.1
		Missing	18	
122-122	Q91	Do you have any long-term emotional problems or learning disabilities?		
		1 Yes	265	17.7
		2 No	1,149	71.5
		3 Not sure	174	10.8
		Missing	25	
123-123	Q92	Some people describe themselves as transgender when their sex at birth does not match the way they think or feel about their gender. Are you transgender?		
		No, I am not transgender	1,517	95.1
		2 Yes, I am transgender	19	1.5
		3 I am not sure if I am transgender	15	0.9
		4 I do not know what this question is asking	49	2.4
		Missing	13	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
124-124	Q93	affect how	appearance, style, dress, or the way they walk or talk may people describe them. How do you think other people at all describe you?		
		1	Very feminine	274	16.6
		2	Mostly feminine	314	20.7
		3	Somewhat feminine	114	7.1
		4	Equally feminine and masculine	181	11.1
		5	Somewhat masculine	118	7.8
		6	Mostly masculine	277	18.2
		7	Very masculine	292	18.6
			Missing	43	
125-125	Q94	vehicle driv	past 30 days, how many times did you ride in a car or other ven by someone who had been using marijuana (also called or cannabis or any form of this drug)?		
		1	0 times	1,235	74.0
		2	1 time	119	8.1
		3	2 or 3 times	101	6.6
		4	4 or 5 times	49	3.7
		5	6 or more times	102	7.5
			Missing	7	
126-126	Q95	vehicle who	past 30 days, how many times did you drive a car or other en you had been using marijuana (also called pot, weed, or any form of this drug)?		
		1	I did not drive a car or other vehicle during the past 30 days	797	51.5
		2	0 times	519	40.4
		3	1 time	27	2.4
		4	2 or 3 times	24	2.2
		5	4 or 5 times	15	1.3
		6	6 or more times	23	2.1
			Missing	208	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
127-127	Q96	During the past 30 days, on how many days did you talk on a hands-free cell phone (by using Bluetooth, a car kit, a wired headset, or a speaker phone) while driving a car or other vehicle?		
		I did not drive a car or other vehicle during the past 30 days	805	51.6
		2 0 days	365	25.8
		3 1 or 2 days	88	7.6
		4 3 to 5 days	53	5.1
		5 6 to 9 days	26	2.1
		6 10 to 19 days	31	3.1
		7 20 to 29 days	19	1.9
		8 All 30 days	32	2.8
		Missing	194	
128-128	Q97	During the past 12 months, have you ever been the victim of teasing or name calling because of your race or ethnic background?		
		1 Yes	189	11.6
		2 No	1,400	88.4
		Missing	24	
29-129	Q98	Does anyone who lives with you smoke cigarettes?		
		1 Yes	371	24.7
		2 No	1,214	75.3
		Missing	28	
130-130	Q99	During the past 12 months, did you ever try to quit smoking cigarettes?		
		1 I did not smoke during the past 12 months	1,451	96.2
		2 Yes	24	2.0
		3 No	22	1.8
		Missing	116	
31-131	Q100	What is the main reason you have used electronic vapor products?		
		1 I have never used an electronic vapor product	934	63.2
		2 Friend or family member used them	163	12.5
		To try to quit using other tobacco products	7	0.4
		4 They cost less than other tobacco products	6	0.4
		5 They are easier to get than other tobacco products	4	0.3
		They are less harmful than other forms of tobacco	32	2.7
		7 They are available in flavors, such as mint, candy, fruit, or chocolate	53	4.5
		8 I used them for some other reason	205	15.9
		Missing	209	10.7

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
132-132	Q101	During the past 30 days, on how many days did you smoke tobacco in a hookah, narghile, or other type of waterpipe?		
		1 0 days	1,455	94.4
		2 1 or 2 days	39	2.5
		3 3 to 5 days	26	1.7
		4 6 to 9 days	6	0.3
		5 10 to 19 days	4	0.2
		6 20 to 29 days	4	0.1
		7 All 30 days	11	0.8
		Missing	68	
133-133	Q102	During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs?		
		1 0 days	1,530	97.5
		2 1 or 2 days	10	0.8
		3 3 to 5 days	9	0.4
		4 6 to 9 days	8	0.5
		5 10 to 19 days	3	0.2
		6 20 to 29 days	1	0.1
		7 All 30 days	8	0.6
		Missing	44	
134-134	Q103	During the past 30 days, on how many days did you use a tobacco product that was flavored to taste like menthol (mint), alcohol (wine, cognac), candy, fruit, chocolate or other sweets?		
		1 0 days	1,410	87.0
		2 1 or 2 days	64	4.1
		3 3 to 5 days	34	2.2
		4 6 to 9 days	30	1.9
		5 10 to 19 days	21	1.6
		6 20 to 29 days	16	1.2
		7 All 30 days	27	2.1
		Missing	11	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
135-135	Q104	little cigar,	How old were you when you first smoked a cigarette, cigar, cigarillo or little cigar, or used a hookah, or an electronic vapor product, even if only for one or two puffs?		
		1	I have never used these tobacco products	797	56.7
		2	8 years old or younger	40	2.7
		3	9 or 10 years old	26	1.7
		4	11 or 12 years old	58	4.2
		5	13 or 14 years old	182	12.9
		6	15 or 16 years old	212	18.4
		7	17 years old or older Missing	35 263	3.4
136-136	Q105	cigars, smo	During the past 30 days, how did you usually get your own cigarettes, cigars, smokeless tobacco, and shisha or hookah tobacco? Do not include electronic vapor products.		
		1	I did not use these tobacco products	1,312	88.1
		2	I bought them in a store such as a convenience store, supermarket, discount store, or gas station	53	4.6
		3	I got them on the Internet	12	1.0
		4	I gave someone else money to buy them for me	13	0.9
		5	I borrowed (or bummed) them from someone else	33	1.9
		6	A person who can legally buy them gave them to me	12	0.9
		7	I took them from a store or family member	11	0.5
		8	I got them some other way	30	2.1
			Missing	137	
137-137	Q106		r life, how many times have you used barbiturates (also s, downers, sleepers, or yellow jackets) without a doctor's ?		
		1	0 times	1,515	96.1
		2	1 or 2 times	26	1.3
		3	3 to 9 times	18	1.0
		4	10 to 19 times	7	0.5
		5	20 to 39 times	2	0.1
		6	40 or more times	8	0.6
			Missing	37	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
138-138	Q107	stimulants	ur life, how many times have you used amphetamines or (also called uppers, ups, speed, Dexies, pep pills, or diet out a doctor's prescription?		
		1	0 times	1,516	96.9
		2	1 or 2 times	15	1.2
		3	3 to 9 times	13	0.7
		4	10 to 19 times	5	0.3
		5	20 to 39 times	6	0.3
		6	40 or more times	8	0.7
			Missing	50	
139-139	Q108		The last time you took a prescription drug without a doctor's prescription, how did you get it?		
		1	I have never taken a prescription drug without a doctor's prescription	1,410	90.4
		2	A friend or relative gave it to me for free	90	5.8
		3	I took it from a friend or relative without asking	18	1.3
		4	I bought it at school from a friend, relative, or dealer	10	0.5
		5	I bought it outside of school from a friend, relative, or dealer	9	0.8
		6	I got it from the internet or online	4	0.2
		7	I got it from another source	21	1.2
			Missing	51	
40-140	Q109		past 30 days, how many times did you take an ounter drug to get high?		
		1	0 times	1,529	96.5
		2	1 or 2 times	31	1.7
		3	3 to 9 times	16	0.9
		4	10 to 19 times	5	0.3
		5	20 to 39 times	3	0.1
		6	40 or more times	6	0.5
			Missing	23	

Data Location	Variable Name	Questio Code and I		Unweighted Frequency	Weighted Percentage
141-141	Q110	During the past 7 days, how many time glass of a sugar-sweetened beverage su Sprite), sports drinks (for example, Gat drinks (for example, Red Bull or Jolt), coffee drinks, flavored milk, Snapple, or	ch as soda (Coke, Pepsi, or corade or PowerAde), energy lemonade, sweetened tea or		
		1 I did not drink these during the past 7 da	sugar-sweetened beverages	345	21.8
		2 1 to 3 times during t		682	42.7
		3 4 to 6 times during t	he past 7 days	265	17.5
		4 1 time per day		109	6.6
		5 2 times per day		92	5.5
		6 3 times per day		33	2.2
		7 4 or more times per Missing	day	60 27	3.6
142-142	Q111	During the past 7 days, how many time of plain water?	s did you drink a bottle or glass	- 	
		1 I did not drink water	r during the past 7 days	97	5.6
		2 1 to 3 times during t		165	10.1
		3 4 to 6 times during t	-	195	12.2
		4 1 time per day	•	114	7.7
		5 2 times per day		218	14.1
		6 3 times per day		254	16.7
		7 4 or more times per	day	523	33.5
		Missing	·	47	
143-143	Q112	During the past 30 days, how often did was not enough food in your home?	you go hungry because there		
		1 Never		931	62.1
		2 Rarely		331	20.8
		3 Sometimes		208	12.4
		4 Most of the time		54	3.4
		5 Always		23	1.3
		Missing		66	
44-144	Q113	During the past 12 months, how many been painful or sore?	imes have your teeth or mouth		
		1 0 times		786	50.3
		2 1 time		331	20.9
		3 2 or 3 times		289	19.3
		4 4 or 5 times		57	4.0
		5 6 or more times		93	5.6
		Missing		57	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
145-145	Q114	During the past 12 months, how often were you self-conscious or embarrassed because of your teeth or mouth?		
		1 Never	841	54.0
		2 Rarely	380	23.8
		3 Sometimes	203	12.5
		4 Most of the time	80	5.4
		5 Always	67	4.3
		Missing	42	
146-146	Q115	Have you ever been taught in school about the benefits of not having sexual intercourse to prevent pregnancy and sexually transmitted diseases (STDs)?		
		1 Yes	1,045	71.9
		2 No	358	20.5
		3 Not sure	131	7.5
		Missing	79	
47-147	Q116	Have you ever been taught about AIDS or HIV infection in school?		
		1 Yes	1,143	76.8
		2 No	304	16.7
		3 Not sure	105	6.5
		Missing	61	
48-148	Q117	During the past 30 days, where did you usually sleep?		
		In my parent's or guardian's home	1,443	93.5
		In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	48	2.9
		3 In a shelter or emergency housing	15	0.9
		4 In a motel or hotel	10	0.6
		5 In a car, park, campground, or other public place	11	0.7
		6 I do not have a usual place to sleep	6	0.3
		7 Somewhere else	18	1.1
		Missing	62	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
149-149	During the past 30 days, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?				
		1	Yes	124	7.5
		2	No	1,411	92.5
			Missing	78	
50-150	Q119		feel sad, empty, hopeless, angry, or anxious, how often do e kind of help you need?		
		1	I do not feel sad, empty, hopeless, angry, or anxious	439	27.0
		2	Never	275	17.0
		3	Rarely	255	15.9
		4	Sometimes	241	15.8
		5	Most of the time	208	14.3
		6	Always	144	10.1
			Missing	51	
151-151	Q120	During the good?	e past 30 days, on how many days was your mental health not		
		1	0 days	596	35.8
		2	1 or 2 days	300	19.0
		3	3 to 6 days	219	15.1
		4	7 to 13 days	188	13.3
		5	14 to 29 days	164	11.1
		6	All 30 days	86	5.6
			Missing	60	
152-152	Q121		least one teacher or other adult in your school that you can ou have a problem?		
		1	Yes	1,007	67.9
		2	No	318	17.8
		3	Not sure	225	14.2
			Missing	63	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
153-153	Q122	During an average week when you are in school, how many total hours do you participate in school activities such as sports, band, drama, or clubs?			
		1	0 hours	646	40.4
		2	1 to 4 hours	471	28.8
		3	5 to 9 hours	191	13.2
		4	10 to 19 hours	184	12.9
		5	20 or more hours	75	4.8
			Missing	46	
154-154	Q123	How often d	lo you feel safe and secure in your neighborhood?		
		1	Never	120	6.5
		2	Rarely	72	4.0
		3	Sometimes	140	8.1
		4	Most of the time	499	31.8
		5	Always	721	49.7
			Missing	61	
155-155	Q124		is it that you will complete a post high school program such nal training program, military service, community college, llege?		
		1	Definitely will not	161	9.7
		2	Probably will not	120	6.9
		3	Probably will	367	21.1
		4	Definitely will	772	54.3
		5	Not sure	143	8.0
			Missing	50	
185-185	QN8		of students who rarely or never wore a seat belt (when ar driven by someone else)		
		1	Yes	106	6.1
		2	No	1,494	93.9
			Missing	13	
186-186	QN9		of students who rode with a driver who had been drinking a car or other vehicle, one or more times during the 30 days arvey)		
		1	Yes	246	14.0
		2	No	1,362	86.0
			Missing	5	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
188-188	QN11	Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	184	32.3
		2 No	488	67.7
		Missing	941	
190-190	QN13	Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)		
		1 Yes	63	3.7
		2 No	1,522	96.3
		Missing	28	
191-191	QN14	Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)		
		1 Yes	48	3.1
		2 No	1,561	96.9
		Missing	4	
192-192	QN15	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)		
		1 Yes	166	8.4
		2 No	1,442	91.6
		Missing	5	
195-195	QN18	Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)		
		1 Yes	174	9.6
		2 No	1,429	90.4
		Missing	10	
196-196	QN19	Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)		
		1 Yes	133	7.8
		2 No	1,459	92.2
		Missing	21	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
198-198	QN21	Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	104	10.7
		2 No	872	89.3
		Missing	637	
199-199	QN22	Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	68	6.6
		2 No	900	93.4
		Missing	645	
200-200	QN23	Percentage of students who were bullied on school property (ever during the 12 months before the survey)		
		1 Yes	265	16.4
		2 No	1,334	83.6
		Missing	14	
201-201	QN24	Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)		
		1 Yes	209	13.0
		2 No	1,389	87.0
		Missing	15	
202-202	QN25	Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)		
		1 Yes	530	32.3
		2 No	1,066	67.7
		Missing	17	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
203-203	QN26 Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)			
		1 Yes	208	13.3
		2 No	1,374	86.7
		Missing	31	,
204-204	QN27	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
		1 Yes	193	12.1
		2 No	1,388	87.9
		Missing	32	
205-205 Q	QN28	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1 Yes	248	14.7
		2 No	1,356	85.3
		Missing	9	
207-207	QN30	Percentage of students who ever tried cigarette smoking (even one or two puffs)		
		1 Yes	237	17.5
		2 No	1,303	82.5
		Missing	73	
209-209	QN32	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1 Yes	56	4.2
		2 No	1,476	95.8
		Missing	81	
210-210	QN33	Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)		
		1 Yes	14	29.4
		2 No	40	70.6
		Missing	1,559	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
211-211	QN34	Percentage of students who ever used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo])		
		1 Yes	706	48.9
		2 No	849	51.1
		Missing	58	
212-212	QN35	Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)		
		1 Yes	396	30.1
		2 No	1,109	69.9
		Missing	108	
213-213	QN36	Percentage of students who usually got their own electronic vapor products by buying them in a store (such as a convenience store, supermarket, discount store, gas station, or vape store, during the 30 days before the survey, among students who currently used electronic vapor products and who were aged <18 years)		
		1 Yes	34	12.9
		2 No	284	87.1
		Missing	1,295	
215-215	QN38	Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)		
		1 Yes	76	5.1
		2 No	1,528	94.9
		Missing	9	
217-217	QN40	Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)		
		1 Yes	176	10.2
		2 No	1,384	89.8
		Missing	53	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
218-218	QN41	Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)		
		1 Yes	288	21.5
		2 No	1,201	78.5
		Missing	124	
219-219	QN42	Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey)		
		1 Yes	147	10.7
		2 No	1,426	89.3
		Missing	40	
221-221	QN44	Percentage of students who usually got the alcohol they drank by someone giving it to them (during the 30 days before the survey, among students who currently drank alcohol)		
		1 Yes	99	33.8
		2 No	183	66.2
		Missing	1,331	
222-222	QN45	Percentage of students who ever used marijuana (one or more times during their life)		
		1 Yes	522	37.7
		2 No	1,013	62.3
		Missing	78	
223-223	QN46	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	71	4.6
		2 No	1,481	95.4
		Missing	61	
224-224	QN47	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1 Yes	308	23.0
		2 No	1,242	77.0
		Missing	63	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
225-225	QN48	Percentage of students who ever used synthetic marijuana (one or more times during their life)		
		1 Yes	110	7.7
		2 No	1,471	92.3
		Missing	32	
226-226	QN49	Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)		
		1 Yes	163	10.0
		2 No	1,431	90.0
		Missing	19	
227-227	QN50	Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)		
		1 Yes	50	3.4
		2 No	1,539	96.6
		Missing	24	
229-229	QN52	Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)		
		1 Yes	43	2.4
		2 No	1,540	97.6
		Missing	30	
231-231 QN54	QN54	Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)		
		1 Yes	54	3.3
		2 No	1,537	96.7
		Missing	22	
235-235	QN58	Percentage of students who ever had sexual intercourse		
		1 Yes	503	41.1
		2 No	851	58.9
		Missing	259	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
238-238	QN61	Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)		
		1 Yes	392	32.1
		2 No	974	67.9
		Missing	247	
239-239	QN62	Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)		
		1 Yes	60	16.4
		2 No	329	83.6
		Missing	1,224	
240-240 QN63	QN63	Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	215	55.3
		2 No	166	44.7
		Missing	1,232	
241-241	QN64	Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	78	24.2
		2 No	304	75.8
		Missing	1,231	
245-245	QN68	Percentage of students who were trying to lose weight		
		1 Yes	728	46.1
		2 No	834	53.9
		Missing	51	
246-246	QN69	Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)		
		1 Yes	511	32.8
		2 No	1,068	67.2
		Missing	34	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
247-247	QN70	Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)		
		1 Yes	191	10.6
		2 No	1,388	89.4
		Missing	34	
248-248	QN71	Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)		
		1 Yes	650	40.4
		2 No	918	59.6
		Missing	45	
249-249	QN72	Percentage of students who did not eat potatoes (one or more times during the 7 days before the survey)		
		1 Yes	650	39.2
		2 No	931	60.8
		Missing	32	
250-250	QN73	Percentage of students who did not eat carrots (one or more times during the 7 days before the survey)		
		1 Yes	836	51.9
		2 No	739	48.
		Missing	38	
251-251	QN74	Percentage of students who did not eat other vegetables (one or more times during the 7 days before the survey)		
		1 Yes	317	18.2
		2 No	1,253	81.8
		Missing	43	
255-255	QN78	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	623	41.4
		2 No	952	58.6
		Missing	38	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
257-257	QN80	Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)		
		1 Yes	733	47.0
		2 No	829	53.0
		Missing	51	
258-258	QN81	Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)		
		1 Yes	1,087	70.8
		2 No	455	29.2
		Missing	71	
260-260	QN83	Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)		
		1 Yes	265	16.3
		2 No	1,304	83.7
		Missing	44	
262-262	QN85	Percentage of students who were tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea (during the 12 months before the survey)		
		1 Yes	213	14.6
		2 No	1,338	85.4
		Missing	62	
263-263	QN86	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)		
		1 Yes	1,183	77.7
		2 No	377	22.3
		Missing	53	
265-265	QN88	Percentage of students who got 8 or more hours of sleep (on an average school night)		
		1 Yes	338	19.6
		2 No	1,217	80.4
		Missing	58	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
266-266	Percentage of students who described their grades in school as mostly A's or B's (during the 12 months before the survey)			
		1 Yes	1,127	74.8
		2 No	422	25.2
		Missing	64	
267-267	QN90	Percentage of students who have physical disabilities or long-term health problems (meaning 6 months or more)		
		1 Yes	127	8.0
		2 No	1,468	92.0
		Missing	18	
268-268	QN91	Percentage of students who have long-term emotional problems or learning disabilities (meaning 6 months or more)		
		1 Yes	265	17.7
		2 No	1,323	82.3
		Missing	25	
269-269	QN92	Percentage of students who are transgender		
		1 Yes	19	1.5
		2 No	1,581	98.5
		Missing	13	
270-270	QN93	Percentage of students who think other people at school would describe them as equally feminine and masculine	-	
		1 Yes	181	11.1
		2 No	1,389	88.9
		Missing	43	
271-271	QN94	Percentage of students who rode in a car or other vehicle driven by someone who had been using marijuana (also called pot, weed, or cannabis or any form of this drug, during the 30 days before the survey)		
		1 Yes	371	26.0
		2 No	1,235	74.0
		Missing	7	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
272-272	QN95	Percentage of students who drove a car or other vehicle when they had been using marijuana (also called pot, weed, or cannabis or any form of this drug, one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	89	16.6
		2 No	519	83.4
		Missing	1,005	
273-273	QN96	Percentage of students who talked on a hands-free cell phone while driving (by using Bluetooth, a car kit, a wired headset, or a speaker phone, on at least 1 day during the 30 days before the survey, among students who drove a car or other vehicle)		
		1 Yes	249	46.7
		2 No	365	53.3
		Missing	999	
274-274	QN97	Percentage of students who have been the victim of teasing or name calling because of their race or ethnic background (during the 12 months before the survey)		
		1 Yes	189	11.6
		2 No	1,400	88.4
		Missing	24	
275-275	QN98	Percentage of students who reported someone who lives with them smokes cigarettes		
		1 Yes	371	24.7
		2 No	1,214	75.3
		Missing	28	
276-276	QN99	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)		
		1 Yes	24	51.9
		2 No	22	48.1
		Missing	1,567	
277-277	QN100	Percentage of students who used electronic-vapor products mainly because a friend or family member used them		
		1 Yes	163	12.5
		2 No	1,241	87.5
		Missing	209	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
278-278	QN101	Percentage of students who smoked tobacco in a hookah, narghile, or other type of waterpipe (on at least 1 day during the 30 days before the survey)		
		1 Yes	90	5.6
		2 No	1,455	94.4
		Missing	68	
279-279	QN102	Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)		
		1 Yes	39	2.5
		2 No	1,530	97.5
		Missing	44	
280-280	QN103	Percentage of students who currently used a tobacco product that was flavored to taste like menthol (mint), alcohol (wine, cognac), candy, fruit, chocolate or other sweets (on at least 1 day during the 30 days before the survey)		
		1 Yes	192	13.0
		2 No	1,410	87.0
		Missing	11	
281-281	QN104	Percentage of students who first smoked a cigarette, cigar, cigarillo or little cigar, or used a hookah, or an electronic vapor product before age 13 years (even if only for one or two puffs)		
		1 Yes	124	8.6
		2 No	1,226	91.4
		Missing	263	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
282-282	QN105	Percentage of students who usually got their own cigarettes, cigars, smokeless tobacco, and shisha or hookah tobacco products by buying them in a store (such as a convenience store, supermarket, discount store, or gas station, during the 30 days before the survey, among students who currently used cigarettes, cigars, smokeless tobacco, and shisha or hookah tobacco products, not including electronic vapor products)		
		1 Yes	53	38.6
		2 No	111	61.4
		Missing	1,449	
283-283	QN106	Percentage of students who have used barbiturates without a doctor's prescription (also called barbs, downers, sleepers, or yellow jackets, one or more times during their life)		
		1 Yes	61	3.9
		2 No	1,515	96.1
		Missing	37	
284-284	QN107	Percentage of students who used amphetamines or stimulants without a doctor's prescription (also called uppers, ups, speed, Dexies, pep pills, or diet pills, one or more times during their life)		
		1 Yes	47	3.1
		2 No	1,516	96.9
		Missing	50	
285-285	QN108	Percentage of students who last got their prescription drug without a doctor's prescription by taking it from a friend or relative without asking (among students who have ever taken a prescription drug without a doctor's prescription)		
		1 Yes	18	13.0
		2 No	134	87.0
		Missing	1,461	
286-286	QN109	Percentage of students who currently took over-the-counter drugs to get high (one or more times during the 30 days before the survey)		
		1 Yes	61	3.5
		2 No	1,529	96.5
		Missing	23	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
287-287	QN110	Percentage of students who drank a can, bottle, or glass of a sugar-sweetened beverage (such as soda (Coke, Pepsi, or Sprite), sports drinks (for example, Gatorade or PowerAde), energy drinks (for example, Red Bull or Jolt), lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight, not counting 100% fruit juice, one or more times per day during the 7 days before the survey)		
		1 Yes 2 No	294 1,292	18.0 82.0
		Missing	27	
288-288	QN111	Percentage of students who did not drink a bottle or glass of plain water (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	97	5.6
		2 No	1,469	94.4
		Missing	47	
289-289	QN112	Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)		
		1 Yes	77	4.7
		2 No	1,470	95.3
		Missing	66	
290-290	QN113	Percentage of students who reported their teeth or mouth have been painful or sore (one or more times during the 12 months before the survey)		
		1 Yes	770	49.7
		2 No	786	50.3
		Missing	57	
291-291	QN114	Percentage of students who sometimes, most of the time, or always were self-conscious or embarrassed because of their teeth or mouth (during the 12 months before the survey)		
		1 Yes	350	22.2
		2 No	1,221	77.8
		Missing	42	
292-292	QN115	Percentage of students who have been taught in school about the benefits of not having sexual intercourse to prevent pregnancy and sexually transmitted diseases (STDs)		
		1 Yes	1,045	71.9
		2 No	489	28.1
		Missing	79	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
293-293	QN116	Percentage of students who have been taught about AIDS or HIV infection in school		
		1 Yes	1,143	76.8
		2 No	409	23.2
		Missing	61	
294-294	QN117	Percentage of students who did not usually sleep in their parent's or guardian's home (during the 30 days before the survey)		
		1 Yes	90	5.4
		2 No	1,461	94.0
		Missing	62	
295-295	QN118	Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 30 days before the survey)		
		1 Yes	124	7.5
		2 No	1,411	92.
		Missing	78	
296-296	QN119	Percentage of students who most of the time or always get the kind of help they need (among students who report having felt sad, empty, hopeless, angry, or anxious)		
		1 Yes	352	33.3
		2 No	771	66.7
		Missing	490	
297-297	QN120	Percentage of students who reported their mental health was not good (including stress, depression, and problems with emotions, on at least 1 day during the 30 days before the survey)		
		1 Yes	957	64.2
		2 No	596	35.8
		Missing	60	
298-298	QN121	Percentage of students who reported there is at least one teacher or other adult in their school that they can talk to if they have a problem		
		1 Yes	1,007	67.9
		2 No	543	32.
		Missing	63	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
299-299	QN122	Percentage of students who participate in school activities one or more hours (such as sports, band, drama, or clubs, during an average week when they are in school)		
		1 Yes	921	59.6
		2 No	646	40.4
		Missing	46	
300-300	QN123	Percentage of students who most of the time or always feel safe and secure in their neighborhood		
		1 Yes	1,220	81.4
		2 No	332	18.6
		Missing	61	
301-301	QN124	Percentage of students who probably or definitely will complete a post high school program (such as a vocational training program, military service, community college, or 4-year college)		
		1 Yes	1,139	75.4
		2 No	424	24.6
		Missing	50	
350-350	QNFRCIG	Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	20	1.6
		2 No	1,512	98.4
		Missing	81	
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)		
		1 Yes	20	1.6
		2 No	1,512	98.4
		Missing	81	
352-352	QNFREVP	Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	120	10.2
		2 No	1,385	89.8
		Missing	108	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
353-353	QNDAYEVP	Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)		
		1 Yes	85	7.3
		2 No	1,420 108	92.7
354-354	QNTB2	Missing Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)	108	
		1 Yes	98	6.9
		2 No	1,446	93.1
		Missing	69	
357-357	QNTB5	Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)		
		1 Yes	414	32.1
		2 No	1,055	67.9
		Missing	144	
358-358	QNIUDIMP	Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	33	8.5
		2 No	349	91.5
		Missing	1,231	
359-359	QNOTHHPL	Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	130	37.0
		2 No	252	63.0
		Missing	1,231	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
360-360	QNDUALBC	Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	43	12.4
		2 No	334	87.6
		Missing	1,236	
361-361	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	54	13.4
		2 No	328	86.6
		Missing	1,231	
362-362	QNFR0	Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	107	6.3
		2 No	1,462	93.7
		Missing	44	
363-363	QNFR1	Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	888	57.5
		2 No	681	42.5
		Missing	44	
364-364	QNFR2	Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	437	28.6
		2 No	1,132	71.4
		Missing	44	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
365-365	QNVEG0	Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)		
		1 Yes 2 No Missing	125 1,421 67	7.6 92.4
366-366	QNVEG1	Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)		
		1 Yes 2 No Missing	882 664 67	59.0 41.0
367-367 QNVEG	QNVEG2	Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)		
		1 Yes 2 No Missing	383 1,163 67	25.7 74.3
368-368	QNVEG3	Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)		
		1 Yes 2 No Missing	208 1,338 67	13.6 86.4
374-374	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes 2 No Missing	271 1,304 38	15.4 84.6

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
375-375	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	312	21.1
		2 No	1,263	78.9
		Missing	38	
376-376	QNDLYPE	Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)		
		1 Yes	237	12.3
		2 No	1,305	87.7
		Missing	71	
377-377	QNNODNT	Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)		
		1 Yes	44	2.2
		2 No	1,516	97.8
		Missing	53	
380-380	QNWATER1	Percentage of students who drank a bottle or glass of plain water one or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	1,109	72.0
		2 No	457	28.0
		Missing	47	
381-381	QNWATER2	Percentage of students who drank a bottle or glass of plain water two or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	995	64.3
		2 No	571	35.7
		Missing	47	,
382-382	QNWATER3	Percentage of students who drank a bottle or glass of plain water three or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	777	50.1
		2 No	789	49.9
		Missing	47	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
384-384	QNOBESE	Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	212	14.3
		2 No	1,250	85.7
		Missing	151	
385-385	QNOWT	Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	223	14.6
		2 No	1,239	85.4
		Missing	151	
386-395	WEIGHT			
396-398	STRATUM	-		
399-404	PSU	-		
407-411	BMIPCT	-		
412-413	RACEETH	-		
		1 Am Indian/Alaska Native	11	0.5
		2 Asian	55	2.3
		3 Black or African American	116	8.5
		4 Native Hawaiian/Other PI	8	0.4
		5 White	776	58.5
		6 Hispanic/Latino	194	8.4
		7 Multiple - Hispanic	327	17.2
		8 Multiple - Non-Hispanic	79	4.2
		Missing	47	
414-416	Q6ORIG			
417-419	Q7ORIG		-	