Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	How old a	re you?		
		1	12 years old or younger	13	0.5
		2	13 years old	7	0.3
		3	14 years old	427	20.4
		4	15 years old	519	23.8
		5	16 years old	523	24.6
		6	17 years old	491	23.0
		7	18 years old or older	169	7.3
			Missing	4	
18-18	Q2	What is yo	our sex?	· ·	
		1	Female	1,009	46.7
		2	Male	1,128	53.3
			Missing	16	
19-19	Q3	In what gr	ade are you?	· ·	
		1	9th grade	571	27.2
		2	10th grade	541	24.2
		3	11th grade	498	23.7
		4	12th grade	513	23.0
		5	Ungraded or other grade	28	1.3
			Missing	2	
20-20	Q4	Are you H	ispanic or Latino?		
		1	Yes	827	28.9
		2	No	1,319	71.1
			Missing	7	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		E	1,083	66.5
		D	86	3.3
		DE	9	0.4
		C	432	16.5
		CE	80	3.2
		CD	19	0.7
		CDE	2	0.1
		В	88	3.3
		ВЕ	21	0.8
		B D	3	0.
		B DE	2	0.
		BC	11	0.4
		BC E	2	0.
		BCD	1	0.0
		A	55	2.
		A E	12	0.:
		A D	2	0.
		AC	20	0.
		ACE	8	0.1
		A CD	1	0.0
		A CDE	2	0.0
		AB	3	0.
		ABC E	1	0.0
		ABCD	2	0.
		ABCDE	9	0
			199	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
33-38	Q7	How much	n do you weigh without your shoes on? (Note: Data are in		
39-39	Q8	How often	do you wear a seat belt when riding in a car driven by lse?		
		1	Never	43	2.0
		2	Rarely	69	2.7
		3	Sometimes	170	7.1
		4	Most of the time	559	23.8
		5	Always	1,310	64.4
		_	Missing	2	
40-40	Q9		past 30 days, how many times did you ride in a car or other ven by someone who had been drinking alcohol?		
		1	0 times	1,856	87.2
		2	1 time	123	5.6
		3	2 or 3 times	84	3.7
		4	4 or 5 times	24	1.2
		5	6 or more times	53	2.4
		_	Missing	13	,
42-42	Q11		past 30 days, on how many days did you text or e-mailing a car or other vehicle?		
		1	I did not drive a car or other vehicle during the past 30 days	1,188	53.0
		2	0 days	699	34.4
		3	1 or 2 days	98	4.0
		4	3 to 5 days	49	2.3
		5	6 to 9 days	24	1.3
		6	10 to 19 days	22	1.0
		7	20 to 29 days	16	0.8
		8	All 30 days	52	2.6
			Missing	5	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q14		past 30 days, on how many days did you not go to school u felt you would be unsafe at school or on your way to or bl?		
		1	0 days	1,943	91.2
		2	1 day	95	4.0
		3	2 or 3 days	64	2.7
		4	4 or 5 days	12	0.0
		5	6 or more days	36	1.5
			Missing	3	
48-48	Q17		past 12 months, how many times were you in a physical hool property?		
		1	0 times	2,003	93.4
		2	1 time	65	2.9
		3	2 or 3 times	26	1.3
		4	4 or 5 times	9	0.4
		5	6 or 7 times	10	0.4
		6	8 or 9 times	2	0.
		7	10 or 11 times	3	0.2
		8	12 or more times	30	1.3
			Missing	5	
49-49	Q18		ever seen someone get physically attacked, beaten, stabbed, your neighborhood?		
		1	Yes	515	21.5
		2	No	1,627	78.5
			Missing	11	
50-50	Q19	Have you o	ever been physically forced to have sexual intercourse when t want to?		
		1	Yes	148	6.9
		2	No	1,971	93.1
			Missing	34	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
52-52	Q21		t 12 months, how many times did someone you were gout with force you to do sexual things that you did not		
		1	I did not date or go out with anyone during the past 12 months	872	40.7
		2	0 times	1,056	51.9
		3	1 time	50	2.4
		4	2 or 3 times	57	2.7
		5	4 or 5 times	12	0.5
		6	6 or more times	33	1.8
			Missing	73	
53-53	Q22		t 12 months, how many times did someone you were g out with physically hurt you on purpose?		
		1	I did not date or go out with anyone during the past 12 months	863	40.8
		2	0 times	1,116	55.5
		3	1 time	35	1.7
		4	2 or 3 times	10	0.4
		5	4 or 5 times	6	0.3
		6	6 or more times	27	1.4
			Missing	96	
54-54	Q23	During the pas property?	t 12 months, have you ever been bullied on school		
		1	Yes	213	10.3
		2	No	1,928	89.7
			Missing	12	
55-55	Q24	During the pas	t 12 months, have you ever been electronically bullied?		
		1	Yes	240	12.0
		2	No	1,898	88.0
			Missing	15	
56-56	Q25		t 12 months, did you ever feel so sad or hopeless almost wo weeks or more in a row that you stopped doing some		
		1	Yes	822	37.8
		2	No	1,308	62.2
			Missing	23	<u></u>

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q26	During the suicide?	past 12 months, did you ever seriously consider attempting		
		1	Yes	363	17.1
		2	No	1,758	82.9
			Missing	32	
58-58	Q27	During the attempt sui	past 12 months, did you make a plan about how you would cide?		
		1	Yes	304	14.:
		2	No	1,805	85.5
			Missing	44	
59-59	Q28	During the suicide?	past 12 months, how many times did you actually attempt		
		1	0 times	1,688	90.3
		2	1 time	92	4.3
		3	2 or 3 times	57	2.3
		4	4 or 5 times	13	0.′
		5	6 or more times	22	1.3
			Missing	281	
60-60	Q29	If you atter result in an doctor or n	npted suicide during the past 12 months, did any attempt injury, poisoning, or overdose that had to be treated by a urse?		
		1	I did not attempt suicide during the past 12 months	1,676	90.4
		2	Yes	42	2.4
		3	No	139	7.3
			Missing	296	
61-61	Q30	Have you	ever tried cigarette smoking, even one or two puffs?		
		1	Yes	238	11.9
		2	No	1,882	88.
			Missing	33	
63-63	Q32	During the	past 30 days, on how many days did you smoke cigarettes?		
		1	0 days	2,047	97.0
		2	1 or 2 days	24	1.
		3	3 to 5 days	9	0.4
		4	6 to 9 days	2	0.
		5	10 to 19 days	1	0.
		6	20 to 29 days	2	0.2
		7	All 30 days	21	1.
			Missing	47	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
64-64	Q33		past 30 days, on the days you smoked, how many cigarettes oke per day?		
		1	I did not smoke cigarettes during the past 30 days	2,023	97.1
		2	Less than 1 cigarette per day	24	1.2
		3	1 cigarette per day	5	0.2
		4	2 to 5 cigarettes per day	8	0.:
		5	6 to 10 cigarettes per day	2	0.
		6	11 to 20 cigarettes per day	0	0.0
		7	More than 20 cigarettes per day	18	0.9
			Missing	73	
65-65	Q34	Have you e	ever used an electronic vapor product?		
		1	Yes	666	32.0
		2	No	1,438	68.0
		_	Missing	49	
66-66	Q35	During the vapor prod	past 30 days, on how many days did you use an electronic uct?		
		1	0 days	1,688	82.
		2	1 or 2 days	122	5.
		3	3 to 5 days	63	2.
		4	6 to 9 days	25	1.
		5	10 to 19 days	44	2.:
		6	20 to 29 days	21	1.3
		7	All 30 days	81	4.0
			Missing	109	
67-67	Q36	During the products?	past 30 days, how did you usually get your electronic vapor		
		1	I did not use any electronic vapor products during the past 30 days	1,667	82
		2	I got or bought them from a friend, family member, or someone else	174	8.
		3	I bought them myself in a vape shop or tobacco shop	32	1.
		4	I bought them myself in a convenience store, supermarket, discount store, or gas station	39	2.:
		5	I bought them myself at a mall or shopping center kiosk or stand	4	0.
		6	I bought them myself on the Internet, such as from a product website, vape store website, or other website like eBay, Amazon, Facebook Marketplace, or Craigslist	10	0
		7	I took them from a store or another person	16	0.
		8	I got them in some other way	79	4.3
			Missing	132	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
68-68	Q37	During the past 30 days, on how many days did you us tobacco, snuff, dip, snus, or dissolvable tobacco produ Copenhagen, Grizzly, Skoal, or Camel Snus?		
		1 0 days	2,071	97.5
		2 1 or 2 days	21	0.9
		3 3 to 5 days	5	0.2
		4 6 to 9 days	5	0.2
		5 10 to 19 days	2	0.1
		6 20 to 29 days	1	0.1
		7 All 30 days	18	0.9
		Missing	30	
69-69	Q38	During the past 30 days, on how many days did you sr cigarillos, or little cigars?	noke cigars,	
		1 0 days	2,055	97.3
		2 1 or 2 days	11	0.0
		3 3 to 5 days	7	0.3
		4 6 to 9 days	9	0.3
		5 10 to 19 days	3	0.2
		6 20 to 29 days	2	0.
		7 All 30 days	22	1.
		Missing	44	
71-71	Q40	How old were you when you had your first drink of alea few sips?	cohol other than	
		I have never had a drink of alcohol sips	other than a few 1,255	60.9
		2 8 years old or younger	95	4.
		3 9 or 10 years old	54	2.4
		4 11 or 12 years old	113	5.4
		5 13 or 14 years old	230	10.8
		6 15 or 16 years old	252	13.1
		7 17 years old or older	65	3.3
		Missing	89	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
72-72	Q41	During the past drink of alcohol	30 days, on how many days did you have at least one 1?		
		1	0 days	1,654	82.8
		2	1 or 2 days	196	9.8
		3	3 to 5 days	79	4.1
		4	6 to 9 days	27	1.6
		5	10 to 19 days	11	0.5
		6	20 to 29 days	5	0.4
		7	All 30 days	17	0.9
			Missing	164	
73-73	Q42	drinks of alcoho	30 days, on how many days did you have 4 or more ol in a row, that is, within a couple of hours (if you are more drinks of alcohol in a row, that is, within a couple are male)?		
		1	0 days	1,908	91.8
		2	1 day	75	3.4
		3	2 days	38	1.7
		4	3 to 5 days	33	1.8
		5	6 to 9 days	6	0.3
		6	10 to 19 days	2	0.1
		7	20 or more days	17	0.9
			Missing	74	
75-75	Q44	During the past drank?	30 days, how did you usually get the alcohol you	-	
		1	I did not drink alcohol during the past 30 days	1,646	82.7
		2	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	12	0.0
		3	I bought it at a restaurant, bar, or club	10	0.5
		4	I bought it at a public event such as a concert or sporting event	3	0.3
		5	I gave someone else money to buy it for me	37	2.0
		6	Someone gave it to me	148	7.8
		7	I took it from a store or family member	55	2.7
		8	I got it some other way	70	3.5
			Missing	172	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
76-76	Q45	During yo	our life, how many times have you used marijuana?		
		1	0 times	1,519	73.8
		2	1 or 2 times	134	6.4
		3	3 to 9 times	122	5.5
		4	10 to 19 times	40	2.0
		5	20 to 39 times	54	2.2
		6	40 to 99 times	52	2.9
		7	100 or more times	137	7.0
			Missing	95	
77-77	Q46	How old	were you when you tried marijuana for the first time?		
		1	I have never tried marijuana	1,505	73.7
		2	8 years old or younger	20	1.0
		3	9 or 10 years old	14	0.0
		4	11 or 12 years old	60	3.1
		5	13 or 14 years old	206	9.6
		6	15 or 16 years old	208	10.2
		7	17 years old or older	32	1.7
			Missing	108	
78-78	Q47	During th	e past 30 days, how many times did you use marijuana?		
		1	0 times	1,752	84.5
		2	1 or 2 times	102	4.8
		3	3 to 9 times	62	3.0
		4	10 to 19 times	34	1.8
		5	20 to 39 times	34	1.7
		6	40 or more times	84	4.3
			Missing	85	
79-79	Q48	During yo	our life, how many times have you used synthetic marijuana?		
		1	0 times	1,992	94.9
		2	1 or 2 times	47	2.2
		3	3 to 9 times	17	0.7
		4	10 to 19 times	11	0.6
		5	20 to 39 times	9	0.4
		6	40 or more times	22	1.1
			Missing	55	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
80-80	Q49	During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?		
		1 0 times	1,907	92.0
		2 1 or 2 times	88	3.8
		3 3 to 9 times	40	1.7
		4 10 to 19 times	18	0.8
		5 20 to 39 times	4	0.2
		6 40 or more times	30	1.5
		Missing	66	
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	2,044	97.8
		2 1 or 2 times	10	0.5
		3 3 to 9 times	9	0.3
		4 10 to 19 times	3	0.2
		5 20 to 39 times	2	0.1
		6 40 or more times	24	1.2
		Missing	61	
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	2,042	98.3
		2 1 or 2 times	5	0.2
		3 3 to 9 times	5	0.2
		4 10 to 19 times	1	0.0
		5 20 to 39 times	2	0.1
		6 40 or more times	23	1.1
		Missing	75	
85-85	Q54	During your life, how many times have you used ecstasy (also called MDMA or Molly)?		
		1 0 times	2,031	97.4
		2 1 or 2 times	16	0.9
		3 3 to 9 times	8	0.3
		4 10 to 19 times	6	0.2
		5 20 to 39 times	1	0.1
		6 40 or more times	22	1.1
		Missing	69	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
88-88	Q57	Have you e	ver had sexual intercourse?		
		1	Yes	531	27.3
		2	No	1,385	72.7
		_	Missing	237	
91-91	Q60	During the intercourse	past 3 months, with how many people did you have sexual?		
		1	I have never had sexual intercourse	1,380	72.7
		2	I have had sexual intercourse, but not during the past 3 months	138	6.9
		3	1 person	287	15.5
		4	2 people	46	2.3
		5	3 people	13	0.
		6	4 people	10	0.
		7	5 people	3	0.
		8	6 or more people	32	1.
		_	Missing	244	
92-92	Q61	Did you dri	nk alcohol or use drugs before you had sexual intercourse e?		
		1	I have never had sexual intercourse	1,379	72.3
		2	Yes	96	5.
		3	No	431	22.
			Missing	247	
93-93	Q62	The last time condom?	ne you had sexual intercourse, did you or your partner use a		
		1	I have never had sexual intercourse	1,370	73.0
		2	Yes	306	16.
		3	No	211	10.9
			Missing	266	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
94-94	Q63		me you had sexual intercourse with an opposite-sex partner, nethod did you or your partner use to prevent pregnancy?		
		1	I have never had sexual intercourse with an opposite-sex partner	1,519	76.6
		2	No method was used to prevent pregnancy	55	2.6
		3	Birth control pills (Do not count emergency contraception such as Plan B or the "morning after" pill.)	88	4.6
		4	Condoms	226	11.1
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	25	1.1
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	13	0.0
		7	Withdrawal or some other method	42	2.
		8	Not sure	29	1.3
			Missing	156	
95-95	Q64	During yo	ur life, with whom have you had sexual contact?		
		1	I have never had sexual contact	1,124	57.4
		2	Females	442	22.
		3	Males	273	14.
		4	Females and males	116	6.3
		_	Missing	198	
96-96	Q65	Which of t	the following best describes you?		
		1	Heterosexual (straight)	1,474	71.
		2	Gay or lesbian	76	3.
		3	Bisexual	244	12.3
		4	I describe my sexual identity some other way	92	4.
		5	I am not sure about my sexual identity (questioning)	110	5.
		6	I do not know what this question is asking	59	2.8
			Missing	98	
98-98	Q67	Which of t	the following are you trying to do about your weight?		
		1	Lose weight	912	43.0
		2	Gain weight	434	20.3
		3	Stay the same weight	287	13.9
		4	I am not trying to do anything about my weight	438	21.7
			Missing	82	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
99-99	Q68		e past 7 days, how many times did you drink 100% fruit h as orange juice, apple juice, or grape juice?		
		1	I did not drink 100% fruit juice during the past 7 days	708	36.6
		2	1 to 3 times during the past 7 days	773	37.1
		3	4 to 6 times during the past 7 days	244	11.3
		4	1 time per day	101	4.9
		5	2 times per day	103	4.3
		6	3 times per day	46	1.8
		7	4 or more times per day	85	3.9
			Missing	93	
00-100	Q69	During the	e past 7 days, how many times did you eat fruit?		
		1	I did not eat fruit during the past 7 days	340	15.3
		2	1 to 3 times during the past 7 days	745	35.
		3	4 to 6 times during the past 7 days	435	22.0
		4	1 time per day	194	10.0
		5	2 times per day	176	8.9
		6	3 times per day	78	3.9
		7	4 or more times per day	85	3.9
			Missing	100	
01-101	Q70	During the	e past 7 days, how many times did you eat green salad?		
		1	I did not eat green salad during the past 7 days	1,004	47.4
		2	1 to 3 times during the past 7 days	684	35.3
		3	4 to 6 times during the past 7 days	165	8.0
		4	1 time per day	106	5.:
		5	2 times per day	44	2.
		6	3 times per day	11	0.0
		7	4 or more times per day	28	1.3
			Missing	111	
02-102	Q71	During the	e past 7 days, how many times did you eat potatoes?		
		1	I did not eat potatoes during the past 7 days	884	42.
		2	1 to 3 times during the past 7 days	830	41.7
		3	4 to 6 times during the past 7 days	184	9.0
		4	1 time per day	73	3.4
		5	2 times per day	34	1.7
		6	3 times per day	14	0.0
		7	4 or more times per day	29	1.4
			Missing	105	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
103-103	Q72	During the	past 7 days, how many times did you eat carrots?		
		1	I did not eat carrots during the past 7 days	1,197	55.9
		2	1 to 3 times during the past 7 days	609	31.6
		3	4 to 6 times during the past 7 days	117	6.3
		4	1 time per day	60	3.0
		5	2 times per day	23	1.2
		6	3 times per day	15	0.7
		7	4 or more times per day	28	1.4
		_	Missing	104	
104-104	Q73	During the	past 7 days, how many times did you eat other vegetables?		
		1	I did not eat other vegetables during the past 7 days	542	24.7
		2	1 to 3 times during the past 7 days	671	33.7
		3	4 to 6 times during the past 7 days	434	21.9
		4	1 time per day	206	10.7
		5	2 times per day	104	4.8
		6	3 times per day	38	1.9
		7	4 or more times per day	46	2.4
			Missing	112	
105-105	Q74		past 7 days, how many times did you drink a can, bottle, or da or pop, such as Coke, Pepsi, or Sprite?		
		1	I did not drink soda or pop during the past 7 days	756	37.7
		2	1 to 3 times during the past 7 days	778	37.9
		3	4 to 6 times during the past 7 days	270	13.0
		4	1 time per day	103	4.9
		5	2 times per day	57	2.9
		6	3 times per day	28	1.3
		7	4 or more times per day	46	2.3
			Missing	115	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
107-107	Q76	During the past 7 days, on how many days did you eat breakfast?	,	
		1 0 days	436	20.7
		2 1 day	189	8.9
		3 2 days	302	14.8
		4 3 days	215	10.5
		5 4 days	169	7.6
		6 5 days	127	6.4
		7 6 days	97	5.1
		8 7 days	521	25.8
		Missing	97	
108-108	Q77	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	429	18.9
		2 1 day	160	7.7
		3 2 days	190	9.0
		4 3 days	249	12.2
		5 4 days	216	11.1
		6 5 days	249	12.5
		7 6 days	135	7.3
		8 7 days	419	21.2
		Missing	106	
109-109	Q78	On an average school day, how many hours do you spend in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media (also called "screen time")?		
		1 Less than 1 hour per day	127	5.9
		2 1 hour per day	94	4.2
		3 2 hours per day	262	13.6
		4 3 hours per day	388	19.5
		5 4 hours per day	325	16.9
		6 5 or more hours per day	827	39.9
		Missing	130	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
112-112	Q81	During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?		
		1 0 times	1,762	86.8
		2 1 time	133	7.0
		3 2 times	59	2.6
		4 3 times	26	1.2
		5 4 or more times	54	2.3
		Missing	119	
114-114	Q83	During the past 12 months, have you been tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea?		
		1 Yes	104	5.0
		2 No	1,809	90.0
		Not sure	99	5.0
		Missing	141	
115-115	Q84	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?		
		1 During the past 12 months	1,440	72.8
		2 Between 12 and 24 months ago	234	10.9
		3 More than 24 months ago	111	4.9
		4 Never	37	1.6
		5 Not sure	215	9.9
		Missing	116	
116-116	Q85	During the past 30 days, how often was your mental health not good?		
		1 Never	514	25.7
		2 Rarely	357	17.8
		3 Sometimes	537	27.2
		4 Most of the time	425	21.5
		5 Always	163	7.8
		Missing	157	
117-117	Q86	On an average school night, how many hours of sleep do you get?		
		1 4 or less hours	208	10.4
		2 5 hours	293	14.4
		3 6 hours	497	24.8
		4 7 hours	536	26.9
		5 8 hours	356	17.9
		6 9 hours	77	3.9
		7 10 or more hours	37	1.8
		Missing	149	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
118-118	Q87	During the p	past 30 days, where did you usually sleep?	,	
		1	In my parent's or guardian's home	1,927	96.4
		2	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	33	1.7
		3	In a shelter or emergency housing	10	0.4
		4	In a motel or hotel	4	0.2
		5	In a car, park, campground, or other public place	6	0.3
		6	I do not have a usual place to sleep	8	0.4
		7	Somewhere else	12	0.6
		_	Missing	153	
119-119	Q88	Do you have	e any physical disabilities or long-term health problems?		
		1	Yes	176	8.5
		2	No	1,707	79.4
		3	Not sure	262	12.1
		_	Missing	8	
120-120	Q89	Do you have disabilities?	e any long-term emotional problems or learning		
		1	Yes	363	17.8
		2	No	1,435	66.8
		3	Not sure	328	15.4
		_	Missing	27	
121-121	Q90		e describe themselves as transgender when their sex at birth tch the way they think or feel about their gender. Are you?		
		1	No, I am not transgender	1,971	92.3
		2	Yes, I am transgender	56	3.0
		3	I am not sure if I am transgender	62	2.7
		4	I do not know what this question is asking	47	2.0
			Missing	17	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
122-122	Q91	affect how	appearance, style, dress, or the way they walk or talk may people describe them. How do you think other people at uld describe you?		
		1	Very feminine	240	11.0
		2	Mostly feminine	373	19.0
		3	Somewhat feminine	186	8.2
		4	Equally feminine and masculine	323	14.7
		5	Somewhat masculine	172	8.3
		6	Mostly masculine	354	18.1
		7	Very masculine	444	20.8
			Missing	61	
123-123	Q92		e past 30 days, how many times did you ride in a car or other even by someone who had been using marijuana (also called d)?		
		1	0 times	1,740	82.2
		2	1 time	87	4.0
		3	2 or 3 times	132	5.9
		4	4 or 5 times	35	1.5
		5	6 or more times	129	6.4
			Missing	30	
124-124	Q93		e past 30 days, how many times did you drive a car or other nen you had been using marijuana (also called pot or weed)?		
		1	I did not drive a car or other vehicle during the past 30 days	1,015	51.2
		2	0 times	796	44.0
		3	1 time	18	0.8
		4	2 or 3 times	28	1.5
		5	4 or 5 times	8	0.4
		6	6 or more times	41	2.
			Missing	247	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
125-125	Q94		at 30 days, on how many days did you talk on a cell riving a car or other vehicle?		
		1	I did not drive a car or other vehicle during the past 30 days	1,016	51.2
		2	0 days	589	32.1
		3	1 or 2 days	127	7.2
		4	3 to 5 days	63	3.6
		5	6 to 9 days	31	1.7
		6	10 to 19 days	34	1.9
		7	20 to 29 days	16	0.9
		8	All 30 days	27	1.3
			Missing	250	
126-126	Q95		fe, how often have you felt that you were treated badly or ool because of your race or ethnicity?		
		1	Never	1,391	69.3
		2	Rarely	395	16.3
		3	Sometimes	257	10.0
		4	Most of the time	54	2.1
		5	Always	48	2.3
		_	Missing	8	
127-127	Q96	During the pas	at 30 days, how did you usually get your own cigarettes?		
		1	I did not smoke cigarettes during the past 30 days	2,032	95.9
		2	I bought them in a store such as a convenience store, supermarket, discount store, or gas station	13	0.7
		3	I got them on the Internet	5	0.1
		4	I gave someone else money to buy them for me	9	0.4
		5	I borrowed (or bummed) them from someone else	18	1.0
		6	A person who can legally buy cigarettes gave them to me	3	0.1
		7	I took them from a store or family member	12	0.6
		8	I got them some other way	23	1.2
			Missing	38	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
128-128	Q97	Does anyon	e who lives with you smoke cigarettes?		
		1	Yes	478	23.7
		2	No	1,657	76.3
			Missing	18	
129-129	Q98	flavored to	past 30 days, did you use an electronic vapor product taste like menthol, mint, clove or spice, alcoholic drinks, chocolate, or any other non-tobacco flavor?		
		1	Yes	343	16.6
		2	No	1,759	83.4
		_	Missing	51	00.
130-130	Q99	What is the	main reason you have used electronic vapor products?		
		1	I have never used an electronic vapor product	1,423	69.2
		2	Friend or family member used them	96	4.
		3	To get a high or buzz from nicotine	75	3.
		4	I was feeling anxious, stressed, or depressed	131	6.
		5	I was curious about them	232	11.3
		6	They are less harmful than other forms of tobacco	8	0.3
		7	They are available in flavors, such as mint, candy, fruit, or chocolate	15	0.7
		8	I used them for some other reason	71	3.4
			Missing	102	
131-131	Q100	Have you e	ver used a heated tobacco product, even one or two times?		
		1	Yes	96	4.7
		2	No	2,016	95.3
		_	Missing	41	
132-132	Q101	vapor produ	past 30 days, on how many days did you use an electronic act to vape marijuana (also called pot or weed), including concentrates, hash oil, or waxes?		
		1	0 days	1,821	88.0
		2	1 or 2 days	68	3.0
		3	3 to 5 days	37	1.3
		4	6 to 9 days	20	1.0
		5	10 to 19 days	39	2.1
		6	20 to 29 days	24	1.1
		7	All 30 days	49	2.5
			Missing	95	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
133-133	Q102	During the past 7 days, how many times did you drink a bottle or glass of plain water?		
		1 I did not drink water during the past 7 days	113	5.7
		2 1 to 3 times during the past 7 days	149	7.6
		3 4 to 6 times during the past 7 days	242	12.2
		4 1 time per day	115	6.3
		5 2 times per day	277	14.6
		6 3 times per day	335	17.8
		7 4 or more times per day	686	36.0
		Missing	236	
34-134	Q103	What type of plain or unflavored water do you drink most often?		
		1 I do not drink plain or unflavored water	74	3.9
		2 Bottled water purchased from a store	1,062	52.4
		Carbonated water (unflavored seltzer, sparkling water, club soda, or SodaStream) in either a bottle, can, or glass	72	3.6
		4 Tap water or water directly from a faucet or bubbler without a filter on it	130	7.8
		Water from a faucet, refrigerator, or pitcher with a filter on it	531	29.7
		6 Some other type of water	57	2.7
		Missing	227	
135-135	Q104	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
		1 Never	1,319	66.7
		2 Rarely	421	19.0
		3 Sometimes	214	9.9
		4 Most of the time	59	2.7
		5 Always	37	1.6
		Missing	103	
136-136	Q105	During the past 12 months, how many times have your teeth or mouth been painful or sore?		
		1 0 times	1,056	53.3
		2 1 time	424	21.3
		3 2 or 3 times	362	17.0
		4 4 or 5 times	64	3.3
		5 6 or more times	103	5.1
		Missing	144	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
137-137	Q106	During the past 12 months, how often were you self-conscious or embarrassed because of your teeth or mouth?		
		1 Never	1,070	53.0
		2 Rarely	437	21.7
		3 Sometimes	291	14.8
		4 Most of the time	118	5.6
		5 Always	94	4.8
		Missing	143	
138-138	Q107	Have you ever been taught in school about the benefits of not having sexual intercourse to prevent pregnancy and sexually transmitted diseases (STDs)?		
		1 Yes	992	49.0
		2 No	780	38.8
		3 Not sure	228	12.2
		Missing	153	
139-139	Q108	Have you ever been taught about AIDS or HIV infection in school?		
		1 Yes	1,109	56.4
		2 No	690	33.6
		3 Not sure	205	10.1
		Missing	149	
140-140	Q109	When you feel sad, empty, hopeless, angry, or anxious, how often do you get the kind of help you need?		
		I do not feel sad, empty, hopeless, angry, or anxious	471	23.9
		2 Never	414	19.4
		3 Rarely	418	21.1
		4 Sometimes	391	18.6
		5 Most of the time	211	11.8
		6 Always	107	5.2
		Missing	141	
141-141	Q110	Is there at least one teacher or other adult in your school that you can talk to if you have a problem?		
		1 Yes	1,113	57.4
		2 No	554	25.9
		3 Not sure	338	16.7
		Missing	148	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
142-142	Q111	During an average week when you are in school, how many total hours do you participate in school activities such as sports, band, drama, or clubs?		
		1 0 hours	927	45.9
		2 1 to 4 hours	572	28.2
		3 5 to 9 hours	224	11.5
		4 10 to 19 hours	175	9.0
		5 20 or more hours	104	5.4
		Missing	151	
143-143	Q112	During the past 30 days, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
		1 Yes	69	3.3
		2 No	1,935	96.7
		Missing	149	
144-144	Q113	During your life, how often has there been an adult in your household who tried hard to make sure your basic needs were met, such as looking after your safety and making sure you had clean clothes and enough to eat?		
		1 Never	155	7.3
		2 Rarely	53	2.4
		3 Sometimes	90	4.1
		4 Most of the time	238	12.1
		5 Always	1,468	74.1
		Missing	149	
45-145	Q114	How often do you feel safe and secure in your neighborhood?		
		1 Never	89	4.4
		2 Rarely	65	2.7
		3 Sometimes	213	9.5
		4 Most of the time	753	36.7
		5 Always	878	46.7
		Missing	155	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
146-146	Q115	How likely is it that you will complete a post high school program such as a vocational training program, military service, community college, or 4-year college?		
		1 Definitely will not	169	8.0
		2 Probably will not	190	9.5
		3 Probably will	649	33.1
		4 Definitely will	736	37.8
		5 Not sure	239	11.7
		Missing	170	
147-147	Q116	During the past 12 months, how would you describe your grades in school?		
		1 Mostly A's	749	39.6
		2 Mostly B's	692	34.4
		3 Mostly C's	317	14.8
		4 Mostly D's	65	3.0
		5 Mostly F's	49	2.1
		6 None of these grades	8	0.4
		7 Not sure	124	5.8
		Missing	149	
148-148	Q117	Have you ever lived with someone who was having a problem with alcohol or drug use?		
		1 Yes	474	24.0
		2 No	1,528	76.0
		Missing	151	
149-149	Q118	Have you ever lived with someone who was depressed, mentally ill, or suicidal?		
		1 Yes	635	32.1
		2 No	1,358	67.9
		Missing	160	
185-185	QN8	Percentage of students who did not always wear a seat belt (when riding in a car driven by someone else)		
		1 Yes	841	35.6
		2 No	1,310	64.4
		Missing	2	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
186-186	QN9	Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)		
		1 Yes	284	12.8
		2 No	1,856	87.2
		Missing	13	
188-188	QN11	Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	261	26.9
		2 No	699	73.1
		Missing	1,193	
191-191	QN14	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)		
		1 Yes	207	8.8
		2 No	1,943	91.2
		Missing	3	
194-194	QN17	Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)		
		1 Yes	145	6.6
		2 No	2,003	93.4
		Missing	5	
195-195	QN18	Percentage of students who ever saw someone get physically attacked, beaten, stabbed, or shot in their neighborhood		
		1 Yes	515	21.5
		2 No	1,627	78.5
		Missing	11	
196-196	QN19	Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)		
		1 Yes	148	6.9
		2 No	1,971	93.1
		Missing	34	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
198-198	QN21	Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to do, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	152	12.5
		2 No	1,056	87.5
		Missing	945	07.0
199-199	QN22	Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	78	6.3
		2 No	1,116	93.7
		Missing	959	
200-200	QN23	Percentage of students who were bullied on school property (ever during the 12 months before the survey)		
		1 Yes	213	10.3
		2 No	1,928	89.7
		Missing	12	
201-201	QN24	Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)		
		1 Yes	240	12.0
		2 No	1,898	88.0
		Missing	15	
202-202	QN25	Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)		
		1 Yes	822	37.8
		2 No	1,308	62.2
		Missing	23	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
203-203	QN26	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
		1 Yes	363	17.1
		2 No	1,758	82.9
		Missing	32	
204-204	QN27	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
		1 Yes	304	14.5
		2 No	1,805	85.5
		Missing	44	
205-205	QN28	Percentage of students who actually attempted suicide (one or more times during the 12 months before the survey)		
		1 Yes	184	9.7
		2 No	1,688	90.3
		Missing	281	
206-206	QN29	Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)		
		1 Yes	42	2.4
		2 No	1,815	97.6
		Missing	296	
207-207	QN30	Percentage of students who ever tried cigarette smoking (even one or two puffs)		
		1 Yes	238	11.9
		2 No	1,882	88.1
		Missing	33	
209-209	QN32	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1 Yes	59	3.0
		2 No	2,047	97.0
		Missing	47	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
210-210	QN33	Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)		
		1 Yes 2 No Missing	18 39 2,096	32.6 67.4
211-211	QN34	Percentage of students who ever used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu])		
		1 Yes 2 No Missing	666 1,438 49	32.0 68.0
212-212	QN35	Percentage of students who currently used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], on at least 1 day during the 30 days before the survey)		
		1 Yes 2 No Missing	356 1,688 109	17.8 82.2
213-213	QN36	Percentage of students who usually got their electronic vapor products by buying them themselves in a convenience store, supermarket, discount store, or gas station (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], during the 30 days before the survey, among students who currently used electronic vapor products)		
		1 Yes 2 No Missing	39 314 1,800	12.8 87.2

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
214-214	QN37	Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)		
		1 Yes	52	2.5
		2 No	2,071	97.5
		Missing	30	
215-215	QN38	Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)		
		1 Yes	54	2.7
		2 No	2,055	97.3
		Missing	44	
217-217	QN40	Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)		
		1 Yes	262	11.9
		2 No	1,802	88.1
		Missing	89	
218-218	QN41	Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)		
		1 Yes	335	17.2
		2 No	1,654	82.8
		Missing	164	
219-219	QN42	Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row if they were female or five or more drinks of alcohol in a row if they were male, within a couple of hours, on at least 1 day during the 30 days before the survey)		
		1 Yes	171	8.2
		2 No	1,908	91.8
		Missing	74	71.0

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
221-221	QN44	Percentage of students who usually got the alcohol they drank by someone giving it to them (during the 30 days before the survey, among students who currently drank alcohol)		
		1 Yes	146	45.9
		2 No	180	54.1
		Missing	1,827	
222-222	QN45	Percentage of students who ever used marijuana (one or more times during their life)		
		1 Yes	539	26.2
		2 No	1,519	73.8
		Missing	95	
223-223	QN46	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	94	4.8
		2 No	1,951	95.2
		Missing	108	
224-224	QN47	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1 Yes	316	15.5
		2 No	1,752	84.5
		Missing	85	
225-225	QN48	Percentage of students who ever used synthetic marijuana (one or more times during their life)		
		1 Yes	106	5.1
		2 No	1,992	94.9
		Missing	55	
226-226	QN49	Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)		
		1 Yes	180	8.0
		2 No	1,907	92.0
		Missing	66	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
227-227	QN50	Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)		
		1 Yes	48	2.2
		2 No	2,044	97.8
		Missing	61	
229-229	QN52	Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)		
		1 Yes	36	1.7
		2 No	2,042	98.3
		Missing	75	
231-231	QN54	Percentage of students who ever used ecstasy (also called "MDMA" or "Molly," one or more times during their life)		
		1 Yes	53	2.6
		2 No	2,031	97.4
		Missing	69	
234-234	QN57	Percentage of students who ever had sexual intercourse		
		1 Yes	531	27.3
		2 No	1,385	72.7
		Missing	237	
237-237	QN60	Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)		
		1 Yes	391	20.5
		2 No	1,518	79.5
		Missing	244	
238-238	QN61	Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)		
		1 Yes	86	22.2
		2 No	302	77.8
		Missing	1,765	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
239-239	QN62	Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	213	56.9
		2 No	168	43.1
		Missing	1,772	
240-240	QN63	Percentage of students who used birth control pills before last sexual intercourse with opposite-sex partner (to prevent pregnancy, not counting emergency contraception such as Plan B or the "morning after" pill, among students who were currently sexually active)		
		1 Yes	78	24.1
		2 No	273	75.9
		Missing	1,802	
244-244	QN67	Percentage of students who were trying to lose weight		
		1 Yes	912	43.6
		2 No	1,159	56.4
,		Missing	82	
245-245	QN68	Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)		
		1 Yes	708	36.6
		2 No	1,352	63.4
		Missing	93	
246-246	QN69	Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)		
		1 Yes	340	15.7
		2 No	1,713	84.3
		Missing	100	
247-247	QN70	Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)		
		1 Yes	1,004	47.4
		2 No	1,038	52.6
		Missing	111	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
248-248	QN71	Percentage of students who did not eat potatoes (one or more times during the 7 days before the survey)		
		1 Yes	884	42.1
		2 No	1,164	57.9
		Missing	105	
249-249	QN72	Percentage of students who did not eat carrots (one or more times during the 7 days before the survey)		
		1 Yes	1,197	55.9
		2 No	852	44.1
		Missing	104	
250-250	QN73	Percentage of students who did not eat other vegetables (one or more times during the 7 days before the survey)		
		1 Yes	542	24.7
		2 No	1,499	75.3
		Missing	112	
251-251	QN74	Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, one or more times during the 7 days before the survey)		
		1 Yes	756	37.7
		2 No	1,282	62.3
		Missing	115	
253-253	QN76	Percentage of students who did not eat breakfast (during the 7 days before the survey)		
		1 Yes	436	20.7
		2 No	1,620	79.3
		Missing	97	
254-254	QN77	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	803	41.0
		2 No	1,244	59.0
		Missing	106	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
255-255	QN78	Percentage of students who spent 3 or more hours per day on screen time (in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media, not counting time spent doing schoolwork, on an average school day)		
		1 Yes	1,540	76.3
		2 No	483	23.7
		Missing	130	
258-258	QN81	Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)		
		1 Yes	272	13.2
		2 No	1,762	86.8
		Missing	119	
260-260	QN83	Percentage of students who were tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea (during the 12 months before the survey)		
		1 Yes	104	5.0
		2 No	1,908	95.0
		Missing	141	
261-261	QN84	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)		
		1 Yes	1,440	72.8
		2 No	597	27.2
		Missing	116	
262-262	QN85	Percentage of students who reported that their mental health was most of the time or always not good (including stress, anxiety, and depression, during the 30 days before the survey)		
		1 Yes	588	29.3
		2 No	1,408	70.7
		Missing	157	
263-263	QN86	Percentage of students who got 8 or more hours of sleep (on an average school night)		
		1 Yes	470	23.6
		2 No	1,534	76.4
		Missing	149	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
264-264	QN87	Percentage of students who usually did not sleep in their parent's or guardian's home (during the 30 days before the survey)		
		1 Yes	61	3.0
		2 No	1,939	97.0
		Missing	153	
265-265	QN88	Percentage of students who have physical disabilities or long-term health problems (meaning 6 months or more)		
		1 Yes	176	8.5
		2 No	1,969	91.5
		Missing	8	
266-266	QN89	Percentage of students who have long-term emotional problems or learning disabilities (meaning 6 months or more)		
		1 Yes	363	17.8
		2 No	1,763	82.2
		Missing	27	
267-267	QN90	Percentage of students who are transgender		
		1 Yes	56	3.0
		2 No	2,080	97.0
		Missing	17	
268-268	QN91	Percentage of students who think other people at school would describe them as equally feminine and masculine		
		1 Yes	323	14.7
		2 No	1,769	85.3
		Missing	61	
269-269	QN92	Percentage of students who rode in a car or other vehicle driven by someone who had been using marijuana (also called pot or weed, one or more times during the 30 days before the survey)		
		1 Yes	383	17.8
		2 No	1,740	82.2
		Missing	30	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
270-270	QN93	Percentage of students who drove a car or other vehicle when they had been using marijuana (also called pot or weed, one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	95	9.7
		2 No	796	90.3
		Missing	1,262	
271-271	QN94	Percentage of students who talked on a cell phone while driving (on at least 1 day during the 30 days before the survey, among students who drove a car or other vehicle)		
		1 Yes	298	34.2
		2 No	589	65.8
		Missing	1,266	
272-272	QN95	Percentage of students who reported they most of the time or always felt that they were treated badly or unfairly in school because of their race or ethnicity (during their life)		
		1 Yes	102	4.3
		2 No	2,043	95.7
		Missing	8	
273-273	QN96	Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who smoked cigarettes during the 30 days before the survey and who were aged <18 years)		
		1 Yes	10	15.6
		2 No	59	84.4
		Missing	2,084	
274-274	QN97	Percentage of students who reported someone who lives with them smokes cigarettes		
		1 Yes	478	23.7
		2 No	1,657	76.3
		Missing	18	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
275-275	QN98 Percentage of students who currently used a non-tobacco flavored electronic vapor product (flavored to taste like menthol, mint, clove or spice, alcoholic drinks, candy, fruit, chocolate, or any other non-tobacco flavor, during the 30 days before the survey)	electronic vapor product (flavored to taste like menthol, mint, clove or spice, alcoholic drinks, candy, fruit, chocolate, or any other		
		1 Yes	343	16.6
		2 No	1,759	83.4
		Missing	51	
276-276	QN99	Percentage of students who used electronic vapor products mainly because they were curious about them		
		1 Yes	232	11.3
		2 No	1,819	88.7
		Missing	102	
277-277	QN100	Percentage of students who ever used a heated tobacco product (even one or two times)		
		1 Yes	96	4.7
		2 No	2,016	95.3
		Missing	41	
278-278	QN101	Percentage of students who currently used an electronic vapor product to vape marijuana (also called pot or weed), including THC, THC concentrates, hash oil, or waxes, on at least one day during the 30 days before the survey)		
		1 Yes	237	12.0
		2 No	1,821	88.0
		Missing	95	
279-279	QN102	Percentage of students who did not drink a bottle or glass of plain water (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	113	5.7
		2 No	1,804	94.3
		Missing	236	
280-280	QN103	Percentage of students who most often drink tap water or water directly from a faucet or bubbler without a filter on it (among students who drink plain or unflavored water)		
		1 Yes	130	8.1
		2 No	1,722	91.9
		Missing	301	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
281-281	Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)			
		1 Yes	96	4.4
		2 No	1,954	95.6
		Missing	103	
282-282	QN105	Percentage of students who reported their teeth or mouth have been painful or sore (one or more times during the 12 months before the survey)		
		1 Yes	953	46.7
		2 No	1,056	53.3
		Missing	144	
283-283	QN106	Percentage of students who sometimes, most of the time, or always were self-conscious or embarrassed because of their teeth or mouth (during the 12 months before the survey)		
		1 Yes	503	25.3
		2 No	1,507	74.7
		Missing	143	
284-284	QN107	Percentage of students who have been taught in school about the benefits of not having sexual intercourse to prevent pregnancy and sexually transmitted diseases (STDs)		
		1 Yes	992	49.0
		2 No	1,008	51.0
		Missing	153	
285-285	QN108	Percentage of students who have been taught about AIDS or HIV infection in school		
		1 Yes	1,109	56.4
		2 No	895	43.6
		Missing	149	
286-286	QN109	Percentage of students who most of the time or always get the kind of help they need (among students who report having felt sad, empty, hopeless, angry, or anxious)		
		1 Yes	318	22.3
		2 No	1,223	77.7
		Missing	612	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
287-287	QN110	Percentage of students who reported there is at least one teacher or other adult in their school that they can talk to if they have a problem		
		1 Yes	1,113	57.4
		2 No Missing	892 148	42.6
288-288	QN111	Percentage of students who participate in school activities one or more hours (such as sports, band, drama, or clubs, during an average week when they are in school)		
		1 Yes	1,075	54.1
		2 No	927	45.9
		Missing	151	
289-289	QN112	Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 30 days before the survey)		
		1 Yes	69	3.3
		2 No	1,935	96.7
		Missing	149	
290-290	QN113	Percentage of students who reported that an adult in their household most of the time or always tried hard to make sure their basic needs were met (such as looking after their safety and making sure they had clean clothes and enough to eat, during their life)		
		1 Yes	1.706	86.2
		2 No	298	13.8
		Missing	149	
291-291	QN114	Percentage of students who most of the time or always feel safe and secure in their neighborhood		
		1 Yes	1,631	83.4
		2 No	367	16.6
		Missing	155	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
292-292	QN115	Percentage of students who probably or definitely will complete a post high school program (such as a vocational training program, military service, community college, or 4-year college)		
		1 Yes	1,385	70.9
		2 No	598	29.1
		Missing	170	
293-293	QN116	Percentage of students who described their grades in school as mostly A's or B's (during the 12 months before the survey)		
		1 Yes	1,441	74.0
		2 No	563	26.0
		Missing	149	
294-294	QN117	Percentage of students who ever lived with someone who was having a problem with alcohol or drug use		
		1 Yes	474	24.0
		2 No	1,528	76.0
		Missing	151	
295-295	QN118	Percentage of students who ever lived with someone who was depressed, mentally ill, or suicidal		
		1 Yes	635	32.1
		2 No	1,358	67.9
		Missing	160	
350-350	QNFRCIG	Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	23	1.2
		2 No	2,083	98.8
		Missing	47	
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)		
		1 Yes	21	1.1
		2 No	2,085	98.9
		Missing	47	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
352-352	QNFREVP	Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	102	5.8
		2 No	1,942	94.2
		Missing	109	
353-353	QNDAYEVP	Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)		
		1 Yes	81	4.6
		2 No	1,963	95.4
		Missing	109	
354-354	QNFRSKL	frequently (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on 20 or more days during the 30 days before the survey)		
		1 Yes	19	1.0
		2 No	2,104	99.0
		Missing	30	
355-355	QNDAYSKL	Percentage of students who currently used smokeless tobacco daily (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on all 30 days during the 30 days before the survey)		
		1 Yes	18	0.9
		2 No	2,105	99.1
		Missing	30	
356-356	QNFRCGR	Percentage of students who currently smoked cigars frequently (cigars, cigarillos, or little cigars, on 20 or more days during the 30 days before the survey)		
		1 Yes	24	1.1
		2 No	2,085	98.9
		Missing	44	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
357-357	QNDAYCGR	Percentage of students who currently smoked cigars daily (cigars, cigarillos, or little cigars, on all 30 days during the 30 days before the survey)		
		1 Yes 2 No Missing	22 2,087 44	1.1 98.9
358-358	QNTB2	Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes 2 No Missing	72 2,005 76	3.7 96.3
359-359	QNTB3	Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)		
		1 Yes 2 No Missing	86 1,991 76	4.3 95.7
360-360	QNTB4	Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)		
		1 Yes 2 No Missing	348 1,650 155	17.5 82.5
361-361	QNTB5	Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)		
		1 Yes 2 No Missing	346 1,672 135	17.4 82.6
362-362	QNIUDIMP	Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes 2 No Missing	21 330 1,802	5.4 94.6

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
363-363	QNOTHHPL Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)			
		1 Yes	111	32.7
		2 No	240	67.3
		Missing	1,802	
364-364	QNDUALBC	Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD, or implant, or a shot, or patch, or birth control ring before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	46	13.5
		2 No	317	86.5
		Missing	1,790	
365-365	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse with an opposite-sex partner (among students who were currently sexually active)		
		1 Yes	43	11.6
		2 No	308	88.4
		Missing	1,802	
366-366	QNFR0	Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	168	8.4
		2 No	1,879	91.6
		Missing	106	
367-367	QNFR1	Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	1,017	49.6
		2 No	1,030	50.4
		Missing	106	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
368-368	QNFR2	Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	512	24.1
		2 No	1,535	75.9
		Missing	106	
369-369	QNVEG0	Percentage of students who did not eat vegetables (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)		
		1 Yes	238	11.0
		2 No	1,783	89.0
		Missing	132	
370-370	QNVEG1	Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)		
		1 Yes	1,032	52.3
		2 No	989	47.7
		Missing	132	
371-371	QNVEG2	Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)		
		1 Yes	455	22.7
		2 No	1,566	77.3
		Missing	132	
372-372	QNVEG3	Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)		
		1 Yes	249	12.4
		2 No	1,772	87.6
		Missing	132	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
373-373	QNSODA1	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes 2 No Missing	234 1,804 115	11.3 88.7
374-374	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes 2 No Missing	131 1,907 115	6.5 93.5
377-377	QNBK7DAY	Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)		
		1 Yes 2 No Missing	521 1,535 97	25.8 74.2
378-378	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes 2 No Missing	429 1,618 106	18.9 81.1
379-379	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes 2 No Missing	419 1,628 106	21.2 78.8

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
381-381	QNNODNT Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)			
		1 Yes	37	1.6
		2 No	2,000	98.4
		Missing	116	
384-384	QNWATER1	Percentage of students who drank a bottle or glass of plain water one or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	1,413	74.6
		2 No	504	25.4
		Missing	236	
385-385	QNWATER2	Percentage of students who drank a bottle or glass of plain water two or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	1,298	68.3
		2 No	619	31.7
		Missing	236	
386-386	QNWATER3	Percentage of students who drank a bottle or glass of plain water three or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	1,021	53.8
		2 No	896	46.2
		Missing	236	
388-388	QNOBESE	Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	294	15.5
		2 No	1,544	84.5
		Missing	315	
389-389	QNOWT	Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	329	17.2
		2 No	1,509	82.8
		Missing	315	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
390-399	WEIGHT				
400-402	STRATUM				
403-408	PSU	-			
409-413	BMIPCT				
414-415	RACEETH	-			
		1	Am Indian/Alaska Native	11	0.5
		2	Asian	77	2.6
		3	Black or African American	245	8.9
		4	Native Hawaiian/Other PI	6	0.4
		5	White	848	54.0
		6	Hispanic/Latino	189	6.0
		7	Multiple - Hispanic	638	22.9
		8	Multiple - Non-Hispanic	126	4.7
			Missing	13	,
416-418	Q6ORIG				
419-421	Q7ORIG	-			