Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	How old a	re you?		,
		1	12 years old or younger	4	0.2
		2	13 years old	1	0.1
		3	14 years old	239	10.8
		4	15 years old	500	24.7
		5	16 years old	486	24.5
		6	17 years old	484	24.3
		7	18 years old or older	216	15.5
			Missing	2	
18-18	Q2	What is yo	our sex?		
		1	Female	996	52.9
		2	Male	921	47.1
			Missing	15	
19-19	Q3	In what gr	ade are you?		
		1	9th grade	615	27.1
		2	10th grade	442	26.0
		3	11th grade	553	23.3
		4	12th grade	312	23.1
		5	Ungraded or other grade	9	0.5
			Missing	1	
20-20	Q4	Are you H	lispanic or Latino?		
	-	1	Yes	681	31.0
		2	No	1,246	69.0
			Missing	5	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?	,	
		E	1,091	66.8
		D	53	2.7
		DE	6	0.4
		C	314	16.2
		CE	75	3.4
		CD	7	0.3
		CDE	3	0.3
		В	97	3.:
		ВЕ	32	1
		B D	2	0.
		BC	3	0.
		BC E	5	0.
		BCD	1	0.0
		A	56	2
		A E	20	0.
		A D	2	0.
		A DE	1	0.
		AC	13	0.
		ACE	7	0.
	AB E	2	0.	
		ABCDE	9	0.
			133	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)	-	
39-39	Q8	How often do you wear a seat belt when riding in a car driven by someone else?		
		1 Never	54	3.0
		2 Rarely	70	3.5
		Sometimes	155	3. 7.
		4 Most of the time	469	23.:
		5 Always	1,181	62.:
		Missing	3	02.

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
40-40	Q9	During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?		
		1 0 times	1,630	84.4
		2 1 time	133	7.1
		3 2 or 3 times	92	5.1
		4 4 or 5 times	21	1.0
		5 6 or more times	46	2.3
		Missing	10	
41-41	Q10	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		I did not drive a car or other vehicle during the past 30 days	1,193	63.6
		I drove a car or other vehicle, but not when I had been drinking alcohol	571	34.4
		3 1 time	13	0.0
		4 2 or 3 times	8	0.3
		5 4 or 5 times	3	0.2
		6 6 or more times	12	0.7
		Missing	132	
42-42	Q11	During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?		
		I did not drive a car or other vehicle during the past 30 days	1,200	63.2
		I drove a car or other vehicle, but did not text or e-mail while driving	384	22.4
		3 1 or 2 days	72	4.1
		4 3 to 5 days	43	2.0
		5 6 to 9 days	19	1.2
		6 10 to 19 days	24	1.4
		7 20 to 29 days	22	1.5
		8 All 30 days	61	3.0
		Missing	107	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q14		e past 30 days, on how many days did you not go to school ou felt you would be unsafe at school or on your way to or ol?		
		1	0 days	1,707	88.5
		2	1 day	102	5.3
		3	2 or 3 days	60	3.4
		4	4 or 5 days	18	1.0
		5	6 or more days Missing	38 7	1.8
48-48	Q17		During the past 12 months, how many times were you in a physical fight on school property?		
		1	0 times	1,742	90.4
		2	1 time	84	4.′
		3	2 or 3 times	48	2.:
		4	4 or 5 times	12	0.
		5	6 or 7 times	7	0.4
		6	8 or 9 times	3	0.3
		7	10 or 11 times	3	0.1
		8	12 or more times	22	1.0
			Missing	11	
19-49	Q18		ever seen someone get physically attacked, beaten, stabbed, your neighborhood?		
		1	Yes	456	22.9
		2	No	1,467	77.
			Missing	9	
50-50	Q19	Have you you did no	ever been physically forced to have sexual intercourse when of want to?		
		1	Yes	143	7.9
		2	No	1,764	92.
			Missing	25	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
52-52	Q21		past 12 months, how many times did someone you were bing out with force you to do sexual things that you did not		
		1	I did not date or go out with anyone during the past 12 months	802	42.4
		2	0 times	892	49.6
		3	1 time	49	2.7
		4	2 or 3 times	50	2.7
		5	4 or 5 times	21	1.1
		6	6 or more times	27	1.6
			Missing	91	
53-53	Q22		past 12 months, how many times did someone you were bing out with physically hurt you on purpose?		
		1	I did not date or go out with anyone during the past 12 months	794	42.3
		2	0 times	943	53.1
		3	1 time	31	1.0
		4	2 or 3 times	24	1.4
		5	4 or 5 times	8	0.6
		6	6 or more times	22	1.1
			Missing	110	
54-54	Q23		ir life, how often have you felt that you were treated badly or school because of your race or ethnicity?		
		1	Never	1,216	66.7
		2	Rarely	369	16.8
		3	Sometimes	253	12.1
		4	Most of the time	45	2.2
		5	Always	38	2.1
			Missing	11	
55-55	Q24	During the property?	past 12 months, have you ever been bullied on school		
		1	Yes	293	16.0
		2	No	1,621	84.0
			Missing	18	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
56-56	Q25	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	256	13.5
		2 No	1,661	86.5
		Missing	15	
57-57	Q26	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	688	35.9
		2 No	1,215	64.
		Missing	29	
58-58	Q27	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	309	15.7
		2 No	1,582	84
		Missing	41	
59-59	Q28	During the past 12 months, did you make a plan about how you would attempt suicide?		
		1 Yes	266	13.5
		2 No	1,620	86.5
		Missing	46	
60-60	Q29	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	1,720	90.7
		2 1 time	85	4.4
		3 2 or 3 times	60	3.0
		4 4 or 5 times	13	0.7
		5 6 or more times	23	1.2
		Missing	31	
62-62	Q31	Have you ever smoked a cigarette, even one or two puffs?		
		1 Yes	215	11.9
		2 No	1,681	88.
		Missing	36	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
64-64	Q33	During the p	ast 30 days, on how many days did you smoke cigarettes?		
		1	0 days	1,826	96.9
		2	1 or 2 days	21	1.0
		3	3 to 5 days	9	0.6
		4	6 to 9 days	5	0.4
		5	10 to 19 days	5	0.4
		6	20 to 29 days	0	0.0
		7	All 30 days	13	0.6
		_	Missing	53	
65-65	Q34	During the p did you smol	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1	I did not smoke cigarettes during the past 30 days	1,817	97.2
		2	Less than 1 cigarette per day	18	1.0
		3	1 cigarette per day	10	0.6
		4	2 to 5 cigarettes per day	10	0.6
		5	6 to 10 cigarettes per day	0	0.0
		6	11 to 20 cigarettes per day	1	0.1
		7	More than 20 cigarettes per day	10	0.5
		_	Missing	66	
66-66	Q35	Have you ev	er used an electronic vapor product?		
		1	Yes	583	32.4
		2	No	1,298	67.6
		_	Missing	51	
67-67	Q36	During the p vapor produc	ast 30 days, on how many days did you use an electronic et?		
		1	0 days	1,540	83.5
		2	1 or 2 days	83	5.0
		3	3 to 5 days	37	2.1
		4	6 to 9 days	23	1.3
		5	10 to 19 days	39	2.3
		6	20 to 29 days	31	1.9
		7	All 30 days	69	3.9
			Missing	110	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
68-68	Q37	During the products?	e past 30 days, how did you usually get your electronic vapor		
		1	I did not use any electronic vapor products during the past 30 days	1,528	83.3
		2	I got or bought them from a friend, family member, or someone else	120	7.3
		3	I bought them myself in a vape shop or tobacco shop	33	1.9
		4	I bought them myself in a convenience store, supermarket, discount store, or gas station	29	1.8
		5	I bought them myself at a mall or shopping center kiosk or stand	3	0.2
		6	I bought them myself on the Internet, such as from a product website, vape store website, or other website like eBay, Amazon, Facebook Marketplace, or Craigslist	3	0.2
		7	I took them from a store or another person	13	0.6
		8	I got them in some other way	82	4.6
			Missing	121	
69-69	Q38	tobacco, s	e past 30 days, on how many days did you use chewing nuff, dip, snus, or dissolvable tobacco products, such as en, Grizzly, Skoal, Camel Snus, or Velo Nicotine Lozenges?		
		1	0 days	1,846	97.2
		2	1 or 2 days	17	1.1
		3	3 to 5 days	6	0.5
		4	6 to 9 days	7	0.5
		5	10 to 19 days	2	0.1
		6	20 to 29 days	2	0.1
		7	All 30 days	11	0.5
			Missing	41	

Data Location	Variable Name	Questio Code and I		Unweighted Frequency	Weighted Percentage
70-70	Q39	During the past 30 days, on how many cigarillos, or little cigars, such as Swis (including Black & Mild), or Backwood	her Sweets, Middleton's		
		1 0 days		1,809	96.0
		2 1 or 2 days		27	1.4
		3 3 to 5 days		7	0.3
		4 6 to 9 days		17	0.9
		5 10 to 19 days		7	0.6
		6 20 to 29 days		4	0.3
		7 All 30 days		10	0.3
		Missing		51	
72-72	Q41	How old were you when you had your first drink of alcohol other than a few sips?			
		1 I have never had a c sips	lrink of alcohol other than a few	1,107	58.2
		2 8 years old or young	ger	71	3.8
		3 9 or 10 years old		51	2.9
		4 11 or 12 years old		85	4.4
		5 13 or 14 years old		216	12.
		6 15 or 16 years old		257	14.
		7 17 years old or olde	r	60	4.0
		Missing		85	
73-73	Q42	During the past 30 days, on how many drink of alcohol?	days did you have at least one		
		1 0 days		1,456	81.7
		2 1 or 2 days		176	10.0
		3 3 to 5 days		72	4.′
		4 6 to 9 days		32	1.9
		5 10 to 19 days		15	0.9
		6 20 to 29 days		3	0.2
		7 All 30 days		13	0.7
		Missing		165	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
74-74	Q43	drinks of a female) or	Ouring the past 30 days, on how many days did you have 4 or more trinks of alcohol in a row, that is, within a couple of hours (if you are emale) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)?		
		1	0 days	1,710	90.7
		2	1 day	65	3.6
		3	2 days	33	2.
		4	3 to 5 days	39	2.2
		5	6 to 9 days	11	0.0
		6	10 to 19 days	5	0.4
		7	20 or more days	10	0.5
			Missing	59	
76-76	Q45	During the drank?	During the past 30 days, how did you usually get the alcohol you drank?		
		1	I did not drink alcohol during the past 30 days	1,455	81.6
		2	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	23	1.5
		3	I bought it at a restaurant, bar, or club	5	0.3
		4	I bought it at a public event such as a concert or sporting event	7	0.5
		5	I gave someone else money to buy it for me	37	2.3
		6	Someone gave it to me	123	7.0
		7	I took it from a store or family member	56	3.2
		8	I got it some other way	61	3.3
			Missing	165	
77-77	Q46	During yo	ur life, how many times have you used marijuana?		
	-	1	0 times	1,331	70.1
		2	1 or 2 times	119	6.6
		3	3 to 9 times	98	5.6
		4	10 to 19 times	52	3.0
		5	20 to 39 times	50	3.2
		6	40 to 99 times	59	3.4
		7	100 or more times	134	8.1
			Missing	89	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
78-78	Q47	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	1,317	69.9
		2 8 years old or younger	13	0.8
		3 9 or 10 years old	11	0.7
		4 11 or 12 years old	54	3.2
		5 13 or 14 years old	191	10.6
		6 15 or 16 years old	200	11.8
		7 17 years old or older	42	2.9
		Missing	104	
79-79	Q48	During the past 30 days, how many times did you use marijuana?		
		1 0 times	1,509	80.2
		2 1 or 2 times	116	6.4
		3 3 to 9 times	81	4.8
		4 10 to 19 times	39	2.2
		5 20 to 39 times	46	2.6
		6 40 or more times	65	3.7
		Missing	76	
80-80	Q49	During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?		
		1 0 times	1,681	89.3
		2 1 or 2 times	88	5.0
		3 3 to 9 times	48	2.7
		4 10 to 19 times	21	1.1
		5 20 to 39 times	12	0.6
		6 40 or more times	25	1.2
		Missing	57	,
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	1,842	98.1
		2 1 or 2 times	14	0.8
		3 to 9 times	2	0.1
		4 10 to 19 times	5	0.3
		5 20 to 39 times	0	0.0
		6 40 or more times	14	0.7
		Missing	55	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	1,839	98.3
		2 1 or 2 times	7	0.4
		3 3 to 9 times	2	0.2
		4 10 to 19 times	4	0.3
		5 20 to 39 times	3	0.2
		6 40 or more times	13	0.6
		Missing	64	
85-85	Q54	During your life, how many times have you used ecstasy (also called MDMA or Molly)?		
		1 0 times	1,827	97.4
		2 1 or 2 times	15	1.1
		3 3 to 9 times	7	0.6
		4 10 to 19 times	2	0.1
		5 20 to 39 times	3	0.2
		6 40 or more times	12	0.6
		Missing	66	
37-87	Q56	Have you ever had sexual intercourse?		
		1 Yes	497	31.5
		2 No	1,193	68.5
		Missing	242	
90-90	Q59	During the past 3 months, with how many people did you have sexual intercourse?	_	
		I have never had sexual intercourse	1,193	68.4
		I have had sexual intercourse, but not during the past 3 months	129	8.4
		3 1 person	293	18.9
		4 2 people	37	2.1
		5 3 people	19	1.0
		6 4 people	3	0.2
		7 5 people	1	0.1
		8 6 or more people	17	0.9
		Missing	240	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
91-91	Q60	Did you drink alcoho the last time?	ol or use drugs before you had sexual intercourse		
		1 I	have never had sexual intercourse	1,192	68.5
		2 Y	es	98	5.9
		3 N	Го	399	25.0
		N	lissing	243	
92-92	Q61	The last time you ha condom?	d sexual intercourse, did you or your partner use a		
		1 I	have never had sexual intercourse	1,185	68.
		2 Y	es	284	18.
		3 N	Го	206	13.3
		N	lissing	257	
93-93	Q62	The last time you hawhat one method did			
			have never had sexual intercourse with an pposite-sex partner	1,341	73
			o method was used to prevent pregnancy	58	3.
		CO	irth control pills (Do not count emergency ontraception such as Plan B or the "morning after" ill.)	86	5.
		4 C	ondoms	198	11.
			an IUD (such as Mirena or ParaGard) or implant such as Implanon or Nexplanon)	23	1.
			shot (such as Depo-Provera), patch (such as Ortho vra), or birth control ring (such as NuvaRing)	11	0.3
		7 V	Vithdrawal or some other method	46	2.
		8 N	ot sure	19	1.4
		N	lissing	150	
94-94	Q63	During your life, wit	h whom have you had sexual contact?		
		1 I	have never had sexual contact	1,013	56.
		2 F	emales	337	19.
		3 N	I ales	303	19.3
		4 F	emales and males	89	5.0
		\mathbf{N}	fissing	190	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
95-95	Q64	Which of t	he following best describes you?		
		1	Heterosexual (straight)	1,272	69.3
		2	Gay or lesbian	84	4.4
		3	Bisexual	222	12.3
		4	I describe my sexual identity some other way	101	4.9
		5	I am not sure about my sexual identity (questioning)	89	4.6
		6	I do not know what this question is asking Missing	88 76	4.5
96-96	Q65		ble describe themselves as transgender when their sex at birth eatch the way they think or feel about their gender. Are you		
		1	No, I am not transgender	1,687	91.5
		2	Yes, I am transgender	69	3.8
		3	I am not sure if I am transgender	39	2.0
		4	I do not know what this question is asking	56	2.7
		_	Missing	81	
98-98	Q67	Which of t	he following are you trying to do about your weight?		
		1	Lose weight	847	45.0
		2	Gain weight	357	19.4
		3	Stay the same weight	263	14.3
		4	I am not trying to do anything about my weight	394	21.3
			Missing	71	
07-107	Q76	During the for a total	past 7 days, on how many days were you physically active of at least 60 minutes per day?		
		1	0 days	343	17.4
		2	1 day	126	7.2
		3	2 days	198	10.9
		4	3 days	219	13.1
		5	4 days	213	11.5
		6	5 days	215	11.0
		7	6 days	127	7.1
		8	7 days	418	21.9
			Missing	73	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
110-110	Q79	During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?		
		1 0 times	1,611	85.8
		2 1 time	132	7.1
		3 2 times	55	3.5
		4 3 times	20	1.2
		5 4 or more times	46	2.4
		Missing	68	
111-111	Q80	How often do you use social media?		
		I do not use social media	143	7.1
		2 A few times a month	43	2.3
		3 About once a week	19	1.0
		4 A few times a week	78	4.1
		5 About once a day	90	4.9
		6 Several times a day	680	36.6
		7 About once an hour	118	6.3
		8 More than once an hour	699	37.7
		Missing	62	
113-113	Q82	During the past 12 months, have you been tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea?		
		1 Yes	110	6.6
		2 No	1,670	89.4
		3 Not sure	78	4.0
		Missing	74	
114-114	Q83	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?		
		1 During the past 12 months	1,401	76.2
		2 Between 12 and 24 months ago	188	9.8
		3 More than 24 months ago	65	3.6
		4 Never	53	2.8
		5 Not sure	142	7.6
		Missing	83	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
115-115	Q84	During the	e past 30 days, how often was your mental health not good?		
		1	Never	506	27.8
		2	Rarely	309	17.2
		3	Sometimes	512	27.8
		4	Most of the time	349	18.9
		5	Always	146	8.4
			Missing	110	
116-116	Q85	On an ave	rage school night, how many hours of sleep do you get?		
		1	4 or less hours	190	10.8
		2	5 hours	279	14.4
		3	6 hours	474	26.1
		4	7 hours	504	28.2
		5	8 hours	277	14.8
		6	9 hours	75	4.2
		7	10 or more hours	29	1.5
			Missing	104	
117-117	Q86	During the	past 30 days, where did you usually sleep?		
		1	In my parent's or guardian's home	1,768	96.2
		2	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	18	1.0
		3	In a shelter or emergency housing	6	0.3
		4	In a motel or hotel	7	0.4
		5	In a car, park, campground, or other public place	9	0.5
		6	I do not have a usual place to sleep	12	0.3
		7	Somewhere else	14	0.0
			Missing	98	
118-118	Q87	During the school?	past 12 months, how would you describe your grades in		
		1	Mostly A's	759	41.9
		2	Mostly B's	637	34.6
		3	Mostly C's	255	13.9
		4	Mostly D's	64	3.3
		5	Mostly F's	41	2.1
		6	None of these grades	10	0.4
		7	Not sure	74	3.7
			Missing	92	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
119-119	Q88	Do you have any physical disabilities or long-term health problems?		
		1 Yes	179	9.6
		2 No	1,501	78.4
		3 Not sure	241	12.0
		Missing	11	
120-120	Q89	Do you have any long-term emotional problems or learning disabilities?		
		1 Yes	357	18.8
		2 No	1,275	66.9
		3 Not sure	280	14.3
		Missing	20	
121-121	Q90	A person's appearance, style, dress, or the way they walk or talk may affect how people describe them. How do you think other people at school would describe you?		
		1 Very feminine	211	11.5
		2 Mostly feminine	419	22.3
		3 Somewhat feminine	184	9.5
		4 Equally feminine and masculine	242	12.5
		5 Somewhat masculine	152	8.1
		6 Mostly masculine	404	21.0
		7 Very masculine	294	15.1
		Missing	26	
122-122	Q91	During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been using marijuana in any form, such as edibles, dabs, joints, or electronic vapor products?		
		1 0 times	1,494	77.2
		2 1 time	108	6.2
		3 2 or 3 times	142	7.7
		4 4 or 5 times	52	2.6
		5 6 or more times	118	6.2
		Missing	18	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
123-123	Q92	vehicle wh	past 30 days, how many times did you drive a car or other en you had been using marijuana in any form, such as bs, joints, or electronic vapor products?		
		1	I did not drive a car or other vehicle during the past 30 days	1,118	63.7
		2	I drove a car or other vehicle, but not when I had been using marijuana	506	32.3
		3	1 time	17	1.0
		4	2 or 3 times	20	1.1
		5	4 or 5 times	7	0.5
		6	6 or more times Missing	25 239	1.5
124-124	Q93		past 30 days, on how many days did you talk on a cell le driving a car or other vehicle?		
		1	I did not drive a car or other vehicle during the past 30 days	1,113	62.5
		2	0 days	294	18.4
		3	1 or 2 days	112	6.9
		4	3 to 5 days	78	4.9
		5	6 to 9 days	35	2.1
		6	10 to 19 days	24	1.6
		7	20 to 29 days	16	1.3
		8	All 30 days	44	2.3
			Missing	216	
125-125	Q94	How often	do you feel safe and secure in your neighborhood?		
		1	Never	79	4.1
		2	Rarely	58	2.9
		3	Sometimes	234	11.4
		4	Most of the time	845	42.6
		5	Always	706	39.0
		_	Missing	10	
126-126	Q95	Have you o	ever been given money, a place to stay, food, or something ue in exchange for sex?		
		1	Yes	49	2.6
		2	No	1,870	97.4
			Missing	13	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
127-127	Q96	unfairly bec transgender, because of v	e life, how often have you felt that you were treated badly or ause you are or people think you are lesbian, gay, bisexual, or questioning? This could include being treated badly who you are sexually attracted to or because you express in a way that is different from what people expect.		
		1	Never	1,492	77.8
		2	Rarely	181	9.7
		3	Sometimes	151	8.2
		4	Most of the time	49	2.6
		5	Always	31	1.7
			Missing	28	
128-128	Q97	During the property?	past 12 months, have you ever bullied someone on school		
		1	Yes	136	7.2
		2	No	1,785	92.8
			Missing	11	
129-129	Q98	During the p someone?	past 12 months, have you ever electronically bullied		
		1	Yes	153	8.2
		2	No	1,759	91.8
			Missing	20	
130-130	Q99	During the p	past 30 days, how did you usually get your own cigarettes?		
		1	I did not smoke cigarettes during the past 30 days	1,822	95.4
		2	I bought them in a store such as a convenience store, supermarket, discount store, or gas station	16	1.0
		3	I got them on the Internet	5	0.3
		4	I gave someone else money to buy them for me	2	0.1
		5	I borrowed (or bummed) them from someone else	21	1.2
		6	A person who can legally buy cigarettes gave them to me	4	0.3
		7	I took them from a store or family member	9	0.5
		8	I got them some other way	17	1.2
			Missing	36	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
131-131	Q100	Does anyor	ne who lives with you smoke cigarettes?		
		1	Yes	407	21.8
		2	No	1,498	78.2
			Missing	27	
132-132	Q101	flavored to	past 30 days, did you use an electronic vapor product taste like menthol, mint, clove or spice, alcoholic drinks, t, chocolate, or any other non-tobacco flavor?		
		1	Yes	275	15.6
		2	No	1,581	84.4
		_	Missing	76	· · · ·
133-133	Q102	What is the	main reason you have used electronic vapor products?		
		1	I have never used an electronic vapor product	1,194	67.2
		2	Friend or family member used them	94	5.7
		3	To get a high or buzz from nicotine	74	4.4
		4	I was feeling anxious, stressed, or depressed	109	6.7
		5	I was curious about them	189	10.8
		6	They are less harmful than other forms of tobacco	11	0.7
		7	They are available in flavors, such as mint, candy, fruit, or chocolate	21	1.3
		8	I used them for some other reason	53	3.3
			Missing	187	
134-134	Q103	During the vapor produ	past 12 months, did you ever try to quit using electronic ucts?		
		1	I did not use electronic vapor products during the past 12 months	1,285	73.9
		2	Ŷes	262	16.2
		3	No	162	9.9
			Missing	223	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
135-135	Q104	During the past 30 days, on how many days did you use a vapor product to vape marijuana (also called pot or weed) THC, THC concentrates, hash oil, or waxes?	n electronic , including	
		1 0 days	1,552	87.5
		2 1 or 2 days	57	3.2
		3 3 to 5 days	29	1.6
		4 6 to 9 days	32	2.3
		5 10 to 19 days	34	1.9
		6 20 to 29 days	22	1.2
		7 All 30 days	41	2.4
		Missing	165	
136-136	Q105	During your life, how many times have you taken an over drug to get high?	-the-counter	
		1 0 times	1,796	95.4
		2 1 or 2 times	31	1.8
		3 3 to 9 times	14	0.8
		4 10 to 19 times	15	0.9
		5 20 to 39 times	10	0.5
		6 40 or more times	13	0.6
		Missing	53	
137-137	Q106	During the past 30 days, how many times did you take an over-the-counter drug to get high?		
		1 0 times	1,813	97.7
		2 1 or 2 times	20	1.1
		3 3 to 9 times	7	0.3
		4 10 to 19 times	6	0.3
		5 20 to 39 times	2	0.2
		6 40 or more times	9	0.5
		Missing	75	
138-138	Q107	What type of water do you drink most often?		
		1 I do not drink water	59	2.9
		2 Bottled water purchased from a store	931	49.1
		3 Carbonated water (seltzer, sparkling w		3.0
		water, or soda stream) in either a bottle		3.0
		4 Tap water or water directly from the fa bubbler without a filter on it	ucet or 155	8.6
		Water from a faucet, refrigerator, or pir filter on it	tcher with a 616	33.8
		6 Some other type of water	49	2.5
		Missing	64	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
139-139	Q108		past 30 days, how often did you go hungry because there ough food in your home?		
		1	Never	1,312	71.3
		2	Rarely	314	15.9
		3	Sometimes	185	9.7
		4	Most of the time	40	2.1
		5	Always	16	0.9
			Missing	65	
140-140	Q109		ever been taught in school about the benefits of not having recourse to prevent pregnancy and sexually transmitted (TDs)?		
		1	Yes	1,134	62.6
		2	No	532	27.1
		3	Not sure	180	10.3
			Missing	86	
141-141	Q110	Have you	ever been taught about AIDS or HIV infection in school?		
		1	Yes	1,177	65.9
		2	No	518	26.4
		3	Not sure	154	7.7
			Missing	83	
142-142	Q111	Have you	ever had sex education in school?		
		1	Yes	1,183	66.3
		2	No	518	26.2
		3	Not sure	144	7.5
			Missing	87	
143-143	Q112	During the been painf	past 12 months, how many times have your teeth or mouth ul or sore?		
		1	0 times	885	48.6
		2	1 time	377	21.1
		3	2 or 3 times	369	19.1
		4	4 or 5 times	80	4.6
		5	6 or more times	127	6.6
			Missing	94	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
144-144	Q113	During the past 12 months, how often were you self-conscious or embarrassed because of your teeth or mouth?		
		1 Never	945	52.3
		2 Rarely	395	21.3
		3 Sometimes	298	16.3
		4 Most of the time	116	6.1
		5 Always	78	3.8
		Missing	100	
145-145	Q114	When you feel sad, empty, hopeless, angry, or anxious, how often do you get the kind of help you need?		
		I do not feel sad, empty, hopeless, angry, or anxious	502	27.2
		2 Never	350	19.3
		3 Rarely	347	18.2
		4 Sometimes	338	18.5
		5 Most of the time	225	13.0
		6 Always	68	3.9
		Missing	102	
146-146	Q115	Is there at least one teacher or other adult in your school that you can talk to if you have a problem?		
		1 Yes	1,079	60.4
		2 No	457	24.0
		3 Not sure	306	15.6
		Missing	90	
147-147	Q116	During an average week when you are in school, how many total hours do you participate in school activities such as sports, band, drama, or clubs?		
		1 0 hours	788	42.9
		2 1 to 4 hours	515	27.6
		3 5 to 9 hours	250	13.7
		4 10 to 19 hours	167	9.4
		5 20 or more hours	121	6.3
		Missing	91	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
148-148	Q117	During the past 30 days, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
		1 Yes	84	4.8
		2 No	1,755	95.2
		Missing	93	
149-149	Q118	During your life, how often has there been an adult in your household who tried hard to make sure your basic needs were met, such as looking after your safety and making sure you had clean clothes and enough to eat?		
		1 Never	163	8.9
		2 Rarely	44	2.4
		3 Sometimes	75	3.9
		4 Most of the time	182	10.0
		5 Always	1,367	74.7
		Missing	101	
150-150	Q119	Have you ever lived with someone who was having a problem with alcohol or drug use?		
		1 Yes	488	27.5
		2 No	1,347	72.5
		Missing	97	
151-151	Q120	Have you ever lived with someone who was depressed, mentally ill, or suicidal?		
		1 Yes	633	34.6
		2 No	1,192	65.4
		Missing	107	
152-152	Q121	During your life, how often have you seen your parents or other family members treated badly or unfairly because of the color of their skin, language, accent, or because they are from a different country or culture?		
		1 Never	1,210	69.5
		2 Rarely	275	13.3
		3 Sometimes	254	12.5
		4 Most of the time	55	2.6
		5 Always	35	2.0
		Missing	103	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
153-153	Q122	Do you agree or disagree that youth at your school drink alcohol?		
		1 Strongly agree	449	25.5
		2 Agree	551	30.2
		3 Not sure	499	26.2
		4 Disagree	166	9.1
		5 Strongly disagree	167	8.9
		Missing	100	
154-154	Q123	Do you agree or disagree that youth at your school use tobacco products?		
		1 Strongly agree	444	25.2
		2 Agree	487	26.9
		3 Not sure	487	27.4
		4 Disagree	196	10.3
		5 Strongly disagree	191	10.2
		Missing	127	
155-155	Q124	Do you agree or disagree that youth at your school use electronic vapor products?		
		1 Strongly agree	830	46.1
		2 Agree	403	22.7
		3 Not sure	290	15.8
		4 Disagree	119	6.5
		5 Strongly disagree	172	8.9
		Missing	118	
156-156	Q125	Do you agree or disagree that youth at your school use marijuana or marijuana products?		
		1 Strongly agree	669	37.6
		2 Agree	456	25.8
		Not sure	395	21.8
		4 Disagree	113	6.1
		5 Strongly disagree	166	8.7
		Missing	133	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
185-185	QN8	Percentage of students who did not always wear a seat belt (when riding in a car driven by someone else)		
		1 Yes	748	37.5
		2 No	1,181	62.5
		Missing	3	
186-186	QN9	Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)		
		1 Yes	292	15.6
		2 No	1,630	84.4
		Missing	10	
187-187	QN10	Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	36	5.5
		2 No	571	94.5
		Missing	1,325	
188-188	QN11	Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	241	39.1
		2 No	384	60.9
		Missing	1,307	
191-191	QN14	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)		
		1 Yes	218	11.5
		2 No	1,707	88.5
		Missing	7	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
194-194	QN17	Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)		
		1 Yes	179	9.6
		2 No	1,742	90.4
		Missing	11	
195-195	QN18	Percentage of students who ever saw someone get physically attacked, beaten, stabbed, or shot in their neighborhood		
		1 Yes	456	22.9
		2 No	1,467	77.1
		Missing	9	
196-196	QN19	Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)		
		1 Yes	143	7.9
		2 No	1,764	92.1
		Missing	25	
198-198	QN21	Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to do, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	147	14.0
		2 No	892	86.0
		Missing	893	
199-199	QN22	Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	85	8.0
		2 No	943	92.0
		Missing	904	72.0

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
200-200	QN23	Percentage of students who felt that they were ever treated badly or unfairly in school because of their race or ethnicity (during their life)		
		1 Yes	705	33.3
		2 No	1,216	66.7
		Missing	11	
201-201	QN24	Percentage of students who were bullied on school property (ever during the 12 months before the survey)		
		1 Yes	293	16.0
		2 No	1,621	84.0
		Missing	18	
202-202	QN25	Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)		
		1 Yes	256	13.5
		2 No	1,661	86.5
		Missing	15	
203-203	QN26	Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)		
		1 Yes	688	35.9
		2 No	1,215	64.1
		Missing	29	
204-204	QN27	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
		1 Yes	309	15.7
		2 No	1,582	84.3
		Missing	41	
205-205	QN28	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
		1 Yes	266	13.5
		2 No	1,620	86.5
		Missing	46	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
206-206	QN29	Percentage of students who actually attempted suicide (one or more times during the 12 months before the survey)		
		1 Yes	181	9.3
		2 No	1,720	90.7
		Missing	31	
208-208	QN31	Percentage of students who smoked a cigarette (even one or two puffs)		
		1 Yes	215	11.9
		2 No	1,681	88.1
		Missing	36	
210-210	QN33	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1 Yes	53	3.1
		2 No	1,826	96.9
		Missing	53	
211-211	QN34	Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)		
		1 Yes	11	20.0
		2 No	38	80.0
		Missing	1,883	
212-212	QN35	Percentage of students who ever used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu])		
		1 Yes	583	32.4
		2 No	1,298	67.6
		Missing	51	
213-213	QN36	Percentage of students who currently used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], on at least 1 day during the 30 days before the survey)		
		1 Yes	282	16.5
		2 No	1,540	83.5
		Missing	110	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
214-214	QN37	Percentage of students who usually got their electronic vapor products by buying them themselves in a convenience store, supermarket, discount store, or gas station (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], during the 30 days before the survey, among students who currently used electronic vapor products)		
		1 Yes	29	10.8
		2 No	252	89.2
		Missing	1,651	,
215-215	QN38	Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, Camel Snus, or Velo Nicotine Lozenges], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)		
		1 Yes	45	2.8
		2 No	1,846	97.2
		Missing	41	
216-216	QN39	Percentage of students who currently smoked cigars, cigarillos, or little cigars, such as Swisher Sweets, Middleton's (including Black & Mild, or Backwoods, on at least 1 day during the 30 days before the survey)		
		1 Yes	72	4.0
		2 No	1,809	96.0
		Missing	51	
218-218	QN41	Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)		
		1 Yes	207	11.1
		2 No	1,640	88.9
		Missing	85	
219-219	QN42	Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)		
		1 Yes	311	18.3
		2 No	1,456	81.7
		Missing	165	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
220-220	QN43	Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row if they were female or five or more drinks of alcohol in a row if they were male, within a couple of hours, on at least 1 day during the 30 days before the survey)		
		1 Yes	163	9.3
		2 No	1,710	90.7
		Missing	59	
222-222	QN45	Percentage of students who usually got the alcohol they drank by someone giving it to them (during the 30 days before the survey, among students who currently drank alcohol)		
		1 Yes	123	39.0
		2 No	183	61.0
		Missing	1,626	
223-223	QN46	Percentage of students who ever used marijuana (one or more times during their life)		
		1 Yes	512	29.9
		2 No	1,331	70.1
		Missing	89	
224-224	QN47	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	78	4.7
		2 No	1,750	95.3
		Missing	104	
225-225	QN48	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1 Yes	347	19.8
		2 No	1,509	80.2
		Missing	76	
226-226	QN49	Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)		
		1 Yes	194	10.7
		2 No	1,681	89.3
		Missing	57	07.2

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
227-227	QN50	Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)		
		1 Yes	35	1.9
		2 No	1,842	98.1
		Missing	55	
229-229	QN52	Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)		
		1 Yes	29	1.7
		2 No	1,839	98.3
		Missing	64	
231-231	QN54	Percentage of students who ever used ecstasy (also called "MDMA" or "Molly," one or more times during their life)		
		1 Yes	39	2.6
		2 No	1,827	97.4
		Missing	66	
233-233	QN56	Percentage of students who ever had sexual intercourse		
		1 Yes	497	31.5
		2 No	1,193	68.5
		Missing	242	
236-236	QN59	Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)		
		1 Yes	370	23.2
		2 No	1,322	76.8
		Missing	240	
237-237	QN60	Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)		
		1 Yes	76	20.5
		2 No	290	79.5
		Missing	1,566	,,,,

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
238-238	QN61	Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	205	56.3
		2 No	156	43.7
		Missing	1,571	
239-239	QN62	Percentage of students who used birth control pills before last sexual intercourse with opposite-sex partner (to prevent pregnancy, not counting emergency contraception such as Plan B or the "morning after" pill, among students who were currently sexually active)		
		1 Yes	72	25.1
		2 No	254	74.9
		Missing	1,606	, 11.5
244-244	QN67	Percentage of students who were trying to lose weight		
		1 Yes	847	45.0
		2 No	1,014	55.0
		Missing	71	
253-253	QN76	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	760	39.9
		2 No	1,099	60.1
		Missing	73	
256-256	QN79	Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)		
		1 Yes	253	14.2
		2 No	1,611	85.8
		Missing	68	
257-257	QN80	Percentage of students who use social media several times a day		
		1 Yes	1,497	80.6
		2 No	373	19.4
		Missing	62	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
259-259	QN82	Percentage of students who were tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea (during the 12 months before the survey)		
		1 Yes	110	6.6
		2 No Missing	1,748 74	93.4
260-260	QN83	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)		
		1 Yes	1,401	76.2
		2 No	448	23.8
		Missing	83	
261-261	QN84	Percentage of students who reported that their mental health was most of the time or always not good (including stress, anxiety, and depression, during the 30 days before the survey)		
		1 Yes	495	27.2
		2 No	1,327	72.8
		Missing	110	
262-262	QN85	Percentage of students who got 8 or more hours of sleep (on an average school night)		
		1 Yes	381	20.5
		2 No	1,447	79.5
		Missing	104	
263-263	QN86	Percentage of students who experienced unstable housing (during the 30 days before the survey)		
		1 Yes	52	3.0
		2 No	1,782	97.0
		Missing	98	
264-264	QN87	Percentage of students who described their grades in school as mostly A's or B's (during the 12 months before the survey)		
		1 Yes	1,396	76.6
		2 No	444	23.4
		Missing	92	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
265-265	QN88	Percentage of students who have physical disabilities or long-term health problems (meaning 6 months or more)		
		1 Yes	179	9.6
		2 No	1,742	90.4
		Missing	11	
266-266	QN89	Percentage of students who have long-term emotional problems or learning disabilities (meaning 6 months or more)		
		1 Yes	357	18.8
		2 No	1,555	81.2
		Missing	20	
267-267	QN90	Percentage of students who think other people at school would describe them as equally feminine and masculine		
		1 Yes	242	12.5
		2 No	1,664	87.5
		Missing	26	
268-268	QN91	Percentage of students who rode in a car or other vehicle driven by someone who had been using marijuana (in any form, such as edibles, dabs, joints, or electronic vapor products, one or more times during the 30 days before the survey)		
		1 Yes	420	22.8
		2 No	1,494	77.2
		Missing	18	
269-269	QN92	Percentage of students who drove a car or other vehicle when they had been using marijuana (in any form, such as edibles, dabs, joints, or electronic vapor products, one or more times during the 30 days before the survey. among students who had driven a car or other vehicle)		
		1 Yes	69	11.2
		2 No	506	88.8
		Missing	1,357	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
270-270	QN93	Percentage of students who talked on a cell phone while driving (on at least 1 day during the 30 days before the survey, among students who drove a car or other vehicle)		
		1 Yes	309	51.0
		2 No Missing	294 1.329	49.0
271-271	QN94	Percentage of students who most of the time or always feel safe and secure in their neighborhood		
		1 Yes	1,551	81.6
		2 No	371	18.4
		Missing	10	
272-272	QN95	Percentage of students who have ever been given money, a place to stay, food, or something else of value in exchange for sex		
		1 Yes	49	2.6
		2 No	1,870	97.4
		Missing	13	
273-273	QN96	Percentage of students who felt that they were ever treated badly or unfairly because they are or people think they are lesbian, gay, bisexual, transgender, or questioning (including being treated badly because of who they are sexually attracted to or because they express their gender in a way that is different from what people expect, during their life)		
		1 Yes	412	22.2
		2 No	1,492	77.8
		Missing	28	
274-274	QN97	Percentage of students who bullied someone on school property (during the 12 months before the survey)		
		1 Yes	136	7.2
		2 No	1,785	92.8
		Missing	11	
275-275	QN98	Percentage of students who electronically bullied someone (counting bullying through texting, Instagram, Facebook, or other social media, during the 12 months before the survey)		
		1 Yes	153	8.2
		2 No	1,759	91.8
		Missing	20	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
276-276	QN99	Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who smoked cigarettes during the 30 days before the survey and who were aged <18 years)		
		1 Yes	13	22.2
		2 No	46	77.8
		Missing	1,873	
277-277	QN100	Percentage of students who reported someone who lives with them smokes cigarettes		
		1 Yes	407	21.8
		2 No	1,498	78.2
		Missing	27	
278-278 QN101		Percentage of students who currently used a non-tobacco flavored electronic vapor product (flavored to taste like menthol, mint, clove or spice, alcoholic drinks, candy, fruit, chocolate, or any other non-tobacco flavor, during the 30 days before the survey)		
		1 Yes	275	15.6
		2 No	1,581	84.4
		Missing	76	
279-279	QN102	Percentage of students who used electronic vapor products mainly because they were curious about them		
		1 Yes	189	10.8
		2 No	1,556	89.2
		Missing	187	
280-280	QN103	Percentage of students who tried to quit using electronic vapor products (among students who used electronic vapor products during the 12 months before the survey)		
		1 Yes	262	62.0
		2 No	162	38.0
		Missing	1,508	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
281-281	QN104	Percentage of students who currently used an electronic vapor product to vape marijuana (also called pot or weed, including THC, THC concentrates, hash oil, or waxes, on at least one day during the 30 days before the survey)		
		1 Yes	215	12.5
		2 No	1,552	87.5
		Missing	165	
282-282	QN105	Percentage of students who have taken over-the-counter drugs to get high (one or more times during their life)		
		1 Yes	83	4.6
		2 No	1,796	95.4
		Missing	53	
283-283	QN106	Percentage of students who currently took over-the-counter drugs to get high (one or more times during the 30 days before the survey)		
		1 Yes	44	2.3
		2 No	1,813	97.7
		Missing	75	
284-284	QN107	Percentage of students who most often drink tap water or water from a faucet or bubbler without a filter or water from a faucet, refrigerator, or a pitcher with a filter on it		
		1 Yes	771	42.4
		2 No	1,097	57.6
		Missing	64	
285-285	QN108	Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)		
		1 Yes	56	3.1
		2 No	1,811	96.9
		Missing	65	
286-286	QN109	Percentage of students who have been taught in school about the benefits of not having sexual intercourse to prevent pregnancy and sexually transmitted diseases (STDs)		
		1 Yes	1,134	62.6
		2 No	712	37.4
		Missing	86	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
287-287		Percentage of students who have been taught about AIDS or HIV infection in school		
		1 Yes	1,177	65.9
		2 No	672	34.1
		Missing	83	
288-288	QN111	Percentage of students who have had sex education in school		
		1 Yes	1,183	66.3
		2 No	662	33.7
		Missing	87	
289-289	QN112	Percentage of students who reported their teeth or mouth have been painful or sore (one or more times during the 12 months before the survey)		
		1 Yes	953	51.4
		2 No	885	48.6
		Missing	94	
290-290	QN113	Percentage of students who sometimes, most of the time, or always were self-conscious or embarrassed because of their teeth or mouth (during the 12 months before the survey)		
		1 Yes	492	26.3
		2 No	1,340	73.7
		Missing	100	
291-291	QN114	Percentage of students who most of the time or always get the kind of help they need (among students who report having felt sad, empty, hopeless, angry, or anxious)		
		1 Yes	293	23.1
		2 No	1,035	76.9
		Missing	604	
292-292	QN115	Percentage of students who reported there is at least one teacher or other adult in their school that they can talk to if they have a problem		
		1 Yes	1,079	60.4
		2 No	763	39.6
		Missing	90	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
293-293	Percentage of students who participate in school activities one or more hours (such as sports, band, drama, or clubs, during an average week when they are in school)			
		1 Yes 2 No Missing	1,053 788 91	57.1 42.9
294-294	QN117	Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 30 days before the survey)		
		1 Yes 2 No Missing	84 1,755 93	4.8 95.2
295-295	QN118	Percentage of students who reported that an adult in their household most of the time or always tried to make sure their basic needs were met (such as looking after their safety and making sure they had clean clothes and enough to eat, during their life)		
		1 Yes 2 No Missing	1,549 282 101	84.7 15.3
296-296	QN119	Percentage of students who ever lived with someone who was having a problem with alcohol or drug use		
		1 Yes 2 No Missing	488 1,347 97	27.5 72.5
297-297	QN120	Percentage of students who ever lived with someone who was depressed, mentally ill, or suicidal		
		1 Yes 2 No Missing	633 1,192 107	34.6 65.4

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
298-298	Percentage of students who reported they most of the time or always saw their parents or other family members treated badly or unfairly because of the color of their skin, language, accent, or because they are from a different country or culture (during their life)			
		1 Yes	90	4.7
		2 No Missing	1,739 103	95.3
299-299	QN122	Percentage of students who strongly agree or agree that youth at their school drink alcohol		
		1 Yes	1,000	55.8
		2 No	832	44.2
		Missing	100	-
300-300	QN123	Percentage of students who strongly agree or agree that youth at their school use tobacco products		
		1 Yes	931	52.1
		2 No Missing	874 127	47.9
301-301	QN124	Percentage of students who strongly agree or agree that youth at their school use electronic vapor products		
		1 Yes	1,233	68.8
		2 No	581	31.2
		Missing	118	
302-302	QN125	Percentage of students who strongly agree or agree that youth at their school use marijuana or marijuana products		
		1 Yes	1,125	63.3
		2 No	674	36.7
		Missing	133	
350-350	QNFRCIG	Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	13	0.6
		2 No	1,866	99.4
		Missing	53	
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)		
		1 Yes	13	0.6
		2 No	1,866	99.4
		Missing	53	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
352-352	QNFREVP	Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	100	5.8
		2 No	1,722	94.2
		Missing	110	
353-353	QNDAYEVP	Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)		
		1 Yes	69	3.9
		2 No	1,753	96.1
		Missing	110	
354-354	QNFRSKL	frequently (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on 20 or more days during the 30 days before the survey)		
		1 Yes	13	0.6
		2 No	1,878	99.4
		Missing	41	
355-355	QNDAYSKL	Percentage of students who currently used smokeless tobacco daily (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on all 30 days during the 30 days before the survey)		
		1 Yes	11	0.5
		2 No	1,880	99.5
		Missing	41	,
356-356	QNFRCGR	Percentage of students who currently smoked cigars frequently (cigars, cigarillos, or little cigars, on 20 or more days during the 30 days before the survey)		
		1 Yes	14	0.9
		2 No	1,867	99.1
		Missing	51	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
357-357	QNDAYCGR	Percentage of students who currently smoked cigars daily (cigars, cigarillos, or little cigars, on all 30 days during the 30 days before the survey)		
		1 Yes 2 No Missing	10 1,871 51	0.5 99.5
358-358	QNTB2	Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes 2 No Missing	86 1,764 82	5.0 95.0
359-359	QNTB3	Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)		
		1 Yes 2 No Missing	96 1,753 83	5.6 94.4
360-360	QNTB4	Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)		
		1 Yes 2 No Missing	292 1,490 150	17.3 82.7
361-361	QNTB5	Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)		
		1 Yes 2 No Missing	284 1,517 131	16.7 83.3
362-362	QNIUDIMP	Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes 2 No Missing	22 304 1,606	6.9 93.1

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
363-363	Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)			
		1 Yes	102	35.0
		2 No	224	65.0
		Missing	1,606	
364-364	QNDUALBC	Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD, or implant, or a shot, or patch, or birth control ring before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	47	16.8
		2 No	275	83.2
		Missing	1,610	
365-365	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse with an opposite-sex partner (among students who were currently sexually active)		
		1 Yes	41	11.1
		2 No	285	88.9
		Missing	1,606	
376-376	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	343	17.4
		2 No	1,516	82.6
		Missing	73	
377-377	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	418	21.9
		2 No	1,441	78.1
		Missing	73	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
379-379	Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)			
		1 Yes	53	2.8
		2 No Missing	1,796 83	97.2
386-386	QNOBESE	Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)	63	
		1 Yes	245	15.3
		2 No	1,421	84.7
		Missing	266	
387-387	QNOWT	Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	269	16.1
		2 No	1,397	83.9
		Missing	266	
388-397	WEIGHT			
398-400	STRATUM		-	
401-406	PSU			
407-411	BMIPCT	_		
414-415	RACEETH	-		
		1 Am Indian/Alaska Native	10	0.4
		2 Asian	84	2.8
		3 Black or African American	180	9.6
		4 Native Hawaiian/Other PI	6	0.3
		5 White	835	50.9
		6 Hispanic/Latino	122	5.4
		 Multiple - Hispanic Multiple - Non-Hispanic 	559 123	25.7 4.9
		o willing - non-rispanic	14.5	4.9

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
416-418	Q6ORIG			
419-421	Q7ORIG			