

Dear WIC Vendors,

URGENT, FORMULA RECALL: The FDA is advising consumers not to use the following Abbott formulas due to recall: **POWDER ONLY** types of **Similac for Spit Up, Total Comfort, Sensitive, Advance, Alimentum and Elecare**.

Products under recall have a multidigit number on the bottom of the container. The following are the affected product lot number:

- The first two digits of the code are 22 through 37; and
- The code on the container contains K8, SH or Z2; and
- The expiration date is 4-1-2022 (APR 2022) or later.

Abbott has also developed a web-based tool to determine if the consumer's product was included in this recall. To see if your formula is part of the recall go to www.similacrecall.com.

Consumers can [click here \[gcc02.safelinks.protection.outlook.com\]](http://gcc02.safelinks.protection.outlook.com) to check their product's lot number, located at the bottom of their product. For more information, call **1-800-986-8540**.

Please see attached Abbot recall document .

Our WIC system is unable to perform refunds. Rhode Island WIC Participants are to call the **1-800-986-8540** number or contact their local WIC agencies for more information. The WIC agencies are instructed to reissue WIC formula benefits. **Vendors are instructed to immediately remove affected formula and not to sell this formula to their customers.**

Sincerely,

Preet Kaur, MBA
Vendor Manager, WIC Program
RI Department of Health
3 Capitol Hill, Providence, RI 02908
(401)-222-4633
(401)-222-1442 Fax
Preet.kaur@health.ri.gov

URGENTE - RETIRO DE FORMULAS EN POLVO:

La Administración de Drogas y Alimentos, (FDA, por sus siglas en inglés) aconseja a los consumidores a no usar las siguientes fórmulas en polvo **SOLAMENTE: Similac for Spit Up, Total Comfort, Sensitive, Advance, Alimentum, y Elecare** porque estas fórmulas están siendo retiradas del mercado.

Los siguientes son los números de los lotes de fórmulas que se tienen que ser retirados del mercado:

- Los primeros dos dígitos del código son del 22 hasta 37; y
- El código en la lata tiene marcado ya sea k8, ó SH ó Z2; y

· La fecha de vencimiento es 4-1-2022 (Abril 2022) o después.

La compañía Abbott también tiene una página de internet para que el consumidor verifique si la fórmula que ya compró es parte de las fórmulas retiradas. Para verificar si su fórmula es parte de este retiro vaya a similacrecall.com.

Los consumidores pueden hacer [click aquí \[gcc02.safelinks.protection.outlook.com\]](http://gcc02.safelinks.protection.outlook.com) para chequear el número del lote que se encuentra en la parte de abajo de las latas. Para más información, llame al **1-800-986-8540**.

Adjunto encontrará el documento de la compañía Abbott que explica sobre el retiro de estas fórmulas en polvo.

Nuestro sistema de WIC no nos permite procesar devoluciones. Los participantes de WIC en Rhode Island deben de llamar al **1-800-986-8540** o ponerse en contacto con su agencia local de WIC para más información. Las agencias locales de WIC tienen instrucciones de proveer fórmula en los beneficios del participante. Los vendedores tienen que retirar de la venta todas las fórmulas afectadas. No pueden vender estas fórmulas a ningún consumidor.

Sinceramente,